

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Vorlagelösung zur Edenolbestimmung

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Carc. 2; H351

STOT SE 3; H335

STOT SE 3; H336

STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008


Hazard components for labelling

dichloromethane

tetrabutylammonium iodide

Signal word: Warning

Pictograms:



Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 2 of 13

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
75-09-2	dichloromethane	75 - < 80 %
	200-838-9	
	602-004-00-3	
	01-2119480404-41	
	Carc. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT SE 3, STOT RE 2; H351 H315 H319 H335 H336 H373	
64-19-7	acetic acid	15 - < 20 %
	200-580-7	
	607-002-00-6	
	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A; H226 H314	
311-28-4	tetrabutylammonium iodide	5 - < 10 %
	206-220-5	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
75-09-2	200-838-9	dichloromethane	75 - < 80 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
64-19-7	200-580-7	acetic acid	15 - < 20 %
		inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
311-28-4	206-220-5	tetrabutylammonium iodide	5 - < 10 %
		oral: LD50 = 1990 mg/kg	

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 3 of 13

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Observe risk of aspiration if vomiting occurs.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Vapours may cause drowsiness and dizziness.
Dizziness, Inebriation
Gastrointestinal complaints, Vomiting
Unconsciousness, Cough
Respiratory complaints, Dyspnoea
Corneal opacity. Circulatory collapse
Liver and kidney damage

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products
In case of fire may be liberated:
Hydrogen chloride (HCl)
Phosgene

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 4 of 13

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.
Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Use personal protection equipment.
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

In case of warning: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 5 of 13

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Further information on storage conditions

Keep container tightly closed.
Keep away from heat.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
75-09-2	Methylene chloride	100	353		TWA (8 h)	
		200	706		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
75-09-2	Dichloromethane/Methylene chloride	COHb	4 %	Haemoglobin	Measure at end of shift

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value	
75-09-2	dichloromethane	Worker DNEL, long-term	inhalation	systemic	353 mg/m ³
		Worker DNEL, acute	inhalation	systemic	706 mg/m ³
		Worker DNEL, long-term	dermal	systemic	12 mg/kg bw/day
		Consumer DNEL, long-term	inhalation	systemic	88,3 mg/m ³
		Consumer DNEL, acute	inhalation	systemic	353 mg/m ³
		Consumer DNEL, long-term	dermal	systemic	5,82 mg/kg bw/day
		Consumer DNEL, long-term	oral	systemic	0,06 mg/kg bw/day
		64-19-7	acetic acid	Worker DNEL, long-term	inhalation
Worker DNEL, acute	inhalation			local	25 mg/m ³
Consumer DNEL, long-term	inhalation			local	25 mg/m ³
Consumer DNEL, acute	inhalation			local	25 mg/m ³

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 6 of 13

PNEC values

CAS No	Substance	Value
Environmental compartment		
75-09-2	dichloromethane	
Freshwater		0,31 mg/l
Freshwater (intermittent releases)		0,27 mg/l
Marine water		0,031 mg/l
Freshwater sediment		2,57 mg/kg
Marine sediment		0,26 mg/kg
Micro-organisms in sewage treatment plants (STP)		26 mg/l
Soil		0,33 mg/kg
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater (intermittent releases)		30,58 mg/l
Marine water		0,306 mg/l
Freshwater sediment		11,36 mg/kg
Marine sediment		1,136 mg/kg
Micro-organisms in sewage treatment plants (STP)		85 mg/l
Soil		0,47 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet <(>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 7 of 13

and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability		
Solid/liquid:		No data available
Gas:		No data available
Flash point:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Bulk density:		No data available
Relative vapour density:		No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Flow time:	No data available

SECTION 10: Stability and reactivity

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 8 of 13

10.1. Reactivity

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Alkali metals
Alkaline earth metal
Nitric acid
Amines
Hydrocarbons, aromatic
K, Na, Al

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Rubber articles
plastics
metals
Light metal
Steel

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Based on available data, the classification criteria are not met.
Pulmonary oedema
Pneumonia

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-09-2	dichloromethane				
	oral	LD50 > 2000 mg/kg	Rat	Other company data (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Other company data (1988)	OECD Guideline 402
64-19-7	acetic acid				
	oral	LD50 3310 mg/kg	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194)	The sodium salt of acetic acid was admin
	inhalation (4 h) vapour	LC50 11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403
311-28-4	tetrabutylammonium iodide				
	oral	LD50 1990 mg/kg	Rat	ChemIDplus, A Toxnet Database - 2017 (20)	other: as below

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 9 of 13

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.
Has degreasing effect on the skin.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (dichloromethane)
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (dichloromethane)
May cause drowsiness or dizziness. (dichloromethane)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (dichloromethane)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

Irritant
Vapours may cause drowsiness and dizziness.
Dizziness, Inebriation
Gastrointestinal complaints, Vomiting
Unconsciousness, Cough
Respiratory complaints, Dyspnoea
Corneal opacity. Circulatory collapse
Liver and kidney damage

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 10 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-09-2	dichloromethane					
	Acute fish toxicity	LC50 193 mg/l	96 h	Pimephales promelas	Bull Environ Contam Toxicol 20, 344-352	According to test methods described by t
	Acute crustacea toxicity	EC50 27 mg/l	48 h	Daphnia magna	Study report (1979)	According EPA publication
	Fish toxicity	NOEC 357 mg/l	8 d	Pimephales promelas	Bull Environ Contam Toxicol 39, 869-876 (other: ASTM E729-80
64-19-7	acetic acid					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
311-28-4	tetrabutylammonium iodide					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Danio rerio	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 203,268 mg/l	96 h	green algae	REACH Registration Dossier	other: Modeling database
	Acute crustacea toxicity	EC50 2,8 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-09-2	dichloromethane	1,25
64-19-7	acetic acid	-0,17
311-28-4	tetrabutylammonium iodide	0,869

BCF

CAS No	Chemical name	BCF	Species	Source
75-09-2	dichloromethane	> 0,91 - < 7,9		Washington, DC, US E
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
311-28-4	tetrabutylammonium iodide	70,79	Fish	REACH Registration D

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 11 of 13

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, dichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	86
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, dichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, dichloromethane)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8+6.1
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 12 of 13

14.1. UN number or ID number:	UN 2922	
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, dichloromethane)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8+6.1	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 59, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,7,8,9,10,11,12,13,14,15,16.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Carc. 2; H351	Calculation method
STOT SE 3; H335	Calculation method
STOT SE 3; H336	Calculation method
STOT RE 2; H373	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vorlagelösung zur Edenolbestimmung

Revision date: 24.08.2022

Product code: 01702

Page 13 of 13

H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)