

AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

Revision date: 17.07.2024 SECTION 1: Identification of the su <u>1.1. Product identifier</u> Eisen-Stammlösung 1000 mg Fe, <u>1.2. Relevant identified uses of the sub</u> Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substance	/l in verdünnter Schwefelsäure ostance or mixture and uses a es as such or in preparations a	e company/undertak		Page 1 of 10
<u>1.1. Product identifier</u> Eisen-Stammlösung 1000 mg Fe, <u>1.2. Relevant identified uses of the sub</u> Use of the substance/mixture Laboratory chemicals	/l in verdünnter Schwefelsäure ostance or mixture and uses a es as such or in preparations a	<b>idvised against</b> it industrial sites		
Eisen-Stammlösung 1000 mg Fe, <u>1.2. Relevant identified uses of the sub</u> Use of the substance/mixture Laboratory chemicals	es as such or in preparations	t industrial sites	craftsmen)	
1.2. Relevant identified uses of the sub Use of the substance/mixture Laboratory chemicals	es as such or in preparations	t industrial sites	craftsmen)	
Use of the substance/mixture Laboratory chemicals	es as such or in preparations a	t industrial sites	craftsmen)	
Laboratory chemicals			craftsmen)	
Professional uses: Public domain				
Uses advised against				
Do not use for private purposes (	household).			
1.3. Details of the supplier of the safety	v data sheet			
Company name:	AnalytiChem GmbH ACD			
Street:	Stempelstraße 6			
Place:	D-47167 Duisburg			
Telephone:	0203/5194-0	Telef	fax:0203/5194-290	
E-mail:	info@analytichem.de			
•	Abteilung Produktsicherheit		ne:0203/5194-107/117	
E-mail:	produktsicherheit@analytiche	m.de		
	www.analytichem.de			
	Abteilung Produktsicherheit			
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or E Exposure, or Accident Call CH 1-800-424-9300 Outside USA accepted)	IEMTREC Day or Nigh	t Within USA and Canad	a:
Further Information This product is a mixture. REACH	H Registration Number see sec	tion 3.		

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

<b>Dogulation</b>	No	4070/0000
Regulation	NU	12/2/2000

Signal word:

Pictograms:



## Hazard statements

H290

May be corrosive to metals.

## **Precautionary statements**

nner liner.



## Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 2 of 10

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name						
	EC No Index No REACH No						
	Classification (Regulation (EC) No 1272/2008)						
7664-93-9	sulphuric acid						
	231-639-5 016-020-00-8 01-2119458838-20						
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318						

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7664-93-9	231-639-5	sulphuric acid	1 - < 5 %	
	oral: LD50 = 21 Eye Irrit. 2; H31	40 mg/kg   Skin Corr. 1A; H314: >= 15 - 100   Skin Irrit. 2; H315: >= 5 - < 15 9: >= 5 - < 15		

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No data available

## After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**



## Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 3 of 10

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling





#### an analyti**chem** brand

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 4 of 10

## Advice on safe handling

Read label before use.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal, Light metal The product develops hydrogen in an aqueous solution in contact with metals.

## Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

## DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
7664-93-9	sulphuric acid							
Worker DNEL, long-term inhalation local 0,05 mg/m <sup>3</sup>								
Worker DNEL, acute		inhalation	local	0,1 mg/m³				

## **PNEC** values

CAS No	Substance				
Environmental compartment Value					
7664-93-9	664-93-9 sulphuric acid				
Freshwater 0,003 mg/l					
Marine water 0 mg/l					
Freshwater sediment 0,002 mg/k					
Marine sediment 0,002 mg/					
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l					

### 8.2. Exposure controls



## Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 5 of 10

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

### By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

#### By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Liquid	
clear	
odourless	
No data available	
	No data available
	No data available
	No data available
	clear odourless



Eisen-Stammlös	ung 1000 mg Fe/l in verdünnter Schwefelsäure	
Revision date: 17.07.2024	Product code: 01748	Page 6 of 10
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	acidic	
Viscosity / kinematic:	No data available	
Water solubility:	completely miscible	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,0242 g/cm <sup>3</sup>	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard Explosive properties No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing	classes No data available No data available No data available	
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		
SECTION 10: Stability and reactivity		

## 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Metal



an analyti**chem** brand

according to Regulation (EC) No 1907/2006

## Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 7 of 10

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

## Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
7664-93-9	sulphuric acid				-					
	oral	LD50 mg/kg	2140			The study was performed as part of a ser				

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

There are no data available on the preparation/mixture itself.

### **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

## **Further information**

There are no data available on the preparation/mixture itself.



## Eisen-Stammlösung 1000 mg Fe/l in verdünnter Schwefelsäure

Revision date: 17.07.2024

Product code: 01748

Page 8 of 10

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
7664-93-9	sulphuric acid									
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish			

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

## **Further information**

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

UN 3264
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
8
III
8



	ösung 1000 mg Fe/l in verdünnter Schwefelsäure	
Revision date: 17.07.2024	Product code: 01748	Page 9 of 10
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture	

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Information according to Directive		
2012/18/EU (SEVESO III):		

Not subject to 2012/18/EU (SEVESO III)

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.



Eisen-Stammlösung	1000 mg Fe/l in verdünnter Schwefelsäure
-------------------	--

Revision date: 17.07.2024	Product code: 01748	Page 10 of 10
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according t work protection guideline' (94/33/EC).	o the 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	

#### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 12.

## Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

## Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

- H314 Causes severe skin burns and eye damage. H318
  - Causes serious eye damage.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)