

Sodium acetate buffer	r solution 270 g sodium acetate for dete	trihydrate + 115 ml acetic acid 10	0%/I
Revision date: 25.09.2024	Product code: 0312	8	Page 1 of 11
SECTION 1: Identification of the	e substance/mixture and of the com	pany/undertaking	
<u>1.1. Product identifier</u> Sodium acetate buffer solutio	n 270 g sodium acetate trihydrate + 115	ml acetic acid 100%/l for dete	
UFI:	9JN8-C0SS-E000-YY90		
1.2. Relevant identified uses of the	substance or mixture and uses advised	<u>d against</u>	
	tances as such or in preparations at indus nain (administration, education, entertain		
Uses advised against			
Do not use for private purpos	es (household).		
1.3. Details of the supplier of the sa	afety data sheet		
Company name: Street:	AnalytiChem GmbH ACD Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290	
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
1.4. Emergency telephone number:	Exposure, or Accident Call CHEMTR	bus Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada anada: +1 703-741-5970 (collect calls	a:
Eurther Information			

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Signal word: Warning	
Pictograms:	

Hazard statements

H315 H319 Causes skin irritation. Causes serious eye irritation.



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete				
Revision date: 25.09.2024	Product code: 03128	Page 2 of 11		
Precautionary statemen	ts			
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.			
P302+P352	IF ON SKIN: Wash with plenty of water.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.			

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)				
64-19-7	acetic acid			10 - < 15 %	
	200-580-7	607-002-00-6	01-2119475328-30		
	Flam. Liq. 3, Skin Corr. 1A; H226 H314				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	10 - < 15 %
		0 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - . 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >=	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.



	ion 270 g sodium acetate trihydrate + 115 ml for dete	
Revision date: 25.09.2024	Product code: 03128	Page 3 of 1
After ingestion Rinse mouth immediately and drink p Call a physician immediately.	plenty of water.	
4.2. Most important symptoms and effects Irritant Dyspnoea Gastrointestinal complaints Vomiting Circulatory collapse Corneal opacity.	s, both acute and delayed	
4.3. Indication of any immediate medical a No data available	ttention and special treatment needed	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Co-ordinate fire-fighting measures to	the fire surroundings.	
Unsuitable extinguishing media no restriction		
5.2. Special hazards arising from the subs	tance or mixture	

Combustible liquids Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Acetic acid vapour

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.



Sodium acetate buffer solutio	n 270 g sodium acetate trihydrate + 115 ml a	icetic acid 100%/l
Revision date: 25.09.2024	for dete Product code: 03128	Dago 4 of 11
	Product code. 03128	Page 4 of 11
Prevent spread over a wide area (e.g. b	- ,	
Collect in closed and suitable containers		
	d, diatomaceous earth, acid- or universal binding agents	s).
For cleaning up		
	ccording to the environmental legislation.	
Other information		
Provide adequate ventilation.		
Do not breathe dust/fume/gas/mist/vapo		
Wear breathing apparatus if exposed to	vapours/dusts/aerosols.	
6.4. Reference to other sections		
Safe handling: see section 7	·	
Personal protection equipment: see sec	tion 8	
Disposal: see section 13		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Advice on safe handling		
Read label before use. Handle and ope	n container with care.	
When using do not eat, drink, smoke, si	niff. Keep container tightly closed.	
Use personal protection equipment. Use		
Do not breathe gas/fumes/vapour/spray	. Provide adequate ventilation.	
Advice on protection against fire and exp	losion	
Usual measures for fire prevention.		

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Further information on storage conditions

Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete

Revision date: 25.09.2024

Product code: 03128

Page 5 of 11

DNEL/DMEL values

Substance			
	Exposure route	Effect	Value
acetic acid			
ong-term	inhalation	local	25 mg/m³
acute	inhalation	local	25 mg/m³
L, long-term	inhalation	local	25 mg/m³
L, acute	inhalation	local	25 mg/m³
	acetic acid ong-term acute L, long-term	Exposure route acetic acid ong-term acute L, long-term	Exposure route Effect acetic acid inhalation local ong-term inhalation local acute inhalation local L, long-term inhalation local

PNEC values

CAS No	Substance		
Environmental compartment Value			
64-19-7	acetic acid		
Freshwater		3,058 mg/l	
Freshwater (intermittent releases) 30,58 mg/l			
Marine water 0,306 mg/l		0,306 mg/l	
Freshwater sediment 11,36 mg/kg		11,36 mg/kg	
Marine sediment 1,136 n		1,136 mg/kg	
Micro-organisms in sewage treatment plants (STP)		85 mg/l	
Soil		0,47 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/I

for dete

Revision date: 25.09.2024

Product code: 03128

Page 6 of 11

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	emical properties
Physical state:	Liquid
Colour:	colourless
Odour:	stinging
Melting point/freezing point:	No data available
Boiling point or initial boiling point and	No data available
boiling range:	
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	acidic
Viscosity / kinematic:	No data available
Water solubility:	completely miscible
Solubility in other solvents	
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,093 g/cm³
Bulk density:	No data available
Relative vapour density:	No data available
9.2. Other information	
Information with regard to physical haz	zard classes
Explosive properties	
• • •	along floors and form explosive mixtures with air.
Sustaining combustion:	Sustaining combustion
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	
Other safety characteristics	
Evaporation rate:	No data available
Solvent separation test:	No data available



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete			
Revision date: 25.09.2024	Product code: 03128	Page 7 of 11	
Solid content:	No data available		
Sublimation point:	No data available		
Softening point:	No data available		
Pour point:	No data available		
	No data available		
Viscosity / dynamic:	No data available		
Flow time:	No data available		

Further Information

May be corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent peroxides, for example hydrogen peroxide permanganates, e.g. potassium permanganate Oxidising agent, strong Metal iron and steel Zinc Alkali (lye) aldehydes Alcohols Nitric acid

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete

Revision date: 25.09.2024

Product code: 03128

Page 8 of 11

CAS No	Chemical name	mical name				
	Exposure route	Dose		Species	Source	Method
64-19-7	acetic acid					
	oral	LD50 mg/kg	3310		- ,,	The sodium salt of acetic acid was admin
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met. Observe risk of aspiration if vomiting occurs.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Other information

Irritant Dyspnoea Gastrointestinal complaints Vomiting Circulatory collapse Corneal opacity. Risk of serious damage to eyes.

Further information

kidneys

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete

Revision date: 25.09.2024

Product code: 03128

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000		Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

Further information

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2790
14.2. UN proper shipping name:	ACETIC ACID



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete		
Revision date: 25.09.2024	Product code: 03128	Page 10 of 11
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C3	
Special Provisions:	597 647	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2790	
14.2. UN proper shipping name:	ACETIC ACID SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C3	
Special Provisions:	597 647	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2790	
14.2. UN proper shipping name:	ACETIC ACID SOLUTION	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	5 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2790	
14.2. UN proper shipping name:	ACETIC ACID SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



Sodium acetate buffer solution 270 g sodium acetate trihydrate + 115 ml acetic acid 100%/l for dete				
Revision date: 25.09.2024	Product code: 03128	Page 11 of 11		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles accord work protection guideline' (94/33/EC).	ding to the 'juvenile		
Water hazard class (D):	1 - slightly hazardous to water			
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)