

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

Revision date: 26.08.2024

Product code: 03259

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

UFI: QT09-P06S-H00U-MPMF

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
|                         | ACD                              |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| E-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| E-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Flam. Liq. 3; H226

Skin Corr. 1B; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

acetic acid

Signal word: Danger

Pictograms:



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 2 of 11

**Hazard statements**

- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.

**Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Relevant ingredients**

| CAS No  | Chemical name                                 |              |                  | Quantity    |
|---------|---|--------------|------------------|-------------|
|         | EC No   | Index No     | REACH No         |             |
|         | Classification (Regulation (EC) No 1272/2008) |              |                  |             |
| 64-19-7 | acetic acid                                   |              |                  | 80 - < 85 % |
|         | 200-580-7                                     | 607-002-00-6 | 01-2119475328-30 |             |
|         | Flam. Liq. 3, Skin Corr. 1A; H226 H314        |              |                  |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No  | EC No   | Chemical name | Quantity    |
|---------|---|---------------|-------------|
|         | Specific Conc. Limits, M-factors and ATE  |               |             |
| 64-19-7 | 200-580-7   | acetic acid   | 80 - < 85 % |
|         | inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 |               |             |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

Self-protection of the first aider

**After inhalation**

- Provide fresh air.
- Call a physician immediately.

**After contact with skin**

- Wash immediately with: Water
- Take off immediately all contaminated clothing and wash it before reuse.
- Call a physician immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

Revision date: 26.08.2024

Product code: 03259

Page 3 of 11

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

Circulatory collapse

Corneal opacity.

Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide

Acetic acid vapour

Nitrogen oxides (NO<sub>x</sub>)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

Revision date: 26.08.2024

Product code: 03259

Page 4 of 11

and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

##### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 5 of 11

**Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

In case of warming: Vapours may form explosive mixtures with air.

**Further information on storage conditions**

Keep cool. Protect from sunlight.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

| CAS No  | Substance   | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|---------|-------------|-----|-------------------|---------------------|---------------|--------|
| 64-19-7 | Acetic acid | 10  | 25                |                     | TWA (8 h)     |        |
|         |             | 20  | 50                |                     | STEL (15 min) |        |

**DNEL/DMEL values**

| CAS No                   | Substance   | Exposure route | Effect | Value                |
|--------------------------|-------------|----------------|--------|----------------------|
| 64-19-7                  | acetic acid |                |        |                      |
| Worker DNEL, long-term   |             | inhalation     | local  | 25 mg/m <sup>3</sup> |
| Worker DNEL, acute       |             | inhalation     | local  | 25 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |             | inhalation     | local  | 25 mg/m <sup>3</sup> |
| Consumer DNEL, acute     |             | inhalation     | local  | 25 mg/m <sup>3</sup> |

**PNEC values**

| CAS No   | Substance   | Value       |
|--|-------------|-------------|
| 64-19-7  | acetic acid |             |
| Freshwater                                       |             | 3,058 mg/l  |
| Freshwater (intermittent releases)               |             | 30,58 mg/l  |
| Marine water                                     |             | 0,306 mg/l  |
| Freshwater sediment                              |             | 11,36 mg/kg |
| Marine sediment                                  |             | 1,136 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |             | 85 mg/l     |
| Soil   |             | 0,47 mg/kg  |

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

Face protection umbrella

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

Revision date: 26.08.2024

Product code: 03259

Page 6 of 11

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 890 Vitoject®

Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |            |                     |
|---|------------|---------------------|
| Physical state:   | Liquid     |                     |
| Colour:   | colourless |                     |
| Odour:  | stinging   |                     |
| Melting point/freezing point:                             |            | No data available   |
| Boiling point or initial boiling point and boiling range: |            | No data available   |
| Flammability:   |            | No data available   |
| Lower explosion limits:                                   |            | No data available   |
| Upper explosion limits:                                   |            | No data available   |
| Flash point:  | 40 °C      |                     |
| Auto-ignition temperature:                                |            | No data available   |
| Decomposition temperature:                                |            | No data available   |
| pH-Value:   | 0          |                     |
| Viscosity / kinematic:                                    |            | No data available   |
| Water solubility:   |            | completely miscible |
| Solubility in other solvents                              |            |                     |
| No data available   |            |                     |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid

Revision date: 26.08.2024

Product code: 03259

Page 7 of 11

|  |                          |
|--|--------------------------|
| Partition coefficient n-octanol/water: | No data available        |
| Vapour pressure:                       | No data available        |
| Vapour pressure:                       | No data available        |
| Density:                               | 1,0944 g/cm <sup>3</sup> |
| Bulk density:                          | No data available        |
| Relative vapour density:               | No data available        |

#### 9.2. Other information

##### Information with regard to physical hazard classes

###### Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion: No data available

###### Self-ignition temperature

Solid:

No data available

Gas:

No data available

###### Oxidizing properties

No data available

##### Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

Solid content: No data available

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

Viscosity / dynamic: No data available

Flow time: No data available

##### Further Information

May be corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent  
peroxides, for example hydrogen peroxide  
permanganates, e.g. potassium permanganate  
Oxidising agent, strong

Metal

iron and steel

Zinc

Alkali (lye)

aldehydes

Alcohols

Nitric acid

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 8 of 11

**10.5. Incompatible materials**

Metal (Formation of: Hydrogen)

**10.6. Hazardous decomposition products**

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

The substance has delayed effects.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No  | Chemical name           |                 |         |   |  |
|---------|-------------------------|-----------------|---------|---|--|
|         | Exposure route          | Dose            | Species | Source                                    | Method                                   |
| 64-19-7 | acetic acid             |                 |         |   |  |
|         | oral                    | LD50 3310 mg/kg | Rat     | J Ind Hyg Toxicol, Vol 23, PP 78-82 (194) | The sodium salt of acetic acid was admin |
|         | inhalation (4 h) vapour | LC50 11,4 mg/l  | Rat     | Study report (1980)                       | OECD Guideline 403                       |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Other information**

Irritant

corrosive



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 9 of 11

Dyspnoea  
Gastrointestinal complaints  
Vomiting  
Circulatory collapse  
Corneal opacity.  
Risk of serious damage to eyes.

**Further information**

kidneys

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No  | Chemical name            |               |           |         |                      |   |
|---------|--------------------------|---------------|-----------|---------|----------------------|---|
|         | Aquatic toxicity         | Dose          | [h]   [d] | Species | Source               | Method                                    |
| 64-19-7 | acetic acid              |               |           |         |                      |   |
|         | Acute fish toxicity      | LC50<br>mg/l  | > 1000    | 96 h    | Oncorhynchus mykiss  | Study report (2005)<br>other: SOP E257    |
|         | Acute algae toxicity     | ErC50<br>mg/l | > 1000    | 72 h    | Skeletonema costatum | Study report (2005)<br>ISO 10253          |
|         | Acute crustacea toxicity | EC50<br>mg/l  | > 1000    | 48 h    | Daphnia magna        | Study report (1990)<br>OECD Guideline 202 |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

| CAS No  | Chemical name | Log Pow |
|---------|---------------|---------|
| 64-19-7 | acetic acid   | -0,17   |

**BCF**

| CAS No  | Chemical name | BCF  | Species | Source               |
|---------|---------------|------|---------|----------------------|
| 64-19-7 | acetic acid   | 3,16 | fish    | Environ. Toxicol. Ch |

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Do not allow to enter into surface water or drains.  
Avoid release to the environment.

**Further information**

There are no data available on the mixture itself.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 10 of 11

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|  |                      |
|--|----------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2789              |
| <b>14.2. UN proper shipping name:</b>    | ACETIC ACID SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                    |
| <b>14.4. Packing group:</b>              | II                   |
| Hazard label:                            | 8+3                  |
| Classification code:                     | CF1                  |
| Limited quantity:                        | 1 L                  |
| Excepted quantity:                       | E2                   |
| Transport category:                      | 2                    |
| Hazard No:                               | 83                   |
| Tunnel restriction code:                 | D/E                  |

**Inland waterways transport (ADN)**

|  |                      |
|--|----------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2789              |
| <b>14.2. UN proper shipping name:</b>    | ACETIC ACID SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                    |
| <b>14.4. Packing group:</b>              | II                   |
| Hazard label:                            | 8+3                  |
| Classification code:                     | CF1                  |
| Limited quantity:                        | 1 L                  |
| Excepted quantity:                       | E2                   |

**Marine transport (IMDG)**

|  |                      |
|--|----------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2789              |
| <b>14.2. UN proper shipping name:</b>    | ACETIC ACID SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                    |
| <b>14.4. Packing group:</b>              | II                   |
| Hazard label:                            | 8+3                  |
| Special Provisions:                      | -                    |
| Limited quantity:                        | 1 L                  |
| Excepted quantity:                       | E2                   |
| EmS:                                     | F-E, S-C             |

**Air transport (ICAO-TI/IATA-DGR)**

|  |                      |
|--|----------------------|
| <b>14.1. UN number or ID number:</b>     | UN 2789              |
| <b>14.2. UN proper shipping name:</b>    | ACETIC ACID SOLUTION |
| <b>14.3. Transport hazard class(es):</b> | 8                    |
| <b>14.4. Packing group:</b>              | II                   |
| Hazard label:                            | 8+3                  |
| Limited quantity Passenger:              | 0.5 L                |
| Passenger LQ:                            | Y840                 |
| Excepted quantity:                       | E2                   |
| IATA-packing instructions - Passenger:   | 851                  |
| IATA-max. quantity - Passenger:          | 1 L                  |
| IATA-packing instructions - Cargo:       | 855                  |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Tetraethylammonium bromide solution 220 g/l pure in anhydrous acetic acid**

Revision date: 26.08.2024

Product code: 03259

Page 11 of 11

IATA-max. quantity - Cargo:

30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

3 - highly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12.

**Abbreviations and acronyms**

Met. Corr: Substance or mixture corrosive to metals

Flam. Liq: Flammable liquid

Skin Corr: Skin corrosion

Eye Dam: Eye damage

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Flam. Liq. 3; H226  | On basis of test data    |
| Skin Corr. 1B; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

**Relevant H and EUH statements (number and full text)**

- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*