

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Copper(I) chloride solution for determination of CO according to Orsat

UFI:

QDR9-S0R6-3000-KFVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangero	ous Goods] Incidents Spill, Leak, Fire,
number:		EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling ammonium chloride copper (I) chloride Ammonia

Signal word: Danger



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Pictograms:

Product code: 03522

Page 2 of 15



Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

ecautionaly statement	
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name		Quantity		
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	-		
12125-02-9	ammonium chloride			15 - < 20 %	
	235-186-4	017-014-00-8	01-2119487950-27		
	Acute Tox. 4, Eye Irrit. 2; H302 H3	319	•		
7758-89-6	copper (I) chloride		10 - < 15 %		
	231-842-9	029-001-00-4	01-2119513341-55		
	Acute Tox. 4, Acute Tox. 4, Skin I H302 H315 H318 H400 H410	rit. 2, Eye Dam. 1, Aquatic Acute 1, .	Aquatic Chronic 1; H312		
1336-21-6	Ammonia		1 - < 5 %		
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 3 of 15

Specific Conc. Limits, M-factors and ATE CAS No EC No Chemical name Quantity Specific Conc. Limits, M-factors and ATE 12125-02-9 235-186-4 ammonium chloride 15 - < 20 % dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1410 mg/kg 7758-89-6 231-842-9 copper (I) chloride 10 - < 15 % dermal: LD50 = > 2000 mg/kg; oral: LD50 = ca. 336 mg/kg Aquatic Acute 1; H400: M=10 1336-21-6 215-647-6 Ammonia 1 - < 5 % inhalation: LC50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 Aquatic Acute 1; H400: M=10

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes. Irritant corrosive Cough Dyspnoea Gastrointestinal complaints Vomiting

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 4 of 15

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Nitrogen oxides (NOx) Metal oxide smoke, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.





according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 5 of 15

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	
12125-02-9	Ammonium chloride, fume	-	10		TWA (8 h)	
		-	20		STEL (15 min)	



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 6 of 15

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
12125-02-9	ammonium chloride			
Consumer DN	IEL, long-term	inhalation	systemic	9,9 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	114 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	11,4 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	33,5 mg/m³
Worker DNEL	, long-term	dermal	systemic	190 mg/kg bw/day
1336-21-6	Ammonia	-		_
Worker DNEL	, long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL	, acute	inhalation	systemic	47,6 mg/m³
Worker DNEL	, long-term	inhalation	local	14 mg/m ³
Worker DNEL	, acute	inhalation	local	36 mg/m³
Worker DNEL	, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	6,8 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DN	EL, acute	inhalation	systemic	23,8 mg/m³
Consumer DN	IEL, long-term	inhalation	local	2,8 mg/m³
Consumer DN	EL, acute	inhalation	local	7,2 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	6,8 mg/kg bw/day



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 7 of 15

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
12125-02-9	ammonium chloride	
Freshwater		1,2 mg/l
Freshwater (in	ntermittent releases)	1,2 mg/l
Marine water		11,2 mg/l
Micro-organis	ms in sewage treatment plants (STP)	16,2 mg/l
Soil		0,163 mg/kg
7758-89-6	copper (I) chloride	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater se	ediment	87 mg/kg
Marine sedim	ent	676 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		65 mg/kg
1336-21-6	Ammonia	
Freshwater		0,001 mg/l
Freshwater (i	ntermittent releases)	0,007 mg/l
Marine water 0,001 m		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 8 of 15

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	blue	
Odour:	like: Ammonia (NH3)	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not applicable
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		not determined
Vapour pressure:		No data available
Vapour pressure:		not determined
Density:		~1,1 g/cm ³
Relative density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not determined
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024	Product code: 03522	Page 9 of 15
Self-ignition temperature		
Solid:	not determined	
Gas:	not applicable	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	0	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
not determined:		
Viscosity / dynamic:	not determined	
Flow time:	not determined	
Further Information		
not determined		

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1866 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 10 of 15

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
12125-02-9	ammonium chloride	ammonium chloride						
	oral	LD50 mg/kg	1410	Rat	Other company data (1983)	other: not mentioned		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	EU Method B.3		
7758-89-6	copper (I) chloride							
	oral	LD50 mg/kg	ca. 336	Rat	Study report (1978)	other: BASF-Test		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402		
1336-21-6	Ammonia							
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401		
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation. Serious eye damage/eye irritation: Causes serious eye damage. Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Risk of serious damage to eyes.



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 11 of 15

Irritant corrosive Cough Dyspnoea Gastrointestinal complaints Vomiting

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 12 of 15

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
12125-02-9	ammonium chloride							
	Acute fish toxicity	LC50	209 mg/l	96 h	Cyprinus carpio	Indian J. Environ. Health, 17, 140-146,	other: E03-05:APHA, AWWA & WPCF	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Env. Tox. Chem. 5, 443-447 (1986) (1986)	other: ASTM E729-80	
	Fish toxicity	NOEC mg/l	11,8	28 d	Pimephales promelas	Env.Tox. Chem. 5, 437-442 (1986) (1986)	other: - American Society for Testing an	
	Algae toxicity	NOEC mg/l	26,8	10 d	Navicula sp.	Mar. Biol. 43(4), 307-315, (1977) (1977)	no data	
	Crustacea toxicity	NOEC mg/l	14,6	21 d	Daphnia magna	Env. Tox. Chem. 5, 443-447 (1986) (1986)	other: not mentioned	
	Acute bacteria toxicity	EC50 mg/l()	1618	0,5 h	activated sludge, domestic	Study report (1988)	OECD Guideline 209	
7758-89-6	copper (I) chloride							
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard	
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t	
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de	
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef	
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g	
1336-21-6	Ammonia							
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80	
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 13 of 15

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1336-21-6	Ammonia	-1,38
BCF		

CAS No	Chemical name	BCF	Species	Source
7758-89-6	copper (I) chloride	0,02 - 20	Crangon crangon	Symp. Biologica. Hun

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(copper (I) chloride)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(copper (I) chloride)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	III



•• • • •	solution for determination of CO according to Orsat	
Revision date: 26.09.2024	Product code: 03522	Page 14 of 1
Hazard label:	9	
Classification code:	M6	
Special Provisions:	274 335 375 601	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper (I) chloride)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	274, 335, 969	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-F	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper (I) chloride)	
<u>14.3. Transport hazard class(es):</u>	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	A97 A158 A197	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y964	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	964	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	450 L 964	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	450 L	
14.5. Environmental hazards	700 L	
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	copper (I) chloride	
14.7. Maritime transport in bulk according t	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		

EU regulatory information	
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75	
Information according to Directive 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	3 - highly hazardous to water



according to Regulation (EC) No 1907/2006

Copper(I) chloride solution for determination of CO according to Orsat

Revision date: 26.09.2024

Product code: 03522

Page 15 of 15

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

Abbreviations and acronyms Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eve Dam: Eve damage Eye Irrit: Eye irritation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)