

Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH ACD | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| <u>number:</u> | • | REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

EUH210 2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 2 of 10

Relevant ingredients

| CAS No | Chemical name | Chemical name | | | |
|---------|---|-------------------------|------------------|--|--|
| | EC No | EC No Index No REACH No | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 64-19-7 | acetic acid | acetic acid | | | |
| | 200-580-7 | 607-002-00-6 | 01-2119475328-30 | | |
| | Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318 | | | | |

Full text of H and EUH statements: see section 16.

| Specific Co | onc. Limits, M-fa | ctors and ATE | | | | |
|-------------|---------------------|--|-----------|--|--|--|
| CAS No | EC No Chemical name | | | | | |
| | Specific Conc. | Limits, M-factors and ATE | | | | |
| 64-19-7 | 200-580-7 | acetic acid | 1 - < 5 % | | | |
| | | :50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - rr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 3 of 10

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off contaminated clothing.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place.



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

| Revision | date: | 04.0 | 3.2025 |
|----------|-------|------|--------|
|----------|-------|------|--------|

Product code: 03859

Page 4 of 10

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|-------------|-----|-------|---------|---------------|--------|
| 64-19-7 | Acetic acid | 10 | 25 | | TWA (8 h) | |
| | | 20 | 50 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------|---------------|----------------|--------|----------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 64-19-7 | acetic acid | - | | | | |
| Worker DNEL, | long-term | inhalation | local | 25 mg/m³ | | |
| Worker DNEL, | acute | inhalation | local | 25 mg/m³ | | |
| Consumer DNE | EL, long-term | inhalation | local | 25 mg/m³ | | |
| Consumer DNE | EL, acute | inhalation | local | 25 mg/m³ | | |

PNEC values

| CAS No | Substance | | | | |
|--------------|---|-------------|--|--|--|
| Environment | al compartment | Value | | | |
| 64-19-7 | acetic acid | | | | |
| Freshwater | | 3,058 mg/l | | | |
| Freshwater (| intermittent releases) | 30,58 mg/l | | | |
| Marine wate | | 0,306 mg/l | | | |
| Freshwater s | ediment | 11,36 mg/kg | | | |
| Marine sedir | nent | 1,136 mg/kg | | | |
| Micro-organi | /licro-organisms in sewage treatment plants (STP) | | | | |
| Soil | | 0,47 mg/kg | | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 5 of 10

supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|------------|----------------|
| Colour: | colourless | |
| Odour: | odourless | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and | | not determined |
| boiling range: | | |
| Flammability: | | not determined |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | Х |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value (at 25 °C): | | 4,65 |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | not determined |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | | not determined |
| | | |



| Buffer solution | Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267 | | | | | |
|---|---|--------------|--|--|--|--|
| Revision date: 04.03.2025 | Product code: 03859 | Page 6 of 10 | | | | |
| Vapour pressure: | not determined | | | | | |
| Vapour pressure: | not determined | | | | | |
| Density: | 1,0034 g/cm³ | | | | | |
| Bulk density: | not determined | | | | | |
| Relative vapour density: | not determined | | | | | |
| 9.2. Other information | | | | | | |
| Information with regard to physical hazar | d classes | | | | | |
| Explosive properties | | | | | | |
| not applicable | | | | | | |
| Sustaining combustion: | No data available | | | | | |
| Self-ignition temperature | | | | | | |
| Solid: | not determined | | | | | |
| Gas: | not applicable | | | | | |
| Oxidizing properties | | | | | | |
| Not oxidising. | | | | | | |
| Other safety characteristics | | | | | | |
| Evaporation rate: | not determined | | | | | |
| Solvent separation test: | not determined | | | | | |
| Solvent content: | not determined | | | | | |
| Solid content: | not determined | | | | | |
| Sublimation point: | not determined | | | | | |
| Softening point: | not determined | | | | | |
| Pour point: | not determined | | | | | |
| not determined: | | | | | | |
| Viscosity / dynamic: | not determined | | | | | |
| Flow time: | not determined | | | | | |
| Further Information | | | | | | |
| not determined | | | | | | |

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 7 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | Chemical name | | | | | | | | |
|---------|-------------------------|---------------|-----------|---------|---------------------|--|--|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | | |
| 64-19-7 | acetic acid | acetic acid | | | | | | | | |
| | oral | LD50 mg/kg | 3310 | | , ,, | The sodium salt of acetic acid was admin | | | | |
| | inhalation (4 h) vapour | LC50 | 11,4 mg/l | Rat | Study report (1980) | OECD Guideline 403 | | | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 8 of 10

| CAS No | Chemical name | Chemical name | | | | | | | |
|---------|--------------------------|---------------|--------|-----------|-------------------------|------------------------|-----------------------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 64-19-7 | acetic acid | acetic acid | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 1000 | 96 h | Oncorhynchus mykiss | Study report (2005) | other: SOP E257 | | |
| | Acute algae toxicity | ErC50 mg/l | > 1000 | | Skeletonema costatum | Study report (2005) | ISO 10253 | | |
| | Acute crustacea toxicity | EC50 mg/l | > 1000 | 48 h | Daphnia magna | Study report (1990) | OECD Guideline 202 | | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 64-19-7 | acetic acid | -0,17 |

| BCF | | | | | | |
|---------|---------------|------|---------|----------------------|--|--|
| CAS No | Chemical name | BCF | Species | Source | | |
| 64-19-7 | acetic acid | 3,16 | fish | Environ. Toxicol. Ch | | |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|--|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |



Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

| Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267 | | | | | |
|---|--|--------------|--|--|--|
| Revision date: 04.03.2025 | Product code: 03859 | Page 9 of 10 | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | |
| Marine transport (IMDG) | | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | |
| <u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | |
| 14.5. Environmental hazards | | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | | |
| 14.6. Special precautions for user | | | | | |
| No dangerous good in sense of this tra | | | | | |
| 14.7. Maritime transport in bulk according to | o IMO instruments | | | | |
| not applicable | | | | | |
| SECTION 15: Regulatory information | | | | | |
| 15.1. Safety, health and environmental requ | lations/legislation specific for the substance or mixture | | | | |
| EU regulatory information | | | | | |
| Restrictions on use (REACH, annex XVII): | | | | | |
| Entry 40, Entry 75 | | | | | |
| Information according to Directive | Not subject to 2012/18/EU (SEVESO III) | | | | |
| 2012/18/EU (SEVESO III): | ····· | | | | |
| National regulatory information | | | | | |
| Water hazard class (D): | non-hazardous to water | | | | |
| SECTION 16: Other information | | | | | |
| | | | | | |
| Changes This data shoot contains shanges from | the provious version in section(s): 1.3.0.12 | | | | |
| - | the previous version in section(s): 1,3,9,12. | | | | |
| Abbreviations and acronyms Flam. Liq: Flammable liquid | | | | | |
| Skin Corr: Skin corrosion | | | | | |
| Eye Dam: Eye damage | | | | | |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route | | | | | |
| (European Agreement concerning the International Carriage of Dangerous Goods by Road) | | | | | |
| IMDG: International Maritime Code for Dangerous Goods | | | | | |
| IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals | | | | | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | | | | | |
| ELINCS: European List of Notified Chemical Substances | | | | | |
| CAS: Chemical Abstracts Service | | | | | |
| LC50: Lethal concentration, 50% | | | | | |
| LD50: Lethal dose, 50% | | | | | |
| Relevant H and EUH statements (numbe | | | | | |
| H226 Flammable liqu H314 Causes severe | id and vapour. skin burns and eye damage. | | | | |
| Causes severe | anin builla anu eye uanidye. | | | | |





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Buffer solution pH 4.65 (25 °C) stabilised according to DIN 19267

Revision date: 04.03.2025

Product code: 03859

Page 10 of 10

H318 Causes serious eye damage.

EUH210 Safety data sheet available on request.

Further Information

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)