

according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hydrogen peroxide 20% pure

UFI: AWRC-8076-2009-503D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Liq. 3; H272 Acute Tox. 4; H302 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

hydrogen peroxide solution 20 %

Signal word: Danger

Pictograms:





Hazard statements

H272 May intensify fire; oxidiser.



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 2 of 12

H302 Harmful if swallowed.H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity | |
|-----------|---|-------------------------|------------------|-------------|--|
| | EC No | EC No Index No REACH No | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 7722-84-1 | hydrogen peroxide solution % | | | | |
| | , a g p | | | 20 - < 25 % | |
| | 231-765-0 | 008-003-00-9 | 01-2119485845-22 | 20 70 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|------------------|--|-------------|
| | Specific Conc. I | Limits, M-factors and ATE | |
| 7722-84-1 | 231-765-0 | hydrogen peroxide solution % | 20 - < 25 % |
| | > 2000 mg/kg; c | E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 5 oral: LD50 = 1026 mg/kg Ox. Liq. 1; H271: >= 70 - 100 Ox. Liq. 2; H272: >= 50 orr. 1A; H314: >= 70 - 100 Skin Corr. 1B; H314: >= 50 - < 70 Skin Irrit. 2; H315: Eye Dam. 1; H318: >= 8 - < 50 Eye Irrit. 2; H319: >= 5 - < 8 STOT SE 3; H335: | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 3 of 12

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Dizziness, Unconsciousness

Gastrointestinal complaints, Vomiting

Headache, Spasms

Irritant, corrosive

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Oxidizing

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Oxidising agent

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Print date: 07.03.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 4 of 12

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Keep away from combustible material.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve).

Unsuitable container/equipment material: Metal

Hints on joint storage

Keep away from combustible material.

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight. Protect against: Light, Radiant heat.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 5 of 12

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|-------------------|-----|-------|---------|---------------|--------|
| 7722-84-1 | Hydrogen peroxide | 1 | 1.5 | | TWA (8 h) | |
| | | 2 | 3 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | |
|--------------------------|------------------------------|----------------|--------|------------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 7722-84-1 | hydrogen peroxide solution % | | | | |
| Worker DNEL, long-term | | inhalation | local | 1,4 mg/m³ | |
| Worker DNEL, acute | | inhalation | local | 3 mg/m³ | |
| Consumer DNEL, long-term | | inhalation | local | 0,21 mg/m³ | |
| Consumer DNEL, acute | | inhalation | local | 1,93 mg/m³ | |

PNEC values

| CAS No | Substance | | | |
|--|------------------------------|-------------|--|--|
| Environmenta | Environmental compartment \ | | | |
| 7722-84-1 | hydrogen peroxide solution % | | | |
| Freshwater | | 0,013 mg/l | | |
| Freshwater (intermittent releases) | | 0,014 mg/l | | |
| Marine water | | 0,013 mg/l | | |
| Freshwater sediment 0,0 | | 0,047 mg/kg | | |
| Marine sediment (| | 0,047 mg/kg | | |
| Micro-organisms in sewage treatment plants (STP) | | 4,66 mg/l | | |
| Soil | | 0,002 mg/kg | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 6 of 12

sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range: Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Plash point:

X Auto-ignition temperature:

Decomposition temperature:

No data available
PH-Value:

Viscosity / kinematic:

No data available
Vater solubility:

Volume

Viscosity / kinematic:

Viscosity / very soluble

Solubility in other solvents

not determined

Dissolution rate: No data available Partition coefficient n-octanol/water: No data available No data available Dispersion stability: Vapour pressure: No data available Vapour pressure: No data available Density: 1.0732 a/cm³ Relative density: No data available Bulk density: No data available Relative vapour density: No data available No data available Particle characteristics:

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 7 of 12

Solid: No data available
Gas: No data available

Oxidizing properties

The product is: oxidising, Oxidising.

Other safety characteristics

Evaporation rate: No data available No data available Solvent separation test: Solvent content: No data available Solid content: No data available Sublimation point: No data available Softening point: No data available Pour point: No data available No data available Viscosity / dynamic: No data available Flow time: No data available

Further InformationNo data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidizing

10.2. Chemical stability

Protect against:

Heat

Light

10.3. Possibility of hazardous reactions

Combustible substance, Ether, Oxidising agent

permanganates, e.g. potassium permanganate; Substance, organic

Brass, Alkali metals, Alkaline earth metal

metals, , aldehydes

Alcohol, Amines, Ammonia (NH3)

Acid, Alkali (lye), Acetone

Aniline, Lead, Metal powder

Acetic acid, Acetic anhydride, Methanol

White/yellow phosphor, Phosphorus oxides (e.g. P2O5), Sulphuric acid, concentrated,

Heavy metals, Nitric acid, Phenol

10.4. Conditions to avoid

Heat

Light

10.5. Incompatible materials

Lead, bronze

ferrous metal, Copper

Brass, silver

metals

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 8 of 12

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Resorption (oral)

| CAS No | Chemical name | | | | | | | | |
|-----------|------------------------------|---------------|----------|---------|---------------------|---|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 7722-84-1 | hydrogen peroxide solution % | | | | | | | | |
| | oral | LD50 mg/kg | 1026 | Rat | Study report (1996) | OECD Guideline 401 | | | |
| | dermal | LD50 mg/kg | > 2000 | Rabbit | Study report (1983) | other: US EPA Toxic Substance Health Eff | | | |
| • | inhalation vapour | ATE | 11 mg/l | | | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Conjunctival oedema (chemosis).

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Dizziness, Unconsciousness

Gastrointestinal complaints, Vomiting



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 9 of 12

Headache, Spasms Irritant, corrosive

Risk of serious damage to eyes.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | | |
|-----------|----------------------------|---------------|----------|-----------|--|------------------------|--|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 7722-84-1 | hydrogen peroxide solution | n % | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 16,4 | 96 h | Pimephales promelas | Study report (1989) | other: | | |
| | Acute algae toxicity | ErC50 mg/l | 1,38 | 72 h | Skeletonema costatum | Study report (1997) | other: Paris Commission guidelines | | |
| | Acute crustacea toxicity | EC50 | 2,4 mg/l | 48 h | Daphnia pulex | Study report (1989) | other: | | |
| | Crustacea toxicity | NOEC mg/l | 0,63 | 21 d | Daphnia magna | Publication (2008) | other: | | |
| | Acute bacteria toxicity | EC50 | 466 mg/l | , | activated sludge of a predominantly domestic sewag | Study report (1999) | OECD Guideline 209 | | |

12.2. Persistence and degradability

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|------------------------------|---------|
| 7722-84-1 | hydrogen peroxide solution % | -1,57 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 10 of 12

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2014

14.2. UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es): 5.1 14.4. Packing group: Hazard label: 5.1+8 Classification code: OC1 Limited quantity: 1 I Excepted quantity: F2 Transport category: 2 Hazard No: 58 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2014

14.2. UN proper shipping name: Hydrogen peroxide, aqueous solution

14.3. Transport hazard class(es):5.114.4. Packing group:IIHazard label:5.1+8Classification code:OC1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2014

<u>14.2. UN proper shipping name:</u> Hydrogen peroxide, aqueous solution

14.3. Transport hazard class(es):5.114.4. Packing group:IIHazard label:5.1+8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-H, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2014

14.2. UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es):5.114.4. Packing group:-Hazard label:5.1+8Limited quantity Passenger:ForbiddenPassenger LQ:Forbidden

IATA-packing instructions - Passenger: Forbidden
IATA-max. quantity - Passenger: Forbidden
IATA-packing instructions - Cargo: Forbidden
IATA-max. quantity - Cargo: Forbidden

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 11 of 12

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

P8 OXIDISING LIQUIDS AND SOLIDS

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,9,12.

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure | | | | |
|--------------------|--------------------------|--|--|--|--|
| Ox. Liq. 3; H272 | | | | | |
| Acute Tox. 4; H302 | | | | | |
| Eye Dam. 1; H318 | Calculation method | | | | |

Relevant H and EUH statements (number and full text)

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser. H302 Harmful if swallowed.



according to Regulation (EC) No 1907/2006

Hydrogen peroxide 20% pure

Revision date: 06.03.2025 Product code: 04250 Page 12 of 12

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)