

according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

UFI: GY9F-D0WT-5002-DDST

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

## **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

#### Hazard components for labelling

acetic acid 98,48 %

Signal word: Danger

Pictograms:





Print date: 25.03.2025



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 2 of 13

#### **Hazard statements**

H226 Flammable liquid and vapour. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation	(EC) No 1272/2008)	•			
64-19-7	acetic acid					
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318					
7553-56-2	iodine			< 1 %		
	231-442-4	053-001-00-3	01-2119485285-30			
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1, Aquatic Acute 1; H332 H312 H315 H319 H335 H372 H400					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

opecine our	ic. Ellinis, ivi-iac	iors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	95 - < 100 %
		310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 15: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
7553-56-2	231-442-4	iodine	< 1 %
	inhalation: ATE LD50 = > 2000	E = 11 mg/l (vapours); inhalation: LC50 = > 4,588 mg/l (dusts or mists); dermal: mg/kg	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 3 of 13

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Observe risk of aspiration if vomiting occurs.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

Circulatory collapse

Corneal opacity.

Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2) Carbon monoxide

Acetic acid vapour

Hydrogen chloride (HCI)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 4 of 13

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

## 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 5 of 13

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

national regulations

#### Further information on storage conditions

storage temperature +15°C - +25°C

Unsuitable container/equipment material: Metal

# 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50	Î	STEL (15 min)	
7553-56-2	lodine (Inhalable Fraction and Vapour)	0.01	-	ĺ	TWA (8 h)	
		0.1	-	ĺ	STEL (15 min)	



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 6 of 13

### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64-19-7	acetic acid					
Worker DNEL,	long-term	inhalation	local	25 mg/m³		
Worker DNEL, acute		inhalation	local	25 mg/m³		
Consumer DNEL, long-term		inhalation	local	25 mg/m³		
Consumer DN	EL, acute	inhalation	local	25 mg/m³		
7553-56-2	iodine					
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,01 mg/kg bw/day		

## PNEC values

CAS No	Substance	
Environmental	compartment	Value
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater (in	termittent releases)	30,58 mg/l
Marine water		0,306 mg/l
Freshwater se	11,36 mg/kg	
Marine sediment 1,136 n		1,136 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg
7553-56-2	iodine	
Freshwater		0,01813 mg/l
Marine water		0,06001 mg/l
Freshwater sediment		3,99 mg/kg
Marine sediment 20,22		
Micro-organism	ns in sewage treatment plants (STP)	11 mg/l
Soil		5,95 mg/kg

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Face protection umbrella

## **Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 7 of 13

Trade name/designation KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: stinging

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: No data available Upper explosion limits: ~40 °C Flash point: Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value (at 20 °C): Viscosity / kinematic: No data available No data available Water solubility:

Solubility in other solvents

No data available

Dissolution rate:

Partition coefficient n-octanol/water:

No data available
No data available
Dispersion stability:

No data available

Print date: 25.03.2025



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 8 of 13

Vapour pressure:No data availableVapour pressure:No data availableDensity:~1,0619 g/cm³Relative density:No data availableBulk density:No data availableRelative vapour density:No data availableParticle characteristics:No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility:

Sustained combustibility

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

## Other safety characteristics

Evaporation rate: No data available No data available Solvent separation test: Solvent content: No data available No data available Solid content: No data available Sublimation point: Softening point: No data available Pour point: No data available No data available Viscosity / dynamic: No data available Flow time: No data available

# Further Information Corrosive to metals.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Oxidising agent

peroxides, for example hydrogen peroxide

permanganates, e.g. potassium permanganate

Oxidising agent, strong

Metal

iron and steel

Zinc

Alkali (lye)

aldehydes

Alcohols

Nitric acid

## 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 9 of 13

#### 10.5. Incompatible materials

Meta

### 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

The substance has delayed effects.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64-19-7	acetic acid							
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin		
7553-56-2	iodine							
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2006)	EPA OPPTS 870.1200		
	inhalation vapour	ATE	11 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	> 4,588	Rat	Study report (2008)	OECD Guideline 403		

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs.

### Information on likely routes of exposure

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 10 of 13

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### Other information

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

Circulatory collapse

Corneal opacity.

Risk of serious damage to eyes.

#### **Further information**

Liver and kidney damage

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
64-19-7	acetic acid							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202	
7553-56-2	iodine							
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Oncorhynchus mykiss	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute algae toxicity	ErC50 mg/l	0,13	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,59	48 h	Daphnia magna	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute bacteria toxicity	EC50	280 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Print date: 25.03.2025



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 11 of 13

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17
7553-56-2	iodine	2,49

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

Harmful effect due to pH shift.

#### **Further information**

No data available

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 2789

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8+3 Classification code: CF1 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 83 Tunnel restriction code: D/F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2789

14.2. UN proper shipping name: ACETIC ACID SOLUTION



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 12 of 13

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3Classification code:CF1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2789

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-E. S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2789

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

P5c FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 3,12.



according to Regulation (EC) No 1907/2006

# lodine solution according to Wijs 0.1 mol ICI/I - 0.2 N solution in acetic acid to determine the...

Revision date: 25.03.2025 Product code: 05171 Page 13 of 13

## Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Flam. Lig: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Re

Relevant H and I	EUH statements (number and full text)	
H226	Flammable liquid and vapour.	
H290	May be corrosive to metals.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	

H372 Causes damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

H400 Very toxic to aquatic life.

## **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)