

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Ammoniumvanadatlösung 25,741 g V5+/- in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Ammoniumvanadatlösung 25,741 g V5+/- in verdünnter Natronlauge etwa 2 mol/l

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Met. Corr. 1; H290  
Skin Corr. 1A; H314  
Eye Dam. 1; H318  
Repr. 2; H361  
STOT RE 2; H373  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**sodium hydroxide  
ammonium trioxovanadate**Signal word:** Danger**Pictograms:**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Ammoniumvanadatlösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 2 of 12

**Hazard statements**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (Regulation (EC) No 1272/2008)	
1310-73-2	sodium hydroxide	5 - < 10 %
	215-185-5	011-002-00-6
		01-2119457892-27
	Met. Corr. 1, Skin Corr. 1A; H290 H314	
7803-55-6	ammonium trioxovanadate	5 - < 10 %
	232-261-3	
	Repr. 2, Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2, STOT RE 1, Aquatic Chronic 2; H361d H301 H332 H319 H372 H411	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	5 - < 10 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
7803-55-6	232-261-3	ammonium trioxovanadate	5 - < 10 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 2,61 mg/l (dusts or mists); dermal: LD50 = > 2500 mg/kg; oral: LD50 = 218,1 mg/kg	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AmmoniumvanadatLösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l

Revision date: 05.01.2022

Product code: 05173

Page 3 of 12

#### General information

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

corrosive

Irritant

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

Hazardous combustion products

In case of fire may be liberated: Metal oxide smoke, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

**AmmoniumvanadatLösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 4 of 12

**For non-emergency personnel**

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Use personal protection equipment.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
- Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material:  
Metal, Aluminium, Zinc, tin

**AmmoniumvanadatLösung 25,741 g V5+/I in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 5 of 12

**Further information on storage conditions**

Store in a dry place.  
Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
	Worker DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
7803-55-6	ammonium trioxovanadate			
	Worker DNEL, long-term	inhalation	systemic	0,64 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	local	0,18 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	local	0,92 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	systemic	0,18 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	0,11 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	local	0,57 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	0,18 mg/kg bw/day
	Consumer DNEL, acute	oral	systemic	0,92 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
7803-55-6	ammonium trioxovanadate	
	Freshwater	0,0076 mg/l
	Freshwater (intermittent releases)	0,00693 mg/l
	Marine water	0,0025 mg/l
	Freshwater sediment	240 mg/kg
	Marine sediment	79 mg/kg
	Secondary poisoning	0,167 mg/kg
	Micro-organisms in sewage treatment plants (STP)	0,45 mg/l
	Soil	7,2 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AmmoniumvanadatLösung 25,741 g V5+/I in verdünnter Natronlauge etwa 2 mol/l

Revision date: 05.01.2022

Product code: 05173

Page 6 of 12

equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	clear
Odour:	odourless
Odour threshold:	No data available

#### Changes in the physical state

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Sublimation point:	No data available
Softening point:	No data available

**AmmoniumvanadatLösung 25,741 g V5+I in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 7 of 12

Pour point:	No data available
No data available:	
Flash point:	X
<b>Flammability</b>	
Solid/liquid:	not applicable
Gas:	not applicable
<b>Explosive properties</b>	
not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Auto-ignition temperature:	not applicable
<b>Self-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	No data available
pH-Value:	alkaline
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Water solubility:	completely miscible
<b>Solubility in other solvents</b>	
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:	No data available
Oxidizing properties	
Not oxidising.	

**Other safety characteristics**

Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Evaporation rate:	No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

**AmmoniumvanadatLösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 8 of 12

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

metals, Light metal (Formation of: Hydrogen)  
Combustible substance, Phenols  
Acid, Nitriles, Alkaline earth metal (Metal powder)

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Aluminium, Brass  
metals (including their alloys), Zinc  
Tin, Light metal  
Glass, plastics  
Material, containing silicate

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Metal oxide smoke, toxic

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.  
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7803-55-6	ammonium trioxovanadate				
	oral	LD50 218,1 mg/kg	Rat	Study report (1992)	OECD Guideline 401
	dermal	LD50 > 2500 mg/kg	Rat	Study report (1992)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation (4 h) dust/mist	LC50 2,61 mg/l	Rat	Study report (1992)	OECD Guideline 403

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Risk of serious damage to eyes.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of damaging fertility or the unborn child. (ammonium trioxovanadate)  
Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.



**AmmoniumvanadatLösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 9 of 12

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (ammonium trioxovanadate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.  
There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Other information**

There are no data available on the mixture itself.

**Further information**

- corrosive
- Irritant
- Dyspnoea
- Cough
- Circulatory collapse

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4 other: acute 48-h immobilization test ac
7803-55-6	ammonium trioxovanadate					
	Acute fish toxicity	LC50 mg/l	3,17	96 h	Gasterosteus aculeatus	Environmental Toxicology 20:18–22. (2005) EPA OPPTS 850.1075
	Acute algae toxicity	ErC50 mg/l	2,907	72 h	Desmodesmus subspicatus	Study report (1999) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	1,52	48 h	Daphnia magna	Study report (1978) 48h mortality test with daphnids
	Fish toxicity	NOEC mg/l	>= 0,48	28 d	Jordanella floridae	Water Research 13:905-910. (1979) Different groups of fish were continuous
	Crustacea toxicity	NOEC mg/l	1,344	23 d	Daphnia magna	Bulletin of Environmental Contamination other: 84/449/EEC: given by the Commissi
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	activated sludge of a predominantly domestic sewage	Study report (2010) OECD Guideline 209

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

**AmmoniumvanadatLösung 25,741 g V5+/l in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 10 of 12

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
7803-55-6	ammonium trioxovanadate	< 0,036	Lactuca sativa	Study report (2003)

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not allow to enter into surface water or drains.  
Do not mix with other wastes.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**AmmoniumvanadatLösung 25,741 g V5+/I in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 11 of 12

Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: -  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 0.5 L  
 Passenger LQ: Y840  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 851  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 65, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 2,5,8,9,10,12,13,15.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**AmmoniumvanadatLösung 25,741 g V5+/I in verdünnter Natronlauge etwa 2 mol/l**

Revision date: 05.01.2022

Product code: 05173

Page 12 of 12

IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Repr. 2; H361	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.  
 H301 Toxic if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H361 Suspected of damaging fertility or the unborn child.  
 H361d Suspected of damaging the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*