

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Formic acid 98 - 100 % for analysis, ACS

Revision date: 12.01.2022

Product code: 05314

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Formic acid 98 - 100 % for analysis, ACS

REACH Registration Number: 01-2119491174-37-XXXX  
 CAS No: 64-18-6  
 Index No: 607-001-00-0  
 EC No: 200-579-1  
 UFI: D7QF-S0MJ-X00U-Y741

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical  
 Industrial uses: Uses of substances as such or in preparations at industrial sites  
 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

#### Further Information

No data available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226  
 Acute Tox. 3; H331  
 Acute Tox. 4; H302  
 Skin Corr. 1A; H314

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

formic acid

Signal word: Danger

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 2 of 12

**Pictograms:**



**Hazard statements**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H331 Toxic if inhaled.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Sum formula: CH<sub>2</sub>O<sub>2</sub>  
Molecular weight: 46,03 g/mol

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64-18-6	formic acid			100 %
	200-579-1	607-001-00-0	01-2119491174-37-XXXX	
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1A; H226 H331 H302 H314 EUH071			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-18-6	200-579-1	formic acid	100 %
		inhalation: LC50 = 7,85 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 730 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 10 - < 90 Skin Irrit. 2; H315: >= 2 - < 10 Eye Irrit. 2; H319: >= 2 - < 10	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 3 of 12

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse.

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

Dyspnoea  
Irritation to respiratory tract  
Risk of serious damage to eyes.  
Conjunctival oedema (chemosis).  
strongly corrosive.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible liquids  
In case of warming: Vapours can form explosive mixtures with air.  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.  
Hazardous combustion products  
In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Danger of bursting container.

**SECTION 6: Accidental release measures**

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 4 of 12

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Keep away from sources of ignition - No smoking.  
This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).  
Take action to prevent static discharges.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.  
Danger of explosion  
Do not allow uncontrolled discharge of product into the environment. Danger of explosion

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Do not breathe vapour/aerosol.  
Read label before use.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.  
In case of warming: Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 5 of 12

drink.

**Further information on handling**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container dry.  
Due to gaseous decomposition products, overpressure can occur in tightly sealed containers.  
Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve).

**Further information on storage conditions**

Protect against: Light  
Keep cool. Protect from sunlight.  
Corrosive to metals.  
Unsuitable container/equipment material: Metal

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
64-18-6	Formic acid	5	9		TWA (8 h)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
64-18-6	formic acid			
Consumer DNEL, long-term		inhalation	local	3 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	9,5 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
64-18-6	formic acid	
Freshwater		2 mg/l
Freshwater (intermittent releases)		1 mg/l
Marine water		0,2 mg/l
Freshwater sediment		13,4 mg/kg
Marine sediment		1,34 mg/kg
Micro-organisms in sewage treatment plants (STP)		7,2 mg/l
Soil		1,5 mg/kg

**8.2. Exposure controls**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Formic acid 98 - 100 % for analysis, ACS

Revision date: 12.01.2022

Product code: 05314

Page 6 of 12

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

Face protection shield

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with permanent contact: >480 min

By short-term hand contact

Trade name/designation KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with occasional contact (splashes): >480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet <(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing.

Material, acid-resistant

Wear fire resistant or flame retardant clothing.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: E-(P3)

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	stinging

#### Changes in the physical state

Melting point/freezing point: 4 °C

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 7 of 12

Boiling point or initial boiling point and boiling range:	100,23 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Flash point:	49,5 °C

**Flammability**

Solid/liquid:	not applicable
Gas:	not applicable

**Explosive properties**

In case of warming: Vapours can form explosive mixtures with air.

Lower explosion limits:	12 vol. %
Upper explosion limits:	38 vol. %
Auto-ignition temperature:	520 °C

**Self-ignition temperature**

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	350 °C
----------------------------	--------

pH-Value (at 20 °C):	acidic
----------------------	--------

Viscosity / dynamic: (at 20 °C)	1,8 mPa·s
------------------------------------	-----------

Viscosity / kinematic:	not determined
------------------------	----------------

Flow time:	not determined
------------	----------------

**Solubility in other solvents**

not determined

Partition coefficient n-octanol/water:	not determined
--	----------------

Vapour pressure: (at 20 °C)	42,71 hPa
--------------------------------	-----------

Vapour pressure: (at 50 °C)	42,71 hPa
--------------------------------	-----------

Density:	1,22 g/cm <sup>3</sup>
----------	------------------------

Bulk density:	not determined
---------------	----------------

Relative vapour density:	not determined
--------------------------	----------------

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:	Sustaining combustion
------------------------	-----------------------

Oxidizing properties  
Not oxidising.

**Other safety characteristics**

Solvent separation test:	not determined
--------------------------	----------------

Solvent content:	not determined
------------------	----------------

Solid content:	not determined
----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

**Further Information**

not determined

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 8 of 12

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Flammable.

In case of warming: Vapours can form explosive mixtures with air.

**10.2. Chemical stability**

slow decomposition

Protect against: Light Heat

**10.3. Possibility of hazardous reactions**

Reaction with:

Alkali (lye)

Oxidising agent, strong

sulphuric acid

Catalyst (Metal)

Phosphorus oxides

Nitric acid

NO<sub>3</sub>

Ignition hazard: Aluminium

Explosion hazard with: , Hydrogen peroxide

Exothermic reaction with: Alkali (lye), Amines

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

In case of warming: Vapours can form explosive mixtures with air.

Light

**10.5. Incompatible materials**

Corrosive to metals.

**10.6. Hazardous decomposition products**

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Toxic if inhaled.

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-18-6	formic acid				
	oral	LD50 730 mg/kg	Rat	Study report (1985)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 7,85 mg/l	Rat	Study report (1980)	OECD Guideline 403
	inhalation dust/mist	ATE 0,5 mg/l			



**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 9 of 12

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards**

**Other information**

gastric perforation

Pulmonary oedema, Conjunctival oedema (chemosis), Risk of serious damage to eyes.

**Further information**

Cough

Dyspnoea

**SECTION 12: Ecological information**

**12.1. Toxicity**

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-18-6	formic acid					
	Acute fish toxicity	LC50 130 mg/l	96 h	Danio rerio	Study report (2005)	OECD Guideline 203
	Acute algae toxicity	ErC50 1240 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 365 mg/l	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC >= 100 mg/l	21 d	Daphnia magna	Study report (2007)	OECD Guideline 211

**12.2. Persistence and degradability**

Readily biodegradable (according to OECD criteria). 100 %; 28 d; aerob

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

Does not significantly accumulate in organisms.

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 10 of 12

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-18-6	formic acid	-2,1

**BCF**

CAS No	Chemical name	BCF	Species	Source
64-18-6	formic acid	3,16		Other company data (

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

No data available

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1779
<b>14.2. UN proper shipping name:</b>	formic acid
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+3
Classification code:	CF1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	83
Tunnel restriction code:	D/E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1779
<b>14.2. UN proper shipping name:</b>	formic acid
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+3
Classification code:	CF1
Limited quantity:	1 L
Excepted quantity:	E2

**Formic acid 98 - 100 % for analysis, ACS**

Revision date: 12.01.2022

Product code: 05314

Page 11 of 12

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1779
<b>14.2. UN proper shipping name:</b>	FORMIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+3
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-C

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1779
<b>14.2. UN proper shipping name:</b>	Formic acid
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+3
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid. strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Additional information: P5c

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 9,10,15.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Formic acid 98 - 100 % for analysis, ACS

Revision date: 12.01.2022

Product code: 05314

Page 12 of 12

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.