

Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu						
Revision date: 28.02.2025	Product code: 05413	Page	1 of 11			
SECTION 1: Identification of th	e substance/mixture and of the comp	any/undertaking				
1.1. Product identifier Ammonium molybdate for ar	nalysis in diluted sulfuric acid 50g ammoniu	m heptabolybdate and 50 ml sulfu				
UFI:	VRYF-V0XV-800U-F0TE					
1.2. Relevant identified uses of the	e substance or mixture and uses advised	against				
	stances as such or in preparations at indus main (administration, education, entertainn					
Uses advised against Do not use for private purpo	ses (household).					
1.3. Details of the supplier of the s	afety data sheet					
Company name: Street:	AnalytiChem GmbH ACD Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290				
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangero Exposure, or Accident Call CHEMTRI 1-800-424-9300 Outside USA and Ca accepted)	EC Day or Night Within USA and Canada:				
Further Information						

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 12	272/2008
Signal word:	Warning

Signal word:

Pictograms:



Hazard statements H290

May be corrosive to metals.



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu						
Revision date: 28.02.2025	Product code: 05413	Page 2 of 11				
H315	Causes skin irritation.					
H319	Causes serious eye irritation.					
Precautionary statemer	nts					
P280	Wear protective gloves/protective clothing and eye protection/face protection.					
P302+P352	IF ON SKIN: Wash with plenty of water and soap.					
P305+P351+P338	· · · · · · · · · · · · · · · · · · ·					
D 200	present and easy to do. Continue rinsing.					
P390	Absorb spillage to prevent material damage.					
2.3. Other hazards						
No data available						

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
7664-93-9	sulphuric acid	sulphuric acid			
	231-639-5	016-020-00-8	01-2119458838-20		
	Met. Corr. 1, Skin Corr. 1A, Eve Dam. 1; H290 H314 H318				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	5 - < 10 %
	oral: LD50 = 21 Eye Irrit. 2; H31	40 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 9: >= 5 - < 15	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

Revision No: 1,03 - Replaces version: 1,02



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu Revision date: 28.02.2025 Product code: 05413 Page 3 of 11 After ingestion Rinse mouth immediately and drink plenty of water. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Irritant Circulatory collapse 4.3. Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1. Extinguishing media Suitable extinguishing media Co-ordinate fire-fighting measures to the fire surroundings. Unsuitable extinguishing media no restriction 5.2. Special hazards arising from the substance or mixture Non-combustible liquids Hazardous combustion products

In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate

and 50 ml sulfu

Page 4 of 11

Revision date: 28.02.2025

Product code: 05413

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal, Light metal The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate

Revision date: 28.02.2025

and 50 ml sulfu Product code: 05413

Page 5 of 11

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
7664-93-9	sulphuric acid							
Worker DNEL,	Worker DNEL, long-term inhalation local 0,05 mg/m³							
Worker DNEL,	acute	inhalation	local	0,1 mg/m³				

PNEC values

CAS No	Substance				
Environmenta	Environmental compartment				
7664-93-9 sulphuric acid					
Freshwater 0,003 mg/l					
Marine water		0 mg/l			
Freshwater sediment		0,002 mg/kg			
Marine sediment		0,002 mg/kg			
Micro-organisms in sewage treatment plants (STP) 8,					

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu

Revision date: 28.02.2025

Product code: 05413

Page 6 of 11

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

. 1. information on basic physical and cr	iemical properties	
Physical state:	Liquid	
Colour:	clear weak	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,0886 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		0
Solid content:		0 No data available
Sublimation point: Softening point:		No data available
contening point.		no uala avaliable

9.



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu							
Revision date: 28.02.2025	Product code: 05413	Page 7 of 11					
Pour point: No data available:	No data available						
Viscosity / dynamic:	No data available						
Flow time:	No data available						
Further Information							

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Water Alkali metals Ammonia (NH3) Alkali (lye) Alkaline earth metal Acids metals

10.4. Conditions to avoid No data available

10.5. Incompatible materials

Cellulose

Metal The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. Following ingestion Gastric perforation Irritating to respiratory system.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu

Revision date: 28.02.2025

Product code: 05413

Page 8 of 11

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
7664-93-9	sulphuric acid	sulphuric acid								
	oral	LD50 mg/kg	2140		1969 Sep-Oct; 30(5):	The study was performed as part of a ser				

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

The substance has delayed effects.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7664-93-9	sulphuric acid								
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish		

12.2. Persistence and degradability



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate

and 50 ml sulfu

Page 9 of 11

Revision date: 28.02.2025

Product code: 05413

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

I

14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2796
14.2. UN proper shipping name:	Sulphuric acid
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate and 50 ml sulfu				
		D 40 (44		
Revision date: 28.02.2025	Product code: 05413	Page 10 of 11		
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2796			
14.2. UN proper shipping name:	Sulphuric acid			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2796			
14.2. UN proper shipping name:	Sulphuric acid			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Limited quantity Passenger:	0.5 L			
Passenger LQ:	Y840			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	851			
IATA-max. quantity - Passenger:	1 L			
IATA-packing instructions - Cargo:	855			
IATA-max. quantity - Cargo:	30 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
SECTION 15: Regulatory information				
	ulations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII)				
Entry 3				
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)			
2012/18/EU (SEVESO III):				
Marketing and use of explosives precurso	ors (Regulation (EU) 2019/1148):			
This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant				
	reported to the relevant national contact point.			
National regulatory information	· · ·			
	Observe restrictions to employment for invention according to the line	opilo		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv	enne		

Water hazard class (D):

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,12.

work protection guideline' (94/33/EC).

1 - slightly hazardous to water



Ammonium molybdate for analysis in diluted sulfuric acid 50g ammonium heptabolybdate

and 50 ml sulfu

Page 11 of 11

Revision date: 28.02.2025

Product code: 05413

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Skin Irrit: Skin irritation

Eye Dam: Eye damage Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)