

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 1 of 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226

Repr. 1B; H360D

Acute Tox. 2; H330

Acute Tox. 3; H311

Acute Tox. 4; H302

Skin Corr. 1A; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

N,N-dimethylformamide

di-n-butylamine

**Signal word:** Danger

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 2 of 15

**Pictograms:**



**Hazard statements**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H360D	May damage the unborn child.

**Precautionary statements**

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing and eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

**Special labelling of certain mixtures**

EUH071	Corrosive to the respiratory tract. Restricted to professional users.
--------	--

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
68-12-2	N,N-dimethylformamide	70 - < 75 %
	200-679-5	616-001-00-X
		01-2119475605-32
	Flam. Liq. 3, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H226 H360D H332 H312 H319	
111-92-2	di-n-butylamine	25 - < 30 %
	203-921-8	612-049-00-0
		01-2119475606-30
	Flam. Liq. 3, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H226 H330 H311 H301 H314 H318 EUH071	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68-12-2	200-679-5	N,N-dimethylformamide	70 - < 75 %
		inhalation: LC50 = > 5,85 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 3160 mg/kg; oral: LD50 = 3010 mg/kg	
111-92-2	203-921-8	di-n-butylamine	25 - < 30 %
		inhalation: ATE 1,2 mg/l (vapours); dermal: ATE 300 mg/kg; oral: ATE 220 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 3 of 15

#### Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Dimethylformamide

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, Gastrointestinal complaints, Vomiting, Conjunctival oedema (chemosis), Spasms,

Unconsciousness, Irritant, corrosive, Cough, Dyspnoea

Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen cyanide (hydrocyanic acid)

Nitrogen oxides (NO<sub>x</sub>)

Carbon dioxide (CO<sub>2</sub>) Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 4 of 15

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

##### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 5 of 15

When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

**Advice on protection against fire and explosion**

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs.  
The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Further information on handling**

Take off immediately all contaminated clothing and wash it before reuse.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Store in a place accessible by authorized persons only.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep in a cool, well-ventilated place.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Keep container tightly closed.  
Keep cool. Protect from sunlight.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
68-12-2	Dimethylformamide	5	15		TWA (8 h)	
		10	30		STEL (15 min)	

**Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
68-12-2	N,N-Dimethylformamide	N-Methylformamide	15 mg/L	Urine	Post shift

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 6 of 15

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
68-12-2	N,N-dimethylformamide			
Worker DNEL, long-term		inhalation	systemic	6 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	1,1 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,1 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,16 mg/kg bw/day
Worker DNEL, acute		inhalation	local	30 mg/m <sup>3</sup>
Worker DNEL, acute		dermal	systemic	26,3 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	30 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	15 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	30 mg/m <sup>3</sup>
Consumer DNEL, acute		oral	systemic	5,94 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	30 mg/m <sup>3</sup>
Consumer DNEL, acute		dermal	systemic	15,8 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	1,98 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	15 mg/m <sup>3</sup>
111-92-2	di-n-butylamine			
Worker DNEL, long-term		inhalation	systemic	29 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	29 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	29 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	29 mg/m <sup>3</sup>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 7 of 15

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
68-12-2	N,N-dimethylformamide	
Freshwater		30 mg/l
Freshwater (intermittent releases)		30 mg/l
Marine water		3 mg/l
Freshwater sediment		111 mg/kg
Marine sediment		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		44 mg/l
Soil		56,97 mg/kg
111-92-2	di-n-butylamine	
Freshwater		0,084 mg/l
Freshwater (intermittent releases)		0,084 mg/l
Marine water		0,008 mg/l
Freshwater sediment		11,4 mg/kg
Marine sediment		1,14 mg/kg
Micro-organisms in sewage treatment plants (STP)		149,5 mg/l
Soil		2,23 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles  
Face protection umbrella

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation KCL 890 Vitoject®  
Suitable material: FKM (fluoro rubber) 0,7 mm  
Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Take off immediately all contaminated clothing and wash it before reuse.  
Wear fire resistant or flame retardant clothing.  
Wash hands and face before breaks and after work and take a shower if necessary.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 8 of 15

Draw up and observe skin protection programme.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Amines	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		>35 °C
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		>23 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents:		No data available
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Density:		0,94 g/cm <sup>3</sup>
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility: No data available

##### Self-ignition temperature

Solid: No data available

Gas: No data available

##### Oxidizing properties

No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 9 of 15

#### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	0%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

#### Further Information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

In case of warming:  
Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent  
Alkali metals  
Reducing agent  
Isocyanates  
Phosphorus oxides  
Bromine  
Chlorine  
permanganates, e.g. potassium permanganate  
NO<sub>3</sub>, Na  
Acids  
Alcohols  
Ketone  
aldehydes  
ester  
Nitriles  
Phenols

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Plastic articles  
copper  
Copper alloys  
Tin  
Light metal

### 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

#### Further information

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 10 of 15

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Toxicokinetics, metabolism and distribution**

Avoid exposure - obtain special instructions before use.

**Acute toxicity**

Fatal if inhaled.

Toxic in contact with skin.

Harmful if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Resorption (oral)

Resorption (by inhalation)

Resorption (dermal)

**ATEmix calculated**

ATE (oral) 761,8 mg/kg; ATE (dermal) 621,4 mg/kg; ATE (inhalation vapour) 3,280 mg/l; ATE (inhalation dust/mist) 0,1600 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68-12-2	N,N-dimethylformamide				
	oral	LD50 3010 mg/kg	Rat	also cited in OECD SIDS Dimethylformamid	OECD Guideline 401
	dermal	LD50 > 3160 mg/kg	Rabbit	Study report (1978)	OECD Guideline 405
	inhalation (4 h) vapour	LC50 > 5,85 mg/l	Rat	also cited in OECD SIDS Dimethylformamid	OECD Guideline 403
	inhalation dust/mist	ATE 1,5 mg/l			
111-92-2	di-n-butylamine				
	oral	ATE 220 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 1,2 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May damage the unborn child. (N,N-dimethylformamide)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

Damage to:

kidneys

liver

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05477

Page 11 of 15

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Information on likely routes of exposure**

No data available

#### **Specific effects in experiment on an animal**

No data available

#### **Additional information on tests**

No data available

#### **Practical experience**

No data available

### **11.2. Information on other hazards**

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### **Other information**

No data available

#### **Further information**

Headache, Gastrointestinal complaints, Vomiting  
Conjunctival oedema (chemosis), Spasms, Unconsciousness  
Irritant, corrosive, Cough  
Dyspnoea, Dizziness, Dizziness  
Risk of serious damage to eyes.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 12 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
68-12-2	N,N-dimethylformamide					
	Acute fish toxicity	LC50 mg/l	7100	96 h	Lepomis macrochirus	REACH Registration Dossier  other: US EPA guideline 660/3-75-009
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Desmodesmus subspicatus	REACH Registration Dossier  other: DIN 38412, part 9, "Determination"
	Acute crustacea toxicity	EC50 mg/l	13100	48 h	Daphnia magna	REACH Registration Dossier  OECD Guideline 202
	Fish toxicity	NOEC mg/l	> 102	21 d	Oryzias latipes	REACH Registration Dossier  OECD Guideline 204
	Algae toxicity	NOEC	940 mg/l	14 d	Raphidocelis subcapitata	Bull. Environ. Contam. Toxicol. 31, 98-1  other: EPA-600/9-78-01 8
	Crustacea toxicity	NOEC mg/l	1500	21 d	Daphnia magna	REACH Registration Dossier  Semi-Static toxicity test
111-92-2	di-n-butylamine					
	Acute fish toxicity	LC50	5,5 mg/l	96 h	Oncorhynchus mykiss	Chemosphere 9, 753-762 (1980)  other: IRSA, Quaderni dell'Instituto di
	Acute algae toxicity	ErC50 mg/l	16,91	72 h	Desmodesmus subspicatus	Study report (1988)  other: DIN 38412, part 9
	Acute crustacea toxicity	EC50	8,4 mg/l	48 h	Ceriodaphnia dubia	Study report (1994)  other: Standard guide for conducting acu
	Crustacea toxicity	NOEC	4,2 mg/l	21 d	Daphnia magna	Publication (1999)  OECD Guideline 211

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
68-12-2	N,N-dimethylformamide	-0,85
111-92-2	di-n-butylamine	2,1

**BCF**

CAS No	Chemical name	BCF	Species	Source
68-12-2	N,N-dimethylformamide	0,3 - 1,2	Cyprinus carpio	REACH Registration D
111-92-2	di-n-butylamine	21	fish	United States Enviro

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 13 of 15

**12.7. Other adverse effects**

Do not allow to enter into surface water or drains.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2927
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (di-n-butylamine, N,N-dimethylformamide)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1+8
Classification code:	TC1
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
Transport category:	2
Hazard No:	68
Tunnel restriction code:	D/E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 2927
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (di-n-butylamine, N,N-dimethylformamide)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1+8
Classification code:	TC1
Special Provisions:	274 802
Limited quantity:	100 mL
Excepted quantity:	E4

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 2927
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (di-n-butylamine, N,N-dimethylformamide)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1+8
Special Provisions:	274
Limited quantity:	100 mL

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 14 of 15

Excepted quantity: E4  
EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2927  
**14.2. UN proper shipping name:** TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (di-n-butylamine, N,N-dimethylformamide)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
Hazard label: 6.1+8  
Special Provisions: A4 A137  
Limited quantity Passenger: 0.5 L  
Passenger LQ: Y640  
Excepted quantity: E4  
IATA-packing instructions - Passenger: 653  
IATA-max. quantity - Passenger: 1 L  
IATA-packing instructions - Cargo: 660  
IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):  
Substances of very high concern, SVHC (REACH, article 59):  
N,N-dimethylformamide  
Restrictions on use (REACH, annex XVII):  
Entry 3, Entry 30, Entry 40, Entry 75  
Information according to Directive 2012/18/EU (SEVESO III): H2 ACUTE TOXIC  
Additional information: P5c

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.  
Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 2,8,9,11.

**Abbreviations and acronyms**

Flam. Liq: Flammable liquid  
Acute Tox: Acute toxicity  
Skin Corr: Skin corrosion  
Eye Dam: Eye damage  
Eye Irrit: Eye irritation  
Repr: Reproductive toxicity

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Dibutylamine solution 2 mol/l - 2 N solution in dimethylformamide**

Revision date: 20.03.2025

Product code: 05477

Page 15 of 15

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Repr. 1B; H360D	Calculation method
Acute Tox. 2; H330	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H360D	May damage the unborn child.
EUH071	Corrosive to the respiratory tract.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*