

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

| | |
|------|--------------------------------|
| H290 | May be corrosive to metals. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 2 of 11

Precautionary statements

| | |
|----------------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P390 | Absorb spillage to prevent material damage. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7664-93-9 | sulphuric acid | | | 5 - < 10 % |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|--|----------------|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 7664-93-9 | 231-639-5 | sulphuric acid | 5 - < 10 % |
| | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air.
Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 3 of 11

Protect uninjured eye.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 4 of 11

For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

- Clean contaminated articles and floor according to the environmental legislation.

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Provide adequate ventilation. Do not breathe vapour/aerosol.
- Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

- Usual measures for fire prevention.

Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities
- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.
- If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Store in a well-ventilated place. Keep container tightly closed.
- Corrosive to metals.

Further information on storage conditions

- Store in a dry place.

7.3. Specific end use(s)

- Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 5 of 11

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|----------------|-----|-------------------|---------------------|-----------|--------|
| 7664-93-9 | Sulphuric acid | - | 0.05 | | TWA (8 h) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|------------------------|----------------|----------------|--------|------------------------|
| 7664-93-9 | sulphuric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 0,05 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 0,1 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|----------------|-------------|
| 7664-93-9 | sulphuric acid | |
| Freshwater | | 0,003 mg/l |
| Marine water | | 0 mg/l |
| Freshwater sediment | | 0,002 mg/kg |
| Marine sediment | | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 8,8 mg/l |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 6 of 11

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.
Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-----------|------------------------|
| Physical state: | Liquid | |
| Colour: | clear | |
| Odour: | odourless | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | acidic |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | 1,12 g/cm ³ |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| No data available | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| No data available | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 7 of 11

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | 0 |
| Solid content: | 0 |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|-----------|----------------|---------------|---------|--------|---|
| | Exposure route | Dose | Species | Source | Method |
| 7664-93-9 | sulphuric acid | | | | |
| | oral | LD50 mg/kg | 2140 | Rat | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): The study was performed as part of a ser |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 8 of 11

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | | | | | |
|-----------|--------------------------|---------------|-----------|---------|---------------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7664-93-9 | sulphuric acid | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Desmodemus subspicatus | Study report (2009) OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2009) OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | 0,025 | 65 d | Jordanella floridae | Water Research Vol. 11, 612 - 626, 1977 Groups of sexually mature flagfish |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 9 of 11

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.
Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|----------------|
| 14.1. UN number or ID number: | UN 2796 |
| 14.2. UN proper shipping name: | Sulphuric acid |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|----------------|
| 14.1. UN number or ID number: | UN 2796 |
| 14.2. UN proper shipping name: | Sulphuric acid |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Marine transport (IMDG)

| | |
|--|----------------|
| 14.1. UN number or ID number: | UN 2796 |
| 14.2. UN proper shipping name: | Sulphuric acid |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Special Provisions: | - |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 10 of 11

EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2796
14.2. UN proper shipping name: Sulphuric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8
Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2
IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammonium iron(III) sulfate solution 0.375 mol/l - 0.375 N solution in diluted sulfuric acid

Revision date: 03.07.2023

Product code: 05546

Page 11 of 11

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)