

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH ACD | |
|--|--|--|
| Street: Place: | Stempelstraße 6 D-47167 Duisburg | |
| Telephone: E-mail: | 0203/5194-0 info@analytichem.de | Telefax: 0203/5194-290 |
| Contact person: E-mail: Internet: Responsible Department: | Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit | Telephone:0203/5194-107/117 |
| <u>1.4. Emergency telephone</u> number: | Exposure, or Accident Call CHEMTR | ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Flam. Liq. 3; H226 Repr. 1B; H360D Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling N.N-dimethylformamide

di-n-butvlamine

ar n batylannin

Signal word: Pictograms:





according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

| Revision date: 20 | .03.2025 |
|-------------------|----------|
|-------------------|----------|

Product code: 05636

Page 2 of 14

Hazard statements

| H226 | Flammable liquid and vapour. |
|-----------|---|
| H312+H332 | Harmful in contact with skin or if inhaled. |
| H319 | Causes serious eye irritation. |
| H360D | May damage the unborn child. |

Precautionary statements

| loouallonaly o | |
|----------------|--|
| P201 | Obtain special instructions before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | Quantity | |
|----------|--|--------------------|------------------|--------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulation | (EC) No 1272/2008) | | | |
| 68-12-2 | N,N-dimethylformamide | | | 95 - < 100 % | |
| | 200-679-5 | 616-001-00-X | 01-2119475605-32 | | |
| | Flam. Liq. 3, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H226 H360D H332 H312 H319 | | | | |
| 111-92-2 | di-n-butylamine | | | < 1 % | |
| | 203-921-8 | 612-049-00-0 | 01-2119475606-30 | | |
| | Flam. Liq. 3, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H226 H330 H311 H301 H314 H318 EUH071 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|------------------|--|--------------|
| | Specific Conc. L | Specific Conc. Limits, M-factors and ATE | |
| 68-12-2 | 200-679-5 | N,N-dimethylformamide | 95 - < 100 % |
| | | inhalation: LC50 = > 5,85 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 3160 mg/kg; oral: LD50 = 3010 mg/kg | |
| 111-92-2 | 203-921-8 | di-n-butylamine | < 1 % |
| | inhalation: ATE | 1,2 mg/l (vapours); dermal: ATE 300 mg/kg; oral: ATE 220 mg/kg | |

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Dimethylformamide

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 3 of 14

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Extinguishing powder Water

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 4 of 14

lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 5 of 14

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used. Store in a place accessible by authorized persons only.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|-------------------|-----|-------|---------|---------------|--------|
| 68-12-2 | Dimethylformamide | 5 | 15 | | TWA (8 h) | |
| | | 10 | 30 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-----------------------|-------------------|---------|---------------|---------------|
| 68-12-2 | N,N-Dimethylformamide | N-Methylformamide | 15 mg/L | Urine | Post shift |



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 6 of 14

DNEL/DMEL values

| CAS No | Substance | | | | |
|--------------------|-----------------------|----------------|----------|----------------------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 68-12-2 | N,N-dimethylformamide | | | | |
| Worker DNE | L, long-term | inhalation | systemic | 6 mg/m³ | |
| Worker DNE | L, long-term | dermal | systemic | 1,1 mg/kg bw/day | |
| Consumer D | NEL, long-term | inhalation | systemic | 1,1 mg/m³ | |
| Consumer D | NEL, long-term | oral | systemic | 0,16 mg/kg bw/day | |
| Worker DNE | L, acute | inhalation | local | 30 mg/m³ | |
| Worker DNE | L, acute | dermal | systemic | 26,3 mg/kg bw/day | |
| Consumer D | NEL, acute | inhalation | systemic | 30 mg/m³ | |
| Worker DNE | L, long-term | inhalation | local | 15 mg/m³ | |
| Worker DNE | L, acute | inhalation | systemic | 30 mg/m³ | |
| Consumer D | NEL, acute | oral | systemic | 5,94 mg/kg bw/day | |
| Consumer D | NEL, acute | inhalation | local | 30 mg/m³ | |
| Consumer D | NEL, acute | dermal | systemic | 15,8 mg/kg bw/day | |
| Consumer D | NEL, long-term | dermal | systemic | 1,98 mg/kg bw/day | |
| Consumer D | NEL, long-term | inhalation | local | 15 mg/m³ | |
| 111-92-2 | di-n-butylamine | | | | |
| Worker DNE | L, long-term | inhalation | systemic | 29 mg/m³ | |
| Worker DNE | L, acute | inhalation | systemic | 29 mg/m³ | |
| Worker DNE | L, long-term | inhalation | local | 29 mg/m³ | |
| Worker DNEL, acute | | inhalation | local | 29 mg/m³ | |



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 7 of 14

PNEC values

| CAS No | lo Substance | | |
|--|-------------------------|-------------|--|
| Environmental compartment | | Value | |
| 68-12-2 | N,N-dimethylformamide | | |
| Freshwater | | 30 mg/l | |
| Freshwater | (intermittent releases) | 30 mg/l | |
| Marine wate | er | 3 mg/l | |
| Freshwater | sediment | 111 mg/kg | |
| Marine sedi | ment | 11,1 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) 44 mg/l | | 44 mg/l | |
| Soil 56,97 | | 56,97 mg/kg | |
| 111-92-2 | di-n-butylamine | | |
| Freshwater 0,08 | | 0,084 mg/l | |
| Freshwater | (intermittent releases) | 0,084 mg/l | |
| Marine water | | 0,008 mg/l | |
| Freshwater sediment 11, | | 11,4 mg/kg | |
| Marine sediment 1,1 | | 1,14 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) 149,5 | | 149,5 mg/l | |
| Soil 2,23 mg/k | | 2,23 mg/kg | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact Trade name/designation KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.





according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 8 of 14

Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| 9.1. Information on pasic physical and ch | emical properties | |
|--|-------------------------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | like: Amines | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | | ~153 °C |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | ~57,5 °C |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value (at 20 °C): | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | ~0,94 g/cm³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |
| 9.2. Other information | | |
| Information with regard to physical ha | zard classes | |
| Explosive properties | | |
| Vapours are heavier than air, spread | l along floors and form explosive n | |
| Sustained combustibility: | | No data available |
| Self-ignition temperature | | |
| Solid: | | No data available |
| Gas: | | No data available |
| Oxidizing properties | | |

No data available



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

No data available

No data available No data available

∩%

Page 9 of 14

| Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: |
|--|
| Viscosity / dynamic: Flow time: |

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent Alkali metals Reducing agent Isocyanates Phosphorus oxides Bromine Chlorine permanganates, e.g. potassium permanganate NO3, Na

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Plastic articles copper Copper alloys Tin

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/I - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 10 of 14

Harmful if inhaled.

Harmful in contact with skin.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) 1091 mg/kg; ATE (inhalation vapour) 10,72 mg/l; ATE (inhalation dust/mist) 1,373 mg/l

| CAS No | Chemical name | | | | | | | |
|----------|-------------------------|---------------|----------|---------|--|--------------------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 68-12-2 | N,N-dimethylformamide | | | | | | | |
| | oral | LD50 mg/kg | 3010 | Rat | also cited in OECD SIDS Dimethylformamid | OECD Guideline 401 | | |
| | dermal | LD50 mg/kg | > 3160 | Rabbit | Study report (1978) | OECD Guideline 405 | | |
| | inhalation (4 h) vapour | LC50 mg/l | > 5,85 | Rat | also cited in OECD SIDS Dimethylformamid | OECD Guideline 403 | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | |
| 111-92-2 | di-n-butylamine | | | | | | | |
| | oral | ATE 220 | mg/kg | | | | | |
| | dermal | ATE 300 | mg/kg | | | | | |
| | inhalation vapour | ATE 1,2 | mg/l | | | | | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (N,N-dimethylformamide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

- Damage to:
- kidneys
- liver

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 11 of 14

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

There are no data available on the mixture itself.

Further information

Headache Dizziness

Dizziness

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | | |
|----------|--------------------------|---------------|----------|-----------|-----------------------------|--|--|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 68-12-2 | N,N-dimethylformamide | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 7100 | 96 h | Lepomis macrochirus | REACh Registration Dossier | other: US EPA guideline 660/3-75-009 | | |
| | Acute algae toxicity | ErC50 mg/l | > 1000 | 72 h | Desmodesmus subspicatus | REACh Registration Dossier | other: DIN 38412, part 9, "Determination | | |
| | Acute crustacea toxicity | EC50 mg/l | 13100 | 48 h | Daphnia magna | REACh Registration Dossier | OECD Guideline 202 | | |
| | Fish toxicity | NOEC mg/l | > 102 | 21 d | Oryzias latipes | REACh Registration Dossier | OECD Guideline 204 | | |
| | Algae toxicity | NOEC | 940 mg/l | 14 d | Raphidocelis subcapitata | Bull. Environ. Contam. Toxicol. 31, 98-1 | other: EPA-600/9-78-01 8 | | |
| | Crustacea toxicity | NOEC mg/l | 1500 | 21 d | Daphnia magna | REACh Registration Dossier | Semi-Static toxicity test | | |
| 111-92-2 | di-n-butylamine | | | | | | | | |
| | Acute fish toxicity | LC50 | 5,5 mg/l | 96 h | Oncorhynchus mykiss | Chemosphere 9, 753-762 (1980) | other: IRSA, Quaderni dell'Instituto di | | |
| | Acute algae toxicity | ErC50 mg/l | 16,91 | 72 h | Desmodesmus subspicatus | Study report (1988) | other: DIN 38412, part 9 | | |
| | Acute crustacea toxicity | EC50 | 8,4 mg/l | 48 h | Ceriodaphnia dubia | Study report (1994) | other: Standard guide for conducting acu | | |
| | Crustacea toxicity | NOEC | 4,2 mg/l | 21 d | Daphnia magna | Publication (1999) | OECD Guideline 211 | | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 12 of 14

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------------|---------|
| 68-12-2 | N,N-dimethylformamide | -0,85 |
| 111-92-2 | di-n-butylamine | 2,1 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|----------|-----------------------|-----------|-----------------|----------------------|
| 68-12-2 | N,N-dimethylformamide | 0,3 - 1,2 | Cyprinus carpio | REACh Registration D |
| 111-92-2 | di-n-butylamine | 21 | fish | United States Enviro |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 2265 |
|-----------------------------------|-----------------------|
| 14.2. UN proper shipping name: | N,N-DIMETHYLFORMAMIDE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |
| Hazard label: | 3 |
| Classification code: | F1 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 30 |
| Tunnel restriction code: | D/E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 2265 |
| 14.2. UN proper shipping name: | N,N-DIMETHYLFORMAMIDE |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |



butylamine solution 0.01 mol/L-0.01 N solution in dimethylformami

| Dibutylamine solution 0.01 mol/I - 0.01 N solution in dimethylformamide | | | | |
|---|--|---------------|--|--|
| Revision date: 20.03.2025 | Product code: 05636 | Page 13 of 14 | | |
| Hazard label: | 3 | | | |
| Classification code: | F1 | | | |
| Limited quantity: | 5 L | | | |
| Excepted quantity: | E1 | | | |
| Marine transport (IMDG) | | | | |
| <u>14.1. UN number or ID number:</u> | UN 2265 | | | |
| 14.2. UN proper shipping name: | N,N-DIMETHYLFORMAMIDE | | | |
| 14.3. Transport hazard class(es): | 3 | | | |
| 14.4. Packing group: | III | | | |
| Hazard label: | 3 | | | |
| Special Provisions: | - | | | |
| Limited quantity: | 5 L | | | |
| Excepted quantity: | E1 | | | |
| EmS: | F-E, S-D | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | |
| 14.1. UN number or ID number: | UN 2265 | | | |
| 14.2. UN proper shipping name: | N,N-DIMETHYLFORMAMIDE | | | |
| 14.3. Transport hazard class(es): | 3 | | | |
| 14.4. Packing group: | III | | | |
| Hazard label: | 3 | | | |
| Limited quantity Passenger: | 10 L | | | |
| Passenger LQ: | Y344 | | | |
| Excepted quantity: | E1 | | | |
| IATA-packing instructions - Passenger: | 355 | | | |
| IATA-max. quantity - Passenger: | 60 L | | | |
| IATA-packing instructions - Cargo: | 366 | | | |
| IATA-max. quantity - Cargo: | 220 L | | | |
| SECTION 15: Regulatory information | | | | |
| | | | | |
| 15.1. Safety, health and environmental regu | ulations/legislation specific for the substance or m | ixture | | |
| EU regulatory information | | | | |
| Authorisations (REACH, annex XIV): | | | | |
| Substances of very high concern, SV | HC (REACH, article 59): | | | |
| N,N-dimethylformamide | · · · / | | | |
| Restrictions on use (REACH, annex XVII) | : | | | |

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 40, Entry 75 Information according to Directive

2012/18/EU (SEVESO III):

National regulatory information

 Employment restrictions:
 Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

 Water hazard class (D):
 2 - obviously hazardous to water

P5c FLAMMABLE LIQUIDS

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,8,9,11.



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.01 mol/l - 0.01 N solution in dimethylformamide

Revision date: 20.03.2025

Product code: 05636

Page 14 of 14

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Repr: Reproductive toxicity

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Repr. 1B; H360D | Calculation method |
| Acute Tox. 4; H332 | Calculation method |
| Acute Tox. 4; H312 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

| H226 | Flammable liquid and vapour. |
|-----------|---|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H312+H332 | Harmful in contact with skin or if inhaled. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H332 | Harmful if inhaled. |
| H360D | May damage the unborn child. |
| EUH071 | Corrosive to the respiratory tract. |
| | |

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)