



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sulfuric acid 96 % ± 0.2 % for analysis

REACH Registration Number:	01-2119458838-20-XXXX
CAS No:	7664-93-9
Index No:	016-020-00-8
EC No:	231-639-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	rous Goods] Incidents Spill, Leak, Fire,
number: Exposure, or Accident Call CHEMTREC Day or Nig 1-800-424-9300 Outside USA and Canada: +1 703 accepted)		, ,

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:

H290



Hazard statements

May be corrosive to metals.



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis		
Revision date: 29.09.2023	Product code: 05712	Page 2 of 11
H314	Causes severe skin burns and eye damage.	
Precautionary statement	ts	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P308	IF exposed or concerned:	
P310	Immediately call a POISON CENTER/doctor.	

<u>.5. Other nazarus</u>

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	H2SO4
Molecular weight:	98,08 g/mol

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	EC No Index No REACH No		
	Classification (Regulation (EC) No 1272/2008)			
7664-93-9	sulphuric acid	sulphuric acid		
	231-639-5	016-020-00-8	01-2119458838-20-XXXX	
Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	95 - < 100 %
oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 3 of 11

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes. Causes burns. Irritant Cough Dyspnoea Vomiting Gastric perforation Nausea Abdominal pain

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 4 of 11

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal

Further information on storage conditions

Corrosive to metals.

The product develops hydrogen in an aqueous solution in contact with metals.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 5 of 11

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance				
DNEL type	DNEL type Exposure route Effect Value				
7664-93-9	sulphuric acid				
Worker DNEL,	Worker DNEL, long-term inhalation local 0,05 mg/m³				
Worker DNEL, acute inhalation local 0,1 mg/m³					

PNEC values

CAS No	Substance	
Environmental compartment Value		
7664-93-9 sulphuric acid		
Freshwater 0,003 mg/l		
Marine water 0 mg/l		
Freshwater sediment 0,002 mg/kg		
Marine sediment 0,002 mg/k		0,002 mg/kg
Micro-organisms in sewage treatment plants (STP) 8,8 mg/l		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles Face protection shield

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 720 Camapren®



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 6 of 11

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: ABEK

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		-20 °C
Boiling point or initial boiling point and		335 °C
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value (at 20 °C):		0,3 (49 g/l)
Viscosity / kinematic:		No data available
Water solubility:		very soluble (Heat)
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		0,0001 hPa
(at 20 °C)		
Vapour pressure:		0,004 hPa
(at 50 °C)		
Density:		~1,84 g/cm³
Bulk density:		No data available
Relative vapour density:		3,4
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical ha	azard classes	

Information with regard to physical hazard classes Explosive properties

No data available



according to Regulation (EC) No 1907/2006

Sulfuric a	acid 96 % ± 0.2 % for analysis	
Revision date: 29.09.2023	Product code: 05712	Page 7 of 11
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	24 mPa⋅s	
(at 20 °C)		
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Corrosive to metals.		
Oxidising agent, strong		
10.2. Chemical stability		
The product is stable under storage at normal a	imbient temperatures.	
10.3. Possibility of hazardous reactions		
Violent reaction with:		
Water, Alkali metals, Ammonia		
aldehydes, Alkaline earth metal, Acids		

Alkali (lye), Metal, Phosphorus oxides, Combustible substance Solvent, Aniline, permanganates, e.g. potassium permanganate Peroxides, Amines, Carbide peroxides, for example hydrogen peroxide, Nitriles

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals. Cellulose

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 8 of 11

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Irritation to respiratory tract (Cough, Dyspnoea)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7664-93-9	sulphuric acid					
	oral	LD50 mg/kg	2140		1969 Sep-Oct; 30(5):	The study was performed as part of a ser

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information

No data available

Further information

Risk of serious damage to eyes. Causes burns. Irritant Cough Dyspnoea Vomiting Gastric perforation Nausea Abdominal pain



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis

Revision date: 29.09.2023

Product code: 05712

Page 9 of 11

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7664-93-9	sulphuric acid				-		
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

• • •	
14.1. UN number or ID number:	UN 1830
14.2. UN proper shipping name:	SULPHURIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2



according to Regulation (EC) No 1907/2006

S	ulfuric acid 96 % ±	t 0.2 % for analysis	
Revision date: 29.09.2023		ode: 05712	Page 10 of 11
Transport optogon/	2		, i i i i i i i i i i i i i i i i i i i
Transport category: Hazard No:	2 80		
Tunnel restriction code:	E		
	L		
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 1830		
14.2. UN proper shipping name:	Sulphuric acid		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Classification code:	C1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 1830		
14.2. UN proper shipping name:	Sulphuric acid		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number or ID number:</u>	UN 1830		
14.2. UN proper shipping name:	SULPHURIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	11		
Hazard label: Limited quantity Passenger:	8 0.5 L		
Passenger LQ:	0.5 L Y840		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:		851	
IATA-max. quantity - Passenger:		1 L	
IATA-packing instructions - Cargo:		855	
IATA-max. quantity - Cargo:		30 L	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: strongly corrosive.			
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	ulations/legislation sp	ecific for the substance or mixture	
EU regulatory information			
Restrictions on use (REACH, annex XVII)			
Entry 3			
Marketing and use of explosives precurso	rs (Regulation (FLI) 20	19/1148)	
		v the general public is restricted by Regulation	

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.



according to Regulation (EC) No 1907/2006

Sulfuric acid 96 % ± 0.2 % for analysis				
Revision date: 29.09.2023	Product code: 05712	Page 11 of 11		
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles acco work protection guideline' (94/33/EC).	rding to the 'juvenile		
Water hazard class (D):	1 - slightly hazardous to water			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage **Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.