



according to Regulation (EC) No 1907/2006

Revision date: 11.09.2023	Product code: 0717	1	Page 1 of 10			
SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier						
Sodium disulfite solution 10	% technical grade in water					
1.2. Relevant identified uses of th	ne substance or mixture and uses advised	l against				
Use of the substance/mixture						
Laboratory chemical						
•	ostances as such or in preparations at indus	trial sites				
	omain (administration, education, entertainr					
Uses advised against	ζ · · · · · ·					
Do not use for private purpo	oses (household)					
1.3. Details of the supplier of the	, ,					
Company name:	AnalytiChem GmbH					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
1.4. Emergency telephone	For Hazardous Materials [or Dangero	us Goods] Incidents Spill, Leak, Fire,				
<u>number:</u>		EC Day or Night Within USA and Canad anada: +1 703-741-5970 (collect calls	a:			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling disodium disulphite

Signal word: Pictograms:



Danger

Hazard statements

H318

P280

Causes serious eye damage.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.



Sodium disulfite solution 10 % technical grade in water							
Revision date: 11.09.2023	Product code: 07171	Page 2 of 10					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						
Special labelling of cert	tain mixtures						
EUH031	Contact with acids liberates toxic gas.						
<u>2.3. Other hazards</u> No data available							

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)					
7681-57-4	disodium disulphite	disodium disulphite				
	231-673-0 016-063-00-2 01-2119531326-45					
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE							
CAS No	EC No Chemical name						
	Specific Conc. Limits, M-factors and ATE						
7681-57-4	231-673-0	231-673-0 disodium disulphite					
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1420 mg/kg						

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed Irritant



Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 3 of 10

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage



Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol. Read label before use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off contaminated clothing. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep container tightly closed.

Store in a dry place.

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7681-57-4	Sodium metabisulphite	-	5		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7681-57-4	disodium disulphite				
Worker DNEL, long-term		inhalation	systemic	225 mg/m³	
Consumer DNEL, long-term		inhalation	systemic	66 mg/m³	
Consumer DNEL, long-term		oral	systemic	8,6 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental compartment Value			
7681-57-4 disodium disulphite			
Freshwater 1 mg/l		1 mg/l	
Marine water 0,1 mg/l		0,1 mg/l	
Micro-organisms in sewage treatment plants (STP) 75,4 mg/l			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection



according to Regulation (EC) No 1907/2006

Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 5 of 10

equipment.

Provide adequate ventilation as well as local exhaustion at critical locations. Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limits: Upper explosion limits: Flash point:	Liquid colourless No data available not determined	not determined not determined not determined not determined not determined X
Flash point: Auto-ignition temperature:		X not determined



Sodium disulfite s	olution 10 % technical grade in water	
Revision date: 11.09.2023	Product code: 07171	Page 6 of 10
Decomposition temperature:	not determined	
pH-Value:	not determined	
Viscosity / kinematic:	not determined	
Water solubility:	not determined	
Solubility in other solvents		
not determined		
Dissolution rate:	not determined	
Partition coefficient n-octanol/water:	not determined	
Dispersion stability:	not determined	
Vapour pressure:	not determined	
Vapour pressure:	not determined	
Density:	1,105 g/cm³	
Relative density:	not determined	
Bulk density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not determined	
9.2. Other information		
Information with regard to physical hazard classe Explosive properties	S	
not applicable	No data available	
Sustaining combustion: Self-ignition temperature		
Solid:	not determined	
Gas:	not applicable	
Oxidizing properties	not applicable	
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	not determined	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
not determined:		
Viscosity / dynamic:	not determined	
Flow time:	not determined	
Further Information		

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Oxidising agent Acid

10.4. Conditions to avoid No data available



Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 7 of 10

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

ausi/misi) > 5 mg/i

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7681-57-4	disodium disulphite							
	oral	LD50 mg/kg	1420	Rat	Study report (1987)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2009)	OECD Guideline 402		

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 8 of 10

Other information

There are no data available on the mixture itself.

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7681-57-4	disodium disulphite						
	Acute fish toxicity	LC50 464 mg/l	> 215 - <	96 h	Leuciscus idus	Study report (1989)	other: German industrial standard test g
	Acute algae toxicity	ErC50 mg/l	43,8	72 h	Desmodesmus subspicatus	Study report (1989)	OECD Guideline 201
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna	Study report (1990)	other: 79/831/EEC, appendix V, part C
	Fish toxicity	NOEC mg/l	>= 316	34 d	Danio rerio	Study report (2010)	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	> 10	21 d	Daphnia magna	Study report (1993)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	> 1000		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Discharge into the environment must be avoided. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.



according to Regulation (EC) No 1907/2006

Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 9 of 10

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADD/DID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No dangerous good in sense of this tra	nsport regulation.
14.7. Maritime transport in bulk according to	o IMO instruments
not applicable	
SECTION 15: Regulatory information	
15.1 Safety health and environmental regul	ations/legislation specific for the substance or mixture
EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile
	work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
······································	

Water hazard class (D):

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.



according to Regulation (EC) No 1907/2006

Sodium disulfite solution 10 % technical grade in water

Revision date: 11.09.2023

Product code: 07171

Page 10 of 10

Abbreviations and acronyms

- ADR: Accord européen sur le transport des marchandises dangereuses par Route
- (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Acute Tox: Acute toxicity

Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Eye Dam. 1; H318	Calculation method	
Relevant H and EUH statements (number and full text)		
LI303	Hormful if swallowed	

H302	Harmful if swallowed.
H318	Causes serious eye damage.
EUH031	Contact with acids liberates toxic gas.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)