

# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Product code: 10082

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

#### Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH ACD	
Street: Place:	Stempelstraße 6 D-47167 Duisburg	
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 2 of 10

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)		
7447-40-7	potassium chloride			< 1 %
	231-211-8			
7647-14-5	sodium chloride			< 0.1 %
	231-598-3		01-2119485491-33	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
7447-40-7	231-211-8 potassium chloride		
oral: LD50 = ca. 2600 mg/kg			
7647-14-5	231-598-3 sodium chloride		< 0.1 %
dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### **4.3. Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 3 of 10

# Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

Wipe up with absorbent material (eg. cloth, fleece).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 4 of 10

### Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

No data available

# Further information on storage conditions

Store in a dry place.

# 7.3. Specific end use(s)

Laboratory chemicals

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7447-40-7	potassium chloride			
Worker DNEL,	long-term	inhalation	systemic	1064 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	systemic	5320 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	303 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	273 mg/m³
Consumer DN	EL, acute	inhalation	systemic	1365 mg/m <sup>3</sup>
Consumer DN	EL, long-term	dermal	systemic	182 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	91 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	455 mg/kg bw/day
7647-14-5	sodium chloride			
Consumer DN	EL, long-term	dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	126,65 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2068,62 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	systemic	2068,62 mg/m <sup>3</sup>
Worker DNEL,	acute	dermal	systemic	295,52 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	443,28 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	systemic	443,28 mg/m <sup>3</sup>
Worker DNEL,	long-term	dermal	systemic	295,52 mg/kg bw/day



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 5 of 10

#### **PNEC** values

CAS No	Substance					
Environment	al compartment	Value				
7447-40-7	potassium chloride	potassium chloride				
Freshwater		0,1 mg/l				
Freshwater (	intermittent releases)	1 mg/l				
Marine water		0,1 mg/l				
Micro-organi	sms in sewage treatment plants (STP)	10 mg/l				
7647-14-5 sodium chloride						
Freshwater		5 mg/l				
Micro-organisms in sewage treatment plants (STP)		500 mg/l				
Soil		4,86 mg/kg				

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

Liquid

#### Environmental exposure controls

Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

#### Physical state:



# according to Regulation (EC) No 1907/2006 Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Dovision	data	26 00	2024
Revision	date:	26.08	.2024

Revision date: 26.08.2024	Product code: 10082	Page 6 of 10
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:	No data available	
Boiling point or initial boiling point and	No data available	
boiling range:		
Flammability:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	No data available	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,002 g/cm³	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available No data available	
Pour point: No data available:	ino data available	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		

#### 10.1. Reactivity

No data available

# 10.2. Chemical stability



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 7 of 10

#### No data available

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid No data available

#### 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

# No data available

# Further information

No data available

#### SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7447-40-7	potassium chloride			-		
	oral	LD50 mg/kg	ca. 2600	rat, guinea pig, sheep, goat	J Pharmacol Exp Therap 35, 1-15, 1929 (1	
7647-14-5	sodium chloride					
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 8 of 10

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### CAS No Chemical name Dose [h] | [d] Species Method Aquatic toxicity Source 7447-40-7 potassium chloride Acute fish toxicity LC50 96 h Pimephales promelas Environmental OECD Guideline 880 ma/l Toxicology and 203 Chemistry, Study report ErC50 > 100 72 h Desmodesmus OECD Guideline Acute algae toxicity mg/l subspicatus (2010) 201 EC50 > 1000 3 hactivated sludge, Study report OECD Guideline Acute bacteria toxicity domestic (2010) 209 mg/l () 7647-14-5 sodium chloride LC50 Acute fish toxicity 5840 96 h Lepomis macrochirus Study report other: ASTM (1985) mg/l E729 J. fish. Res. Bd. OECD Guideline Acute crustacea toxicity EC50 4136 48 h Daphnia magna Canada, 29: 202 mg/l 1691-1700. OECD Guideline Fish toxicity NOEC 252 mg/l 33 d Pimephales promelas Study report (1985) 210 NOEC 21 d Daphnia pulex Memorandum of OECD Guideline Crustacea toxicity 314 mg/l agreement No. 211 5429, Kentuc

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.



# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 9 of 10

#### **Further information**

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information Water hazard class (D): - - non-hazardous to water Additional information

No data available

# SECTION 16: Other information

#### Changes



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Kalium-Natrium-Stickstoffstandardlösung 5 meq K und 1,2 meq Na/100 g Rübe

Revision date: 26.08.2024

Product code: 10082

Page 10 of 10

This data sheet contains changes from the previous version in section(s): 6,9,12,15.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)