

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Reagent solution alkaline for anion analyzer (Donor)

UFI: 1TEW-Q02D-600Y-YEPU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Repr. 1B; H360FD

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

boric acid

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 2 of 13

Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.

Precautionary statements

P201 Obtain special instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 6381-92-6 | EDTA Na 2 | | | 1 - < 5 % |
| | 205-358-3 | | 01-2119486775-20 | |
| | Acute Tox. 4, STOT RE 2; H332 H373 | | | |
| 1310-73-2 | sodium hydroxide | | | 1 - < 5 % |
| | 215-185-5 | 011-002-00-6 | 01-2119457892-27 | |
| | Met. Corr. 1, Skin Corr. 1A; H290 H314 | | | |
| 10043-35-3 | boric acid | | | 1 - < 5 % |
| | 233-139-2 | 005-007-00-2 | 01-2119486683-25 | |
| | Repr. 1B; H360FD | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|--|------------------|-----------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 6381-92-6 | 205-358-3 | EDTA Na 2 | 1 - < 5 % |
| | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 2800 mg/kg | | |
| 1310-73-2 | 215-185-5 | sodium hydroxide | 1 - < 5 % |
| | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 | | |
| 10043-35-3 | 233-139-2 | boric acid | 1 - < 5 % |
| | inhalation: LC50 = > 2,12 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg | | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 3 of 13

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: boric acid

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 4 of 13

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol.
Read label before use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
If handled uncovered, arrangements with local exhaust ventilation have to be used.
Draw up and observe skin protection programme. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide adequate ventilation as well as local exhaust at critical locations.
Unsuitable container/equipment material:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 5 of 13

Metal
Aluminium
Tin
Zinc

Further information on storage conditions

Keep container tightly closed.
Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|------------|--|-----|-------------------|---------------------|---------------|--------|
| 10043-35-3 | Borate compounds inorganic: boric acid | - | 2 | | TWA (8 h) | |
| 1310-73-2 | Sodium hydroxide | - | 2 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|------------|--------------------------|----------------|----------|------------------------|
| 6381-92-6 | EDTA Na 2 | | | |
| | Worker DNEL, long-term | inhalation | local | 1,5 mg/m ³ |
| | Worker DNEL, acute | inhalation | local | 3 mg/m ³ |
| | Consumer DNEL, long-term | inhalation | local | 0,6 mg/m ³ |
| | Consumer DNEL, acute | inhalation | local | 1,2 mg/m ³ |
| | Consumer DNEL, long-term | oral | systemic | 25 mg/kg bw/day |
| 1310-73-2 | sodium hydroxide | | | |
| | Worker DNEL, long-term | inhalation | local | 1 mg/m ³ |
| | Consumer DNEL, long-term | inhalation | local | 1 mg/m ³ |
| 10043-35-3 | boric acid | | | |
| | Worker DNEL, long-term | inhalation | systemic | 8,3 mg/m ³ |
| | Worker DNEL, long-term | dermal | systemic | 392 mg/kg bw/day |
| | Consumer DNEL, long-term | inhalation | systemic | 4,15 mg/m ³ |
| | Consumer DNEL, long-term | dermal | systemic | 196 mg/kg bw/day |
| | Consumer DNEL, long-term | oral | systemic | 0,98 mg/kg bw/day |
| | Consumer DNEL, acute | oral | systemic | 0,98 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 6 of 13

PNEC values

| CAS No | Substance | Value |
|--|------------|-----------|
| Environmental compartment | | |
| 6381-92-6 | EDTA Na 2 | |
| Freshwater | | 2,2 mg/l |
| Freshwater (intermittent releases) | | 1,2 mg/l |
| Marine water | | 0,22 mg/l |
| Micro-organisms in sewage treatment plants (STP) | | 43 mg/l |
| 10043-35-3 | boric acid | |
| Freshwater | | 2,9 mg/l |
| Freshwater (intermittent releases) | | 13,7 mg/l |
| Marine water | | 2,9 mg/l |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l |
| Soil | | 5,7 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 7 of 13

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|----------------------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | not applicable not applicable |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | X |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | 13 |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | not determined |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | not determined |
| Particle characteristics: | | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Oxidizing properties | |
| Not oxidising. | |

Other safety characteristics

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 8 of 13

| | |
|--------------------------|-------------------|
| Evaporation rate: | not determined |
| Solvent separation test: | No data available |
| Solvent content: | No data available |
| Solid content: | No data available |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Metal, Light metal (Formation of: Hydrogen)
Phenols
Combustible substance
Alkaline earth metal (Metal powder)
Acids, Nitriles

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Aluminium, Brass, Glass
Tin, Zinc, Aluminium
plastic

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 9 of 13

| CAS No | Chemical name | | | | |
|------------|----------------------------|-------------------|---------|---|--|
| | Exposure route | Dose | Species | Source | Method |
| 6381-92-6 | EDTA Na 2 | | | | |
| | oral | LD50 2800 mg/kg | Rat | Study report (1973) | BASF-TEST: In principle, the methods des |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |
| 10043-35-3 | boric acid | | | | |
| | oral | LD50 3450 mg/kg | Rat | Toxicology and Applied Pharmacology 23: | other: No data |
| | dermal | LD50 > 2000 mg/kg | Rabbit | Study report (1982) | other: FIFRA |
| | inhalation (4 h) dust/mist | LC50 > 2,12 mg/l | Rat | Study report (1997) | OECD Guideline 403 |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.
 Serious eye damage/eye irritation: Causes serious eye irritation.
 Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (boric acid)
 Germ cell mutagenicity: Based on available data, the classification criteria are not met.
 Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Skin corrosion/irritation
 Dyspnoea
 Cough

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 10 of 13

Circulatory collapse
Risk of serious damage to eyes.

SECTION 12: Ecological information
12.1. Toxicity

There are no data available on the preparation/mixture itself.

| CAS No | Chemical name | | | | | |
|------------|--------------------------|-----------------------|-----------|---|--|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 6381-92-6 | EDTA Na 2 | | | | | |
| | Acute fish toxicity | LC50 41 mg/l | 96 h | Lepomis macrochirus | Bull. Environm. Contam. Toxicol. 24: 543 | The static water acute toxicity tests fo |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h | Pseudokirchneriella subcapitata | Study report (2001) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 140 mg/l | 48 h | Daphnia magna | Study report (1989) | other: DIN 38412, part 11 |
| | Fish toxicity | NOEC >= 25,7 mg/l | 35 d | Danio rerio | Study report (2001) | OECD Guideline 210 |
| | Crustacea toxicity | NOEC 25 mg/l | 21 d | Daphnia magna | Study report (1998) | other: EEC Guideline XI/681/86, Draft 4: |
| 1310-73-2 | sodium hydroxide | | | | | |
| | Acute crustacea toxicity | EC50 40,4 mg/l | 48 h | Ceriodaphnia sp. | Ecotoxicology and Environmental Safety,4 | other: acute 48-h immobilization test ac |
| 10043-35-3 | boric acid | | | | | |
| | Acute fish toxicity | LC50 79,7 mg/l | 96 h | Pimephales promelas | Study report (2010) | other: ASTM E729-95 Standard Guide for C |
| | Acute algae toxicity | ErC50 66 mg/l | 72 h | Phaeodactylum tricornutum | Study report (2011) | ISO 10253 |
| | Acute crustacea toxicity | EC50 109 mg/l | 48 h | Ceriodaphnia dubia | Study report (2010) | other: ASTM E729-95 Standard Guide for C |
| | Fish toxicity | NOEC 11,2 mg/l | 32 d | Pimephales promelas | Study report (2010) | other: ASTM E1241-05 Standard Guide for |
| | Algae toxicity | NOEC 17,5 mg/l | 3 d | Pseudokirchneriella subcapitata | Study report (2000) | OECD Guideline 201 |
| | Crustacea toxicity | NOEC 25,9 mg/l | 42 d | other aquatic crustacea: Hyalella azteca | Study report (2010) | other: US EPA 2000 Methods for assessing |
| | Acute bacteria toxicity | EC50 > 10000 mg/l () | 3 h | activated sludge of a predominantly domestic sewage | Study report (2001) | OECD Guideline 209 |

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 11 of 13

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---------------|---------|
| 6381-92-6 | EDTA Na 2 | -4,3 |
| 10043-35-3 | boric acid | -1,09 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---------------|---------|---------------------|----------------------|
| 6381-92-6 | EDTA Na 2 | ca. 1,8 | Lepomis macrochirus | Proc. 3rd. Ann. Symp |
| 10043-35-3 | boric acid | 0,558 | Oncorhynchus nerka | Water Research Vol. |

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the preparation/mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|---------------------------|
| 14.1. UN number or ID number: | UN 1824 |
| 14.2. UN proper shipping name: | SODIUM HYDROXIDE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C5 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|---------------------------|
| 14.1. UN number or ID number: | UN 1824 |
| 14.2. UN proper shipping name: | SODIUM HYDROXIDE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C5 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 12 of 13

Limited quantity: 5 L
 Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: 223
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 Passenger LQ: Y841
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
 boric acid

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Reagent solution alkaline for anion analyzer (Donor)

Revision date: 25.04.2024

Product code: 10271

Page 13 of 13

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9.

Abbreviations and acronyms

- Met. Corr: Substance or mixture corrosive to metals
- Acute Tox: Acute toxicity
- Skin Corr: Skin corrosion
- Skin Irrit: Skin irritation
- Eye Irrit: Eye irritation
- Repr: Reproductive toxicity
- STOT RE: Specific target organ toxicity - repeated exposure
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Repr. 1B; H360FD | Calculation method |

Relevant H and EUH statements (number and full text)

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)