

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 2 of 11

Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
64-19-7	acetic acid			5 - < 10 %		
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr. 1A; H226 H314					
7647-14-5	sodium chloride			5 - < 10 %		
	231-598-3		01-2119485491-33			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Specific Conc. Limits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	5 - < 10 %
	inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		
7647-14-5	231-598-3	sodium chloride	5 - < 10 %
	dermal: LD50	= > 10000 mg/kg; oral: LD50 = 3550 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

No special fire protection measures are necessary.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 4 of 11

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off contaminated clothing.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a dry place.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 5 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-19-7	acetic acid			
Worker DNEL	, long-term	inhalation	local	25 mg/m³
Worker DNEL	, acute	inhalation	local	25 mg/m³
Consumer DN	EL, long-term	inhalation	local	25 mg/m³
Consumer DN	EL, acute	inhalation	local	25 mg/m³
7647-14-5	sodium chloride	·	·	
Consumer DN	EL, long-term	dermal	systemic	126,65 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	126,65 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	126,65 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	2068,62 mg/m³
Worker DNEL	, acute	inhalation	systemic	2068,62 mg/m ³
Worker DNEL, acute		dermal	systemic	295,52 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	443,28 mg/m³
Consumer DNEL, acute		inhalation	systemic	443,28 mg/m³
Worker DNEL	long-term	dermal	systemic	295,52 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmental compartment Value					
64-19-7	acetic acid				
Freshwater		3,058 mg/l			
Freshwater (i	ntermittent releases)	30,58 mg/l			
Marine water	0,306 mg/l				
Freshwater s	11,36 mg/kg				
Marine sediment		1,136 mg/kg			
Micro-organis	85 mg/l				
Soil		0,47 mg/kg			
7647-14-5	7-14-5 sodium chloride				
Freshwater	5 mg/l				
Micro-organisms in sewage treatment plants (STP)					
Soil	Soil				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 6 of 11

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: X
Auto-ignition temperature: not determined



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 7 of 11

Decomposition temperature: not determined pH-Value: 5.2 Viscosity / kinematic: not determined Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Vapour pressure: not determined Density: 1,0671 g/cm³ Bulk density: not determined Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not applicable

No data available Sustaining combustion:

Self-ignition temperature

Solid: not determined Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined

not determined:

Viscosity / dynamic: not determined Flow time: not determined

Further Information

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 8 of 11

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-19-7	acetic acid						
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin	
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403	
7647-14-5	sodium chloride						
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared	
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 9 of 11

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
7647-14-5	sodium chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Discharge into the environment must be avoided.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 10 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2012/18/EU (SEVESO III):

Restrictions on use (REACH, annex XVII):

Entry 40

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetate buffer solution pH 5.2 58 g NaCl + 57 ml acetic acid 100 %/l adjusted with NaOH

Revision date: 16.07.2024 Product code: 10685 Page 11 of 11

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Skin Corr: Skin corrosion

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.
EUH210 Safety data sheet available on request.

Further Information

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)