



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Potassium fluoride solution 30 % for analysis

UFI:

DAQY-70R9-P008-2Q3T

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

| Company name:            | AnalytiChem GmbH                   |   |  |  |  |  |
|--------------------------|------------------------------------|---|--|--|--|--|
|                          | ACD                                |   |  |  |  |  |
| Street:                  | Stempelstraße 6                    |   |  |  |  |  |
| Place:                   | D-47167 Duisburg                   |   |  |  |  |  |
| Telephone:               | 0203/5194-0                        | Telefax:0203/5194-290   |  |  |  |  |
| E-mail:                  | info@analytichem.de                |   |  |  |  |  |
| Contact person:          | Abteilung Produktsicherheit        | Telephone:0203/5194-107/117   |  |  |  |  |
| E-mail:                  | produktsicherheit@analytichem.de   |   |  |  |  |  |
| Internet:                | www.analytichem.de                 |   |  |  |  |  |
| Responsible Department:  | Abteilung Produktsicherheit        |   |  |  |  |  |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire,                               |  |  |  |  |
| <u>number:</u>           | Exposure, or Accident Call CHEMTR  | REC Day or Night Within USA and Canada:                               |  |  |  |  |
|                          | 1-800-424-9300 Outside USA and C   | 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls |  |  |  |  |
|                          | accepted)                          |   |  |  |  |  |

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Acute Tox. 3; H331 Acute Tox. 3; H311 Acute Tox. 4; H302 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

Danger

# 2.2. Label elements

# Regulation (EC) No 1272/2008 Hazard components for labelling potassium fluoride

Signal word:

Pictograms:



Harmful if swallowed.

# Hazard statements

H302



according to Regulation (EC) No 1907/2006

| Potassium fluoride solution 30 % for analysis | Potassium | fluoride | solution | 30 % | for a | nalysis |
|---|-----------|----------|----------|------|-------|---------|
|---|-----------|----------|----------|------|-------|---------|

| Product code: 11092<br>in or if inhaled.<br>mage.<br>me/gas/mist/vapours/spray.<br>/protective clothing/eye protection/face protection/hearing | Page 2 of 12   |
|--|--|
| mage.<br>me/gas/mist/vapours/spray.  |  |
| me/gas/mist/vapours/spray.   |  |
| 5 1 1 5  |  |
| 5 1 1 5  |  |
| /protective clothing/eye protection/face protection/hearing  |  |
|  |  |
|  |  |
| n plenty of water and soap.  |  |
| person to fresh air and keep comfortable for breathing.  |  |
| tiously with water for several minutes. Remove contact lenses, if  |  |
| . Continue rinsing.  |  |
| SON CENTER/doctor.   |  |
| l contaminated clothing and wash it before reuse.  |  |
| ad place. Keen container tightly closed  |  |
| ,<br>  | o. Continue rinsing.<br>SON CENTER/doctor.<br>Il contaminated clothing and wash it before reuse.<br>ed place. Keep container tightly closed. |

No information available.

# 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

#### **Relevant ingredients**

| CAS No    | Chemical name   | Chemical name      |  |  |  |  |  |
|-----------|---|--------------------|--|--|--|--|--|
|           | EC No Index No REACH No   |                    |  |  |  |  |  |
|           | Classification (Regulation (EC) No 1272/2008)                             |                    |  |  |  |  |  |
| 7789-23-3 | potassium fluoride  | potassium fluoride |  |  |  |  |  |
|           | 232-151-5 009-005-00-2 01-2119555273-40                                   |                    |  |  |  |  |  |
|           | Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Eye Dam. 1; H331 H311 H301 H318 |                    |  |  |  |  |  |

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits. M-factors and ATE

| CAS No    | EC No  | Chemical name      |             |  |  |  |
|-----------|--|--------------------|-------------|--|--|--|
|           | Specific Conc. Limits, M-factors and ATE   |                    |             |  |  |  |
| 7789-23-3 | 232-151-5  | potassium fluoride | 30 - < 35 % |  |  |  |
|           | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = ca. 148,5 mg/kg |                    |             |  |  |  |

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down . Call a physician immediately. fast help required

### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 3 of 12

Call a physician immediately.

#### After contact with skin

Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Adverse human health effects and symptoms: Gastric perforation Remove casualty to fresh air and keep warm and at rest. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant Causes burns. Dyspnoea Respiratory complaints Unconsciousness Spasms Corneal opacity. Agitation Cardiac arrhythmias Circulatory collapse

#### 4.3. Indication of any immediate medical attention and special treatment needed

It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen fluoride

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers.

### Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 4 of 12

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use. Do not breathe vapour/aerosol. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme.



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 5 of 12

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. storage temperature +5°C - +30°C

# Hints on joint storage

national regulations

#### Further information on storage conditions

Store in a dry place. Suitable container/equipment material: plastic Unsuitable container/equipment material: Metal Glass

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **DNEL/DMEL** values

| CAS No                 | Substance          |                | -        |                      |  |  |  |
|------------------------|--------------------|----------------|----------|----------------------|--|--|--|
| DNEL type              |                    | Exposure route | Effect   | Value                |  |  |  |
| 7789-23-3              | potassium fluoride |                |          |                      |  |  |  |
| Worker DNEL            | , long-term        | inhalation     | systemic | 3 mg/m³              |  |  |  |
| Worker DNEL, acute     |                    | inhalation     | systemic | 12 mg/m³             |  |  |  |
| Worker DNEL, long-term |                    | inhalation     | local    | 3 mg/m³              |  |  |  |
| Worker DNEL, acute     |                    | inhalation     | local    | 12 mg/m³             |  |  |  |
| Worker DNEL            | , long-term        | dermal         | systemic | 0,44 mg/kg<br>bw/day |  |  |  |
| Worker DNEL            | , acute            | dermal         | systemic | 0,44 mg/kg<br>bw/day |  |  |  |

#### **PNEC** values

| CAS No   | Substance |           |  |  |  |
|--|-----------|-----------|--|--|--|
| Environmental compartment Value                  |           | Value     |  |  |  |
| 7789-23-3 potassium fluoride                     |           |           |  |  |  |
| Freshwater                                       |           | 0,89 mg/l |  |  |  |
| Micro-organisms in sewage treatment plants (STP) |           | 51 mg/l   |  |  |  |
| Soil   |           | 11 mg/kg  |  |  |  |

# 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Individual protection measures, such as personal protective equipment



# according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 6 of 12

# Eye/face protection

Suitable eye protection: goggles Face protection umbrella

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

| Physical state:<br>Colour:<br>Odour:<br>Odour threshold: | Liquid<br>colourless<br>odourless<br>No data available |                   |
|--|--|-------------------|
| Melting point/freezing point:                            |  | No data available |
| Boiling point or initial boiling point and               |  | No data available |
| boiling range:   |  |                   |
| Flammability:  |  | not applicable    |
| Lower explosion limits:                                  |  | not determined    |
| Upper explosion limits:                                  |  | not determined    |
| Flash point:   |  | Х                 |
| Auto-ignition temperature:                               |  | No data available |
| Decomposition temperature:                               |  | not determined    |
| pH-Value:  |  | No data available |



according to Regulation (EC) No 1907/2006

#### Potassium fluoride solution 30 % for analysis Revision date: 12.05.2025 Product code: 11092 Page 7 of 12 Viscosity / kinematic: not determined No data available Water solubility: Solubility in other solvents not determined No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: not determined Density: 1,284 g/cm<sup>3</sup> No data available Relative density: Bulk density: No data available Relative vapour density: not determined Particle characteristics: No data available 9.2. Other information Information with regard to physical hazard classes Explosive properties No data available Sustained combustibility: No data available Self-ignition temperature Solid: not applicable Gas: not applicable Oxidizing properties Not oxidising. Other safety characteristics Evaporation rate: not determined No data available Solvent separation test: Solvent content: No data available Solid content: not determined Sublimation point: No data available Softening point: No data available No data available Pour point: No data available: Viscosity / dynamic: not determined Flow time: not determined

#### **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent, strong Acid

#### 10.4. Conditions to avoid Heat

# 10.5. Incompatible materials

No data available



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 8 of 12

# 10.6. Hazardous decomposition products

In case of fire:

# SECTION 5: Firefighting measures

# Further information

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### Acute toxicity

Toxic if inhaled. Toxic in contact with skin. Harmful if swallowed. Resorption (oral) Resorption (by inhalation) Resorption (dermal)

#### **ATEmix calculated**

ATE (oral) 495,0 mg/kg; ATE (dermal) 1000 mg/kg; ATE (inhalation vapour) 10,00 mg/l; ATE (inhalation dust/mist) 1,667 mg/l

| CAS No    | Chemical name        |               |           |         |                              |                    |  |  |
|-----------|----------------------|---------------|-----------|---------|------------------------------|--------------------|--|--|
|           | Exposure route       | Dose          |           | Species | Source                       | Method             |  |  |
| 7789-23-3 | potassium fluoride   |               |           |         |                              |                    |  |  |
|           | oral                 | LD50<br>mg/kg | ca. 148,5 | Rat     | Other company data<br>(1984) | EPA OPPTS 870.1100 |  |  |
|           | dermal               | LD50<br>mg/kg | > 2000    | Rat     | Study report (1995)          | EPA OPPTS 870.1200 |  |  |
|           | inhalation vapour    | ATE           | 3 mg/l    |         |                              |                    |  |  |
|           | inhalation dust/mist | ATE           | 0,5 mg/l  |         |                              |                    |  |  |

# Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met. No data available

#### Specific effects in experiment on an animal

No data available



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

 Revision date: 12.05.2025
 Product code: 11092
 Page 9 of 12

 Additional information on tests
 No data available

 Practical experience
 No data available

 11.2. Information on other hazards
 Endocrine disrupting properties

 No data available
 Other information

#### Other information No data available

# Further information

Irritant Causes burns. Dyspnoea Respiratory complaints Unconsciousness Spasms Corneal opacity. Agitation Cardiac arrhythmias Circulatory collapse

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name        |       |          |           |                       |   |   |
|-----------|----------------------|-------|----------|-----------|-----------------------|---|---|
|           | Aquatic toxicity     | Dose  |          | [h]   [d] | Species               | Source  | Method  |
| 7789-23-3 | potassium fluoride   |       |          |           |                       |   |   |
|           | Acute algae toxicity | ErC50 | 43 mg/l  | 96 h      | various algae species | European Union<br>Risk Assessment<br>Report, V    | Methods not<br>detailed in the<br>review.         |
|           | Fish toxicity        | NOEC  | 4 mg/l   | 21 d      | Oncorhynchus mykiss   | EU RAR<br>Hydrogen<br>Fluoride, Volume<br>8, 2001 | other: no<br>guideline stated                     |
|           | Algae toxicity       | NOEC  | 50 mg/l  | 7 d       | various               | Appendix to<br>Report<br>785484010, RIVM<br>(1989 | The review<br>includes<br>summaries of a<br>numbr |
|           | Crustacea toxicity   | NOEC  | 3,7 mg/l | 21 d      | Daphnia magna         | European Union<br>Risk Assessment<br>Report, V    | The publication is<br>a review article of<br>v    |

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

# log Pow: -0,77

No indication of bioaccumulation potential.

#### BCF

| CAS No    | Chemical name      | BCF     | Species | Source               |
|-----------|--------------------|---------|---------|----------------------|
| 7789-23-3 | potassium fluoride | 53 - 58 |         | EU RAR Hydrogen Fluo |



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 10 of 12

### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not mix with other wastes.

Do not empty into drains. Send to a physico-chemical treatment facility under observation of official regulations.

#### **Contaminated packaging**

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

| 14.1. UN number or ID number:     | UN 3422                     |
|-----------------------------------|-----------------------------|
| 14.2. UN proper shipping name:    | POTASSIUM FLUORIDE SOLUTION |
| 14.3. Transport hazard class(es): | 6.1                         |
| 14.4. Packing group:              | 111                         |
| Hazard label:                     | 6.1                         |
| Classification code:              | T4                          |
| Limited quantity:                 | 5 L                         |
| Excepted quantity:                | E1                          |
| Transport category:               | 2                           |
| Hazard No:                        | 60                          |
| Tunnel restriction code:          | E                           |
| Inland waterways transport (ADN)  |                             |
| 14.1. UN number or ID number:     | UN 3422                     |
| 14.2. UN proper shipping name:    | POTASSIUM FLUORIDE SOLUTION |
| 14.3. Transport hazard class(es): | 6.1                         |
| 14.4. Packing group:              | 111                         |
| Hazard label:                     | 6.1                         |
| Classification code:              | Τ4                          |
| Special Provisions:               | 802                         |
| Limited quantity:                 | 5 L                         |
|                                   |                             |



according to Regulation (EC) No 1907/2006

| Revision date: 12.05.2025     Product code: 11002     Page 11 of 12       Excepted quantity:     E1       Marine transport (IMDO)     UN 3422       14.1. UN number or D number:     UN 3422       14.2. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard classies):     6.1       14.4. Packing group:     III       Hazard label:     6.1       Special Provisions:     223       Limited quantity:     E1       Excepted quantity:     E1       Excepted quantity:     E1       Excepted quantity:     E1       Excepted quantity:     E1       Hazard label:     6.1       14.1. UN number of D number:     UN 3422       14.2. UN proper shipping name:     POTASSUM FLUORIDE SOLUTION       14.3. Transport hazard classies):     6.1       15. A packing group:     III       Hazard label:     6.1       Special Provisions:     A3       Limited quantity Passenger:     2 L       Passenger LO:     Y642       Excepted quantity Passenger:     655       IAT-max, quantity Passenger:     651       IAT-max, quantity Passenger:     663       IAT-max, quantity Passenger:     20 L       IAS. Excepted quantity Passenger:     100 L       IAT   | Potassium fluoride solution 30 % for analysis     |   |               |
|--|---|---|---------------|
| Marine transport (MDG)     UN 342       14.1. UN number or ID number:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       14.4. Practing aroug:     III       Hazard label:     6.1       Special Provisions:     223       Linited quantity:     E1       Erxosplet quantity:     E1       Erxosplet quantity:     E1       Erxosplet quantity:     E1       H1.1. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.1. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport flazer(class(es):     6.1       14.3. Transport flazer(class(es):     6.1       14.3. Transport flazer(class(es):     6.1       14.3. Transport flazer(class(es):     6.1       14.3. Pracking group:     B1       Hazard label:     6.1       Special Provisions:     A3       United quantity Passenger:     20       Excopted quantity:     E1       UATA-packing instructions - Passenger:     601       IAA. Packing instructions - Cargo:     201       IAA. Packing instructions - Cargo:     201       IAA. Packing instructions - Cargo:     663       IAA. Packing instructions - Cargo:     201       IAA. Packing instructions - Disoptinormetal     100       IAS   | Revision date: 12.05.2025                         | Product code: 11092   | Page 11 of 12 |
| 14.1. UN number or ID number:     VN 3422       14.2. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       14.4. Packing group:     III       Hazard label:     6.1       Special Provisions:     223       Limited quantity:     E1       Ens:     F-A, S-A       Air transport (ICAO-TI/IATA-DGR)     III       14.1. UN number or ID number:     VN 3422       14.2. Incorport shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       14.3. Transport name:     A3       Limited quantity Passenger:     2.1       Passenger LO:     Y642       Excepted quantity:     E1       IXTA-packing instructions - Passenger:     655       IXTA-packing instructions - Passenger:     601       IXTA-packing instructions - Cargo:     663       IXTA-packing instructions - Cargo:     663       IXTA-packing instructions for user     220 L       14.5. Environmental hazards     III       IA5. Environmental negulators information     III       14.5. Environmental regulators information     III       14.5. Environmental hazards     III       IA5. Environmental hazards     IIII       IA5. Environmental hazards     IIII <t< td=""><td>Excepted quantity:</td><td>E1</td><td></td></t<>  | Excepted quantity:                                | E1  |               |
| 14.1. UN number or ID number:     VN 3422       14.2. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       14.4. Packing group:     III       Hazard label:     6.1       Special Provisions:     223       Limited quantity:     E1       Ens:     F-A, S-A       Air transport (ICAO-TI/IATA-DGR)     III       14.1. UN number or ID number:     VN 3422       14.2. Incorport shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       14.3. Transport name:     A3       Limited quantity Passenger:     2.1       Passenger LO:     Y642       Excepted quantity:     E1       IXTA-packing instructions - Passenger:     655       IXTA-packing instructions - Passenger:     601       IXTA-packing instructions - Cargo:     663       IXTA-packing instructions - Cargo:     663       IXTA-packing instructions for user     220 L       14.5. Environmental hazards     III       IA5. Environmental negulators information     III       14.5. Environmental regulators information     III       14.5. Environmental hazards     III       IA5. Environmental hazards     IIII       IA5. Environmental hazards     IIII <t< td=""><td>Marine transport (IMDG)</td><td></td><td></td></t<>   | Marine transport (IMDG)                           |   |               |
| 142. UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         143. Transport hazard class(es):       6.1         144. Packing group:       III         Hazard label:       6.1         Special Provisions:       223         Limited quantity:       5.1         Excepted quantity:       5.1         Excepted quantity:       6.1         Errorsport (ICAO-TIMATA-DGR)       41.1         14.1. UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         14.3. Transport (ICAO-TIMATA-DGR)       11.1         14.3. Transport (ICAO-TIMATA-DGR)       11.1         14.3. UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         14.3. Transport (ICAO-TIMATA-DGR)       11.1         14.3. Transport azer class(es):       6.1         Special Provisions:       A3         Limited quantity:       6.1         Special Provisions:       A3         Limited quantity:       E1         MTA-packing instructions - Passenger:       65         IATA-max. quantity - Passenger:       655         IATA-max. quantity - Passenger:       60 L         IATA-max. quantity - Passenger:       200 L         14.5. Special procautions for user       Varing: Toxic. strongly corrosive.   |   | UN 3422   |               |
| 14.3. Transport hazard class(es):       6.1         14.4. Packing aroue:       III         Hazard label:       6.1         Special Provisions:       223         Limited quantity:       E1         EmS:       F.A., S.A.         Air transport (ICAO-TU/ATA-DGR)       14.1. UN number or ID number:       UN 3422         14.1. UN number or ID number:       UN 3422         14.2. J. Transport hazard class(es):       6.1         15.3. Transport hazard class(es):       6.1         14.3. Transport hazard class(es):       6.1         14.3. Transport hazard class(es):       6.1         14.4. Packing aroue:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       21         Passenger LQ:       Y642         Excepted quantity - Passenger:       601         IATA-max. quantity - Passenger:       601         IATA-max. quantity - Cargo:       220 L         14.5. Special precautions for user       Warning: Toxic. strongly corrosive.         14.7. Maxit me transport in bulk according to IMO instruments       not applicable         SECTION 15: Regulatory information       Eductory information         Restrictions on use (REACH, annex XVII): <td></td> <td></td> <td></td>   |   |   |               |
| 14.4. Packing group:     III       Hazard label:     6.1       Special Provisions:     223       Limited quantity:     5       Excepted quantity:     6.1       Emil:     F.A. S.A.       Air transport (iCAO-TI/IATA-DGR)     11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1  |   |   |               |
| Hazard label:       6.1         Special Provisions:       223         Limited quantity:       5.1         Excepted quantity:       F.A, S.A         Air transport (ICAO-TIVIATA-DGR)       UN 3422         14.1. UN number or ID number:       UN 3422         14.2. UN rooper shipping name:       POTASSIUM FLUORIDE SOLUTION         14.3. Transport hazard class(es):       6.1         14.4. Facking aroup:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2.1         Passenger LC:       Y642         Excepted quantity:       E1         MTA-packing instructions - Passenger:       605         IATA-packing instructions - Cargo:       663         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       220 L         14.5. Environmental hazards       ENVIRONMENTALLY HAZARDOUS:         IATA-max. quantity - Cargo:       220 L         14.5. Environmental regulatory information       Instruments         Nartime transport in bulk according to IMO instruments       Environmental regulatory information         Extreme transport in commental regulatory information       Environmental regulatory information         Restric   |   |   |               |
| Special Provisions:     223       Limited quantity:     5 L       Excepted quantity:     E1       Emfs:     F.A, S.A       Air transport (ICAO-TWAT-DGR)     14.1. UN number or ID number:       14.1. UN number or ID number:     UN 3422       14.2. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es):     6.1       Special Provisions:     A3       Limited quantity     E1       Hazard label:     6.1       Special Provisions:     A3       Limited quantity     E1       HAT-packing instructions - Passenger:     2 L       Passenger LO:     Y642       Excepted quantity:     E1       IATA-max. quantity - Passenger:     60 L       IATA-max. quantity - Passenger:     00 L       IATA-max. quantity - Passenger:     20 L       IATA-max. quantity - Passenger:     20 L       IATA-max. quantity - Cargo:     220 L       IAS. Environmental hazards     Environmental hazards       ENVIRONMENTALLY HAZARDOUS:     No       14.1. Special precautions for user     Water hazard label       Variang: Toxic. strongly corrosive.     E1       IAT. Marktime transport in bulk according to IMO instruments     Interpretion guidentic for the substance or mixture       U reguiatory information   |   | 61  |               |
| Limited quantity:       5 L         Excepted quantity:       E1         ErnS:       F-A, S-A         Air transport (CAO TWATA-DGR)       III         14.1.UN number or Dnumber:       VD 3422         14.2.UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         14.3. Transport hazard class(es):       6.1         15.4. Packing group:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LO:       Y642         Excepted quantity - Passenger:       60 L         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       220 L         14.5. Special precautions for user       Varing: Toxic. strongly corrosive.         14.5. Special precautions for user       Varing: Toxic. strongly corrosive.         14.1.4. Maritime transport in bulk according to IMO instruments<br>not applicable       Imot applicable         SECTION 15: Regulatory information       EV regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3. Entry 75       Information according to Directive A2 ACUTE TOXIC         2012/18/LU (SEVESO III):       Varinal regulatory information  |   |   |               |
| Excepted quantity: E1<br>EmS: FA, SA<br>Air transport (ICAO-TI/IATA-DGR)<br>14.1. UN number or ID number: UN 3422<br>14.2. UN proper shipping name: POTASSIUM FLUORIDE SOLUTION<br>14.3. Transport hazard class(e): 6.1<br>14.4. Packing group: III<br>Hazard label: 6.1<br>Special Provisions: A3<br>Limited quantity Passenger: 2.1<br>Passenger L0: Y642<br>Excepted quantity: E1<br>IATA-packing instructions - Passenger: 60<br>IATA-max. quantity - Passenger: 60<br>IATA-max. quantity - Passenger: 60<br>IATA-max. quantity - Passenger: 60<br>IATA-max. quantity - Cargo: 655<br>IATA-max. quantity - Cargo: 220<br>IATA-max. Quantity - Cargo: | •   | 5 L   |               |
| EmS:       F-A, S-A         Air transport (ICAO-TI/IATA-DGR)       III         14.1.UN number or ID number:       UN 3422         14.2.UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         14.3. Transport hazard classies):       6.1         14.3. Transport hazard classies):       6.1         14.4.4 Packing group:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LC:       Y642         Excepted quantity:       E1         IATA-packing instructions - Cargo:       655         IATA-max. quantity - Passenger:       60 L         IATA-max. quantity - Cargo:       220 L         14.5. Environmental hazards       ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No         14.5. Special precautions for user       Varing: Toxic. strongly corrosive.         14.1. Maritime transport in bulk according to IMO instruments<br>not applicable       For the substance or mixture         EU regulatory information       Environmental regulations/legislation specific for the substance or mixture         15.1. Safety. health and environmental regulations/legislation specific for the substance or mixture       For the substance or mixture         EU regulatory informa  |   |   |               |
| Air transport (ICAO-TI/IATA-DGR)       UN 3422         14.1. UN number or ID number;       UN 3422         14.2. UN proper shipping name;       POTASSIUM FLUORIDE SOLUTION         14.3. Transport hazard class(es);       6.1         14.4. Packing group;       III         Hazard label;       6.1         Special Provisions:       A3         Limited quantity Passenger;       2.1         Passenger L0;       Y642         Excepted quantity:       E1         IATA-packing instructions - Passenger;       605         IATA-max. quantity - Passenger;       601         IATA-packing instructions - Cargo;       663         IATA-max. quantity - Passenger;       220 L         14.5. Environmental hazards       Environmental hazards         ENVIRONMENTALLY HAZARDOUS;       No         14.5. Environmental hazards       Varing: Toxic. strongly corrosive.         14.7. Martime transport in bulk according to IMO instruments<br>not applicable       No         5ECTION 15: Regulatory information       Environmental regulations/legislation specific for the substance or mixture         EU regulatory information       H2 ACUTE TOXIC         2012/13/EU (SEVESO III);       H2 ACUTE TOXIC         2012/13/EU (SEVESO III);       Observe restrictions to employment for juveniles according to   |   | F-A, S-A  |               |
| 14.1. UN number or ID number:     UN 3422       14.2. UN proper shipping name:     POTASSIUM FLUORIDE SOLUTION       14.3. Transport hazard class(es);     6.1       14.4. Packing group:     III       Hazard label:     6.1       Special Provisions:     A3       Limited quantity Passenger:     2 L       Passenger LQ:     Y642       Excepted quantity:     E1       IATA-packing instructions - Passenger:     655       IATA-max, quantity - Passenger:     663       IATA-max, quantity - Cargo:     220 L       14.5. Environmental hazards     Environmental hazards       ENVIRONMENTALLY HAZARDOUS:     No       14.5. Special precautions for user     Warning: Toxic. strongly corrosive.       14.7. Martime transport in bulk according to IMO instruments<br>not applicable     No       SECTION 15: Regulatory information     Environmental regulations/legislation specific for the substance or mixture       EU regulatory information     H2 ACUTE TOXIC       2012/18/EU (SEVESO III):     H2 ACUTE TOXIC       2012/18/EU (SEVESO III):     Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Prote  | Air transport (ICAO_TI/IATA_DGP)                  | ,   |               |
| 142. UN proper shipping name:       POTASSIUM FLUORIDE SOLUTION         143. Transport hazard class(es):       6.1         143. Transport hazard class(es):       6.1         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LQ:       Y642         Excepted quantity:       E1         IATA-max. quantity - Passenger:       655         IATA-max. quantity - Cargo:       220 L         143. Environmental hazards       220 L         ENVIRONMENTALLY HAZARDOUS:       No         143. Stongly corrosive.       143. Stongly corrosive.         144. Marttime transport in bulk according to IMO instruments<br>not applicable       No         SECTION 15: Regulatory information       H2 ACUTE TOXIC         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       H2 ACUTE TOXIC         201/18/EU (SEVESO III):       No         National regulatory information       Euroployment restrictions:         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   | LIN 3422  |               |
| 14.3. Transport hazard class(e):       6.1         14.4. Packing group:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LQ:       Y 642         Excepted quantity:       E1         IATA-packing instructions - Passenger:       655         IATA-max, quantity - Passenger:       60 L         IATA-max, quantity - Passenger:       601         IATA-max, quantity - Cargo:       220 L         14.5. Environmental hazards       ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No         14.5. Special precautions for user       Warning: Toxic. strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable       No         5ECTION 15: Regulatory information       EV regulatory information secording to IMO instruments         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - sightly hazard  |   |   |               |
| 14.4. Packing group:       III         Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2.L         Passenger LQ:       Y642         Excepted quantity:       E1         IATA-packing instructions - Passenger:       655         IATA-max. quantity - Passenger:       601         IATA-max. quantity - Cargo:       220 L         14.5. Environmental hazards       ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No         14.6. Special precautions for user       Warning: Toxic. strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable       No         5ECTION 15: Regulatory information       EU regulatory information         Restrictions on use (REACH, annex XVII);<br>Entry 3, Entry 75       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - siightly hazardous to water   |   |   |               |
| Hazard label:       6.1         Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LQ:       Y642         Excepted quantity Passenger:       60 L         IATA-max. quantity - Cargo:       220 L <b>14.5. Environmental hazards</b> ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No <b>14.6. Special precautions for user</b> Warning: Toxic. strongly corrosive. <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       No <b>SECTION 15: Regulatory information</b> Every information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| Special Provisions:       A3         Limited quantity Passenger:       2 L         Passenger LQ:       Y642         Excepted quantity:       E1         IATA-packing instructions - Passenger:       655         IATA-max. quantity - Passenger:       663         IATA-max. quantity - Cargo:       200 L <b>14.5. Environmental hazards</b> ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No <b>14.5. Special precautions for user</b> Warning: Toxic. strongly corrosive. <b>14.7. max</b> quantity - Cargo:       220 L <b>14.6. Special precautions for user</b> Warning: Toxic. strongly corrosive. <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       Inot applicable <b>SECTION 15: Regulatory information</b> Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| Limited quantity Passenger: 2 L<br>Passenger LO: Y642<br>Excepted quantity: E1<br>IATA-packing instructions - Passenger: 655<br>IATA-max. quantity - Passenger: 60 L<br>IATA-max. quantity - Cargo: 663<br>IATA-max. quantity - Cargo: 220 L<br><b>14.5. Environmental hazards</b><br>ENVIRONMENTALLY HAZARDOUS: No<br><b>14.6. Special precautions for user</b><br>Warning: Toxic. strongly corrosive.<br><b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable<br><b>SECTION 15: Regulatory information</b><br>Restrictions on use (REACH, annex XVIII):<br>Entry 3, Entry 75<br>Information according to Directive H2 ACUTE TOXIC<br>2012/18/EU (SEVESO III):<br>National regulatory information<br>Employment restrictions: Observe restrictions to employment for juveniles according to the "juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.<br>Water hazard class (D): 1 - slightly hazardous to water   |   |   |               |
| Passenger LQ:       Y642         Excepted quantity:       E1         IATA-packing instructions - Passenger:       60 L         IATA-max. quantity - Passenger:       60 L         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       220 L <b>14.5. Environmental hazards</b> 220 L         ENVIRONMENTALLY HAZARDOUS:       No <b>14.6. Special precautions for user</b><br>Warning: Toxic. strongly corrosive.       No <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       No <b>SECTION 15: Regulatory information</b> ENVIRONMENTALLY HAZARDOUS:         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       ENVIRON Heat the and environmental regulations/legislation specific for the substance or mixture <b>EU regulatory information</b> H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   | •   |   |               |
| Excepted quantity:       E1         IATA-packing instructions - Passenger:       655         IATA-max. quantity - Passenger:       60 L         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       220 L <b>14.5. Environmental hazards</b> ENVIRONMENTALLY HAZARDOUS:         ENVIRONMENTALLY HAZARDOUS:       No <b>14.6. Special precautions for user</b><br>Warning: Toxic. strongly corrosive.       No <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       No <b>SECTION 15: Regulatory information</b> EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Vacure restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| IATA-packing instructions - Passenger:       655         IATA-max. quantity - Passenger:       60 L         IATA-max. quantity - Cargo:       663         IATA-max. quantity - Cargo:       220 L         14.5. Environmental hazards       220 L         ENVIRONMENTALLY HAZARDOUS:       No         14.6. Special precautions for user       Varning: Toxic. strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable       No         SECTION 15: Regulatory information       EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75<br>Information according to Directive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Variational regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| IATA-max. quantity - Passenger:       60 L         IATA-packing instructions - Cargo:       663         IATA-max. quantity - Cargo:       220 L <b>14.5. Environmental hazards</b> 220 L         ENVIRONMENTALLY HAZARDOUS:       No <b>14.6. Special precautions for user</b> Warning: Toxic. strongly corrosive. <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       IMO instruments <b>SECTION 15: Regulatory information SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information</b> Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       H2 ACUTE TOXIC         Information according to Directive<br>2012/18/EU (SEVESO III):       H2 ACUTE TOXIC <b>National regulatory information</b> Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| IATA-packing instructions - Cargo:       663         IATA-max. quantity - Cargo:       220 L <b>14.5. Environmental hazards</b> 220 L <b>14.5. Environmental hazards</b> ENVIRONMENTALLY HAZARDOUS:       No <b>14.6. Special precautions for user</b> Warning: Toxic. strongly corrosive.       Image: Corrosive. <b>14.7. Maritime transport in bulk according to IMO instruments</b><br>not applicable       not applicable <b>SECTION 15: Regulatory information EU regulatory information</b> Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75       Furga, Structive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       Mational regulatory information       H2 ACUTE TOXIC         Subject (SEVESO III):       Water hazard class (D):       1 - siightly hazardous to water   |   |   |               |
| IATA-max. quantity - Cargo:       220 L         14.5. Environmental hazards       ENVIRONMENTALLY HAZARDOUS:       No         14.6. Special precautions for user       Warning: Toxic. strongly corrosive.       Interface the second s   |   |   |               |
| 14.5. Environmental hazards         ENVIRONMENTALLY HAZARDOUS:       No         14.6. Special precautions for user<br>Warning: Toxic, strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable         SECTION 15: Regulatory information         SECTION 15: Regulatory information         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive<br>2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| ENVIRONMENTALLY HAZARDOUS:       No         14.6. Special precautions for user<br>Warning: Toxic. strongly corrosive.       Image: Strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable       Image: Strongly corrosive.         SECTION 15: Regulatory information       Image: Strongly corrosive.         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information<br>Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75<br>Information according to Directive<br>2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information<br>Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| 14.6. Special precautions for user<br>Warning: Toxic. strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable         SECTION 15: Regulatory information         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive<br>2012/18/EU (SEVESO III):         National regulatory information         Employment restrictions:         Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   | No  |               |
| Warning: Toxic. strongly corrosive.         14.7. Maritime transport in bulk according to IMO instruments<br>not applicable         SECTION 15: Regulatory information         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive<br>2012/18/EU (SEVESO III):         National regulatory information         Employment restrictions:         Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| 14.7. Maritime transport in bulk according to IMO instruments<br>not applicable         SECTION 15: Regulatory information         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive<br>2012/18/EU (SEVESO III):         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| not applicable         SECTION 15: Regulatory information         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive<br>2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   | <b>c c</b> ,                                      | MO instruments  |               |
| SECTION 15: Regulatory information         15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive 2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   | <u>) INO Instruments</u>  |               |
| <b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information</b> Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  | not applicable                                    |   |               |
| EU regulatory information         Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 75         Information according to Directive         2012/18/EU (SEVESO III):         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  | SECTION 15: Regulatory information                |   |               |
| Restrictions on use (REACH, annex XVII):       Entry 3, Entry 75         Information according to Directive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information       Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   | 15.1. Safety, health and environmental regulation | ations/legislation specific for the substance or mixture                                  |               |
| Restrictions on use (REACH, annex XVII):       Entry 3, Entry 75         Information according to Directive       H2 ACUTE TOXIC         2012/18/EU (SEVESO III):       H2 ACUTE TOXIC         National regulatory information       Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| Entry 3, Entry 75H2 ACUTE TOXICInformation according to Directive<br>2012/18/EU (SEVESO III):H2 ACUTE TOXICNational regulatory informationObserve restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.Water hazard class (D):1 - slightly hazardous to water   |   |   |               |
| Information according to Directive<br>2012/18/EU (SEVESO III):H2 ACUTE TOXICNational regulatory informationObserve restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.Water hazard class (D):1 - slightly hazardous to water  | . ,   |   |               |
| 2012/18/EU (SEVESO III):         National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water  |   |   |               |
| National regulatory information         Employment restrictions:       Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   |               |
| Employment restrictions:Observe restrictions to employment for juveniles according to the 'juvenile<br>work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.Water hazard class (D):1 - slightly hazardous to water   |   |   |               |
| work protection guideline' (94/33/EC). Observe employment restrictions<br>under the Maternity Protection Directive (92/85/EEC) for expectant or<br>nursing mothers.Water hazard class (D):1 - slightly hazardous to water  | •••   |   |               |
| under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   | Employment restrictions:                          |   |               |
| Nursing mothers.         Water hazard class (D):       1 - slightly hazardous to water   |   |   | S             |
| Water hazard class (D): 1 - slightly hazardous to water  |   |   |               |
|  | Motor bozord close (D):                           |   |               |
|  | Skin resorption/Sensitization:                    | 1 - slightly hazardous to water Permeates easily through outer skin and causes poisoning. |               |

# Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1,3,9,12.



according to Regulation (EC) No 1907/2006

# Potassium fluoride solution 30 % for analysis

Revision date: 12.05.2025

Product code: 11092

Page 12 of 12

#### Abbreviations and acronyms

- Acute Tox: Acute toxicity
- Eye Dam: Eye damage
- ADR: Accord européen sur le transport des marchandises dangereuses par Route
- (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Acute Tox. 3; H331 | Calculation method       |
| Acute Tox. 3; H311 | Calculation method       |
| Acute Tox. 4; H302 | Calculation method       |
| Eye Dam. 1; H318   | Calculation method       |

# Relevant H and EUH statements (number and full text)

| Toxic if swallowed.                       |
|---|
| Harmful if swallowed.                     |
| Toxic in contact with skin.               |
| Toxic in contact with skin or if inhaled. |
| Causes serious eye damage.                |
| Toxic if inhaled.                         |
|   |

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)