

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

UFI: S9YY-90X7-5009-KF9T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household). No data available

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Acute Tox. 3; H301
Acute Tox. 4; H332
Skin Irrit. 2; H315
Eye Irrit. 2; H319
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

potassium cyanide

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 2 of 13

Pictograms:



Hazard statements

- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P280 Wear protective gloves and eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
151-50-8	potassium cyanide			< 1 %
	205-792-3	006-007-00-5	01-2119486407-29	
	Acute Tox. 1, Acute Tox. 1, Acute Tox. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H300 H372 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	sodium hydroxide	1 - < 5 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
151-50-8	205-792-3	potassium cyanide	< 1 %
	inhalation: ATE = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); inhalation: LC50 = 63 ppm (gases); dermal: LD50 = ca. 11,28 mg/kg; oral: LD50 = >= 7,49 mg/kg Aquatic Chronic 1; H410: M=10		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 3 of 13

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Wash immediately with: Water

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Hydrogen cyanide (hydrocyanic acid)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet.

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 4 of 13

Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.
Do not breathe vapour/aerosol.
Use extractor hood (laboratory).

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
If handled uncovered, arrangements with local exhaust ventilation have to be used.
Draw up and observe skin protection programme. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
Unsuitable container/equipment material:
Metal
Aluminium
Tin
Zinc

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 5 of 13

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
151-50-8	Potassium cyanide (as cyanide)	-	1		TWA (8 h)	
		-	5		STEL (15 min)	
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Consumer DNEL, long-term		inhalation	local	1 mg/m ³
151-50-8	potassium cyanide			
Worker DNEL, long-term		inhalation	systemic	0,94 mg/m ³
Worker DNEL, acute		inhalation	systemic	12,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,14 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	4,03 mg/kg bw/day

PNEC values

CAS No	Substance	Value
151-50-8	potassium cyanide	
Environmental compartment		
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,0032 mg/l
Marine water		0,0002 mg/l
Freshwater sediment		0,004 mg/kg
Marine sediment		0,0008 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,05 mg/l
Soil		0,007 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 6 of 13

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.
Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 7 of 13

Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	X
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	13,4
Viscosity / kinematic:	not determined
Water solubility:	very soluble
Solubility in other solvents not determined	
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	1,0215 g/cm ³
Relative density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not determined	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties Not oxidising.	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
not determined:	
Viscosity / dynamic:	not determined
Flow time:	not determined

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 8 of 13

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Light metal
Ammonia (NH₃)
Metal
Acid

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Keep away from: Metal.
The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic if swallowed.
Harmful if inhaled.
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
151-50-8	potassium cyanide					
	oral	LD50 mg/kg	>= 7,49	Rat	Clinical and Experimental Toxicology of	A reputable corporate laboratory
	dermal	LD50 mg/kg	ca. 11,28	Rabbit	J Toxicol – Cut and Ocular Toxicol 13:24	Animals were exposed to a solution of cy
	inhalation vapour	ATE	0,05 mg/l			
	inhalation dust/mist	ATE mg/l	0,005			
	inhalation (1 h) gas	LC50	63 ppm	Rat	Study report (1981)	OECD Guideline 403

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.
Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 9 of 13

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4 other: acute 48-h immobilization test ac
151-50-8	potassium cyanide					
	Acute fish toxicity	LC50 mg/l	0,1038	96 h	Gasterosteus aculeatus	Study report (2005) other: ASTM E729-96. Standard Guide for
	Acute algae toxicity	ErC50 mg/l	0,116	72 h	Pseudokirchneriella subcapitata	Journal of Hazardous Materials 197 (2011) ISO 8692
	Acute crustacea toxicity	EC50 mg/l	0,21638	48 h	other aquatic crustacea: Acartia tonsa	Study report (2006) other: ASTM E 729-96: Standard Guide for
	Algae toxicity	NOEC	0,1 mg/l	10 d	Chlamydomonas sp.	Bulletin 106. Virginia Water resources R Bartsch, A.F. 1971. Algal Assay Procedur
	Acute bacteria toxicity	EC50 ()	2,3 mg/l	0,5 h	activated sludge, domestic	Acta hydrochim. hydrobiol. 20, 3 (1992) EU Method C.11

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 10 of 13

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
151-50-8	potassium cyanide	3,162		United States Enviro

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.
Harmful effect due to pH shift.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a hazardous waste incinerator facility under observation of official regulations.
Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide, sodium hydroxide)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Classification code:	TC3
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
Transport category:	2
Hazard No:	68
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3289
14.2. UN proper shipping name:	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide, sodium hydroxide)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	II
Hazard label:	6.1+8
Classification code:	TC3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 11 of 13

Special Provisions: 274 802
 Limited quantity: 100 mL
 Excepted quantity: E4

Marine transport (IMDG)

14.1. UN number or ID number: UN 3289
14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide, sodium hydroxide)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: II
 Hazard label: 6.1+8
 Special Provisions: 274
 Limited quantity: 100 mL
 Excepted quantity: E4
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3289
14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide, sodium hydroxide)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: II
 Hazard label: 6.1+8
 Special Provisions: A4 A137
 Limited quantity Passenger: 0.5 L
 Passenger LQ: Y640
 Excepted quantity: E4
 IATA-packing instructions - Passenger: 653
 IATA-max. quantity - Passenger: 1 L
 IATA-packing instructions - Cargo: 660
 IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes
 Danger releasing substance: potassium cyanide

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
 Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 12 of 13

Changes

This data sheet contains changes from the previous version in section(s): 2,9,12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cyanide standard 1.000g CN-/L KCN in sodium hydroxide 0.5 mol/l

Revision date: 05.03.2025

Product code: 11185

Page 13 of 13

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)