

# Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

UFI:

## 9DC2-31KT-G00D-F26G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH		
	ACD		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
1.4. Emergency telephone	For Hazardous Materials [or Dangerous	Goods] Incidents Spill, Leak, Fire,	
number:	Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)		

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 3; H311 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

## Hazard components for labelling

Hydrochloric acid

Hydrofluoric acid

Signal word:

Danger



## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 2 of 13





## Hazard statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

## Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
2.3. Other hazards	

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	Hydrochloric acid			10 - < 15 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr.	. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335		
7664-39-3	Hydrofluoric acid			< 1 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc	. Limits,	M-factors	and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	Specific Conc. Limits, M-factors and ATE	
7647-01-0	231-595-7	Hydrochloric acid	10 - < 15 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		
7664-39-3	231-634-8	Hydrofluoric acid	< 1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1		



## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 3 of 13

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI) Hydrogen fluoride

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.





according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 4 of 13

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 5 of 13

a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal, Glass The product develops hydrogen in an aqueous solution in contact with metals.

The product develops hydrogen in an aqueous

# Hints on joint storage

# national regulations

## Further information on storage conditions

Keep container tightly closed. Store in a place accessible by authorized persons only.

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	

#### Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift



# Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 6 of 13

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type Exposure route Effect Value			Value	
7647-01-0	Hydrochloric acid			
Worker DNEL,	, long-term	inhalation	local	8 mg/m³
Worker DNEL,	, acute	inhalation	local	15 mg/m³
Consumer DN	EL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m³
7664-39-3	Hydrofluoric acid			
Worker DNEL,	, long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL,	, acute	inhalation	systemic	2,5 mg/m³
Worker DNEL,	, long-term	inhalation	local	1,5 mg/m³
Worker DNEL,	, acute	inhalation	local	2,5 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	0,03 mg/m³
Consumer DN	EL, acute	inhalation	systemic	0,03 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,2 mg/m³
Consumer DN	EL, acute	inhalation	local	1,25 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,01 mg/kg bw/day

## **PNEC** values

CAS No	Substance	
Environmental compartment Value		
7664-39-3	Hydrofluoric acid	
Freshwater		0,89 mg/l
Marine water 0,089 mg/		0,089 mg/l
Freshwater sediment 3,38 mg/kg		3,38 mg/kg
Marine sediment 0,338 m		0,338 mg/kg
Micro-organisms in sewage treatment plants (STP)		51 mg/l
Soil		10,6 mg/kg

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Wear eye/face protection.

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

## By long-term hand contact Recommended glove articles: KCL 730 Camatril® Velours



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 7 of 13

Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

1. Information on basic physical and che	mical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,0575 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
2 Other information		

## 9.2. Other information



Multielement-Standardlös	sung 8 Elemente je 100mg/l in HCl etwa 4 mol/l	
Revision date: 10.02.2025	Product code: 12048	Page 8 of 13
Information with regard to physical hazard class	jes	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Glass Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

## Further information

No data available

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

## Acute toxicity



# Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 9 of 13

Toxic in contact with skin.

# Harmful if swallowed.

# ATEmix calculated

ATE (oral) 980,4 mg/kg; ATE (dermal) 980,4 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## CAS No Chemical name

CASINO	Chemical hame					
	Exposure route	Dose		Species	Source	Method
7664-39-3	Hydrofluoric acid					
	oral	ATE	5 mg/kg			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			
	inhalation (1 h) gas	LC50 ppm	2240	Rat	Study report (1990)	OECD Guideline 403

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## Other information

There are no data available on the preparation/mixture itself.

## **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.



## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 10 of 13

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7647-01-0	-0 Hydrochloric acid							
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus			
7664-39-3	Hydrofluoric acid							
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen	
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.	
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v	
	Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192	

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7664-39-3	Hydrofluoric acid	53 - 58	not specified	REACh Registration D

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

## Further information

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



# Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 11 of 13

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
14.3. Transport hazard class(es):	acid) 8
<u>14.4. Packing group:</u> Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E
	L
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
14.2. ON proper shipping name.	acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	1 L
Excepted quantity:	E2
	LZ
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
	acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8+6.1
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
	acid)
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	ll
Hazard label:	8+6.1
Special Provisions:	A3 A803
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L



## Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 12 of 13

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75

## National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,7,8,9,10,11,12,13,14,15.

## Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification procedure	
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H300Fatal if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

## Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 8 Elemente je 100mg/l in HCl etwa 4 mol/l

Revision date: 10.02.2025

Product code: 12048

Page 13 of 13

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)