

according to Regulation (EC) No 1907/2006

Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according					
Revision date: 19.03.2024	to EN ISO 6 Product code: 12361		Page 1 of 10		
SECTION 1: Identification of the s	substance/mixture and of the comp	any/undertaking			
<u>1.1. Product identifier</u>					
UFI:	on color index (Hazen) 150 Hazen color U873-H1N2-C008-GWKP	standard according to EN ISO 6			
	ubstance or mixture and uses advised	against			
Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)					
Uses advised against					
Do not use for private purposes	s (household).				
<b>1.3. Details of the supplier of the safe</b> Company name:	e <u>ty data sheet</u> AnalytiChem GmbH ACD				
Street: Place:	Stempelstraße 6 D-47167 Duisburg				
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290			
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117			
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerou Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Can accepted)	C Day or Night Within USA and Canada	.:		
Further Information This product is a mixture. REACH Registration Number see section 3.					

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

**Pictograms:** 



## Hazard statements

H290

May be corrosive to metals.

#### **Precautionary statements** P234

Keep only in original packaging.



Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6				
Revision date: 19.03.2024	Product code: 12361	Page 2 of 10		
P390 P406	Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.			

#### Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
Classification (Regulation (EC) No 1272/2008)				
7647-01-0	Hydrochloric acid			1 - < 5 %
	231-595-7 017-002-01-X 01-2119484862-27			
Skin Corr. 1B, STOT SE 3; H314 H335				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %	
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.



## Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according

Revision date: 19.03.2024

to EN ISO 6

Product code: 12361

Page 3 of 10

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation.

- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7



# Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6

Revision date: 19.03.2024

Product code: 12361

Page 4 of 10

Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

### Further information on storage conditions

Unsuitable container/equipment material: Metal

## 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0 Hydrochloric acid				
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL, acute		inhalation	local	15 mg/m³
Consumer DNEL, long-term		inhalation	local	8 mg/m³
Consumer DNEL, acute		inhalation	local	15 mg/m³



## Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6

Revision date: 19.03.2024

Product code: 12361

Page 5 of 10

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: Face protection shield goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	odourless
Melting point/freezing point:	

No data available



Pt/Co standard reference solution co	lor index (Hazen) 150 Hazen color standar to EN ISO 6	d according
Revision date: 19.03.2024	Product code: 12361	Page 6 of 10
Boiling point or initial boiling point and boiling range:	No data available	
Flammability:	not applicable	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	Х	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	acidic	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density (at 20 °C):	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard classes	S	
Explosive properties	-	
No data available		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals		

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.



## Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according

to EN ISO 6

Product code: 12361

Page 7 of 10

## 10.4. Conditions to avoid

Revision date: 19.03.2024

Heat

## 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

## Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

## Other information

There are no data available on the mixture itself.

## Further information

Irritant

## SECTION 12: Ecological information

#### 12.1. Toxicity



# Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6

Revision date: 19.03.2024

Product code: 12361

Page 8 of 10

#### Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
7647-01-0	Hydrochloric acid				
	Acute fish toxicity	LC50 862 mg/l	96 h Leuciscus idus		

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
and waterways transport (ADN)	



Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6				
Revision date: 19.03.2024	Product code: 12361	Page 9 of 10		
14.1. UN number or ID number:	UN 1789			
14.2. UN proper shipping name:	HYDROCHLORIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Classification code:	C1			
Special Provisions:	520			
Limited quantity:	5 L			
Excepted quantity:	E1			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 1789			
14.2. UN proper shipping name:	HYDROCHLORIC ACID			
<u>14.3. Transport hazard class(es):</u>	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	223			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 1789			
14.2. UN proper shipping name:	HYDROCHLORIC ACID			
<u>14.3. Transport hazard class(es):</u>	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 75				

Not subject to 2012/18/EU (SEVESO III)

## **SECTION 16: Other information**

Information according to Directive

2012/18/EU (SEVESO III):



Pt/Co standard reference solution color index (Hazen) 150 Hazen color standard according to EN ISO 6					
Revision date: 19.03.20	124	Product code: 12361	Page 10 of 10		
Changes					
This data sheet	contains changes from	the previous version in section(s): 1,9,12.			
Skin Corr: Skin o STOT SE: Spec ADR: Accord eu (European Agre IMDG: Internatio IATA: Internatio GHS: Globally H EINECS: Europe ELINCS: Europe CAS: Chemical	tance or mixture corrosi corrosion ific target organ toxicity ropéen sur le transport ement concerning the li onal Maritime Code for I nal Air Transport Associ larmonized System of C ean Inventory of Existing ean List of Notified Cher Abstracts Service ncentration, 50%	- single exposure des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Ro Dangerous Goods iation Classification and Labelling of Chemicals g Commercial Chemical Substances	ad)		
Classification for mix	tures and used evalua	tion method according to Regulation (EC) No 1	1272/2008 [CLP]		
Classification	Classifica	tion procedure			
Met. Corr. 1; H290	On basis	of test data			
Relevant H and EU H290	H statements (number May be corrosive	•			

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)