

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Phthalic anhydride in pyridine for OH number determination

AT83-N126-V006-D22U

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

AnalytiChem GmbH Company name:

ACD

Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

produktsicherheit@analvtichem.de E-mail:

Internet: www.analytichem.de Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225

Acute Tox. 4; H302

Acute Tox. 4; H312

Acute Tox. 4; H332

Skin Irrit. 2; H315

Eye Dam. 1; H318

Resp. Sens. 1; H334

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

## Hazard components for labelling

pyridine

phthalic anhydride

Signal word: Danger



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 2 of 13

## Pictograms:









### **Hazard statements**

H225 Highly flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation	n (EC) No 1272/2008)	·			
110-86-1	pyridine					
	203-809-9	613-002-00-7	01-2119493105-40			
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H225 H332 H312 H302 H315 H319					
85-44-9	phthalic anhydride					
	201-607-5	607-009-00-4				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H302 H315 H318 H334 H317 H335					

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. I	Limits, M-factors and ATE		
110-86-1	203-809-9	pyridine	80 - < 85 %	
		nhalation: LC50 = 4900 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: _D50 = > 1000 - < 2000 mg/kg; oral: LD50 = > 800 - < 1600 mg/kg		
85-44-9	201-607-5	phthalic anhydride	15 - < 20 %	
	oral: LD50 = 1530 mg/kg			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 3 of 13

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dyspnoea

Allergic reactions

Cough

Anaesthetic state

Gastrointestinal complaints

Vomiting

Cardiac arrhythmias / Circulatory collapse

Headache

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Beware of reignition.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 4 of 13

Avoid contact with skin, eyes and clothes.

#### **Additional information**

Danger of bursting container.

Use water spray jet to protect personnel and to cool endangered containers.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 5 of 13

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

national regulations

## Further information on storage conditions

Keep cool. Protect from sunlight.

### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
85-44-9	Phthalic anhydride	1	-		TWA (8 h)	
		-	12		STEL (15 min)	
110-86-1	Pyridine	5	15		TWA (8 h)	
		10	30		STEL (15 min)	



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 6 of 13

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type	•	Exposure route	Effect	Value		
110-86-1	pyridine	·	·			
Consumer DI	NEL, long-term	oral	systemic	0,07 mg/kg bw/day		
Worker DNE	L, acute	inhalation	systemic	7,5 mg/m³		
Worker DNE	L, long-term	dermal	systemic	0,14 mg/kg bw/day		
Worker DNE	L, acute	dermal	systemic	0,42 mg/kg bw/day		
Consumer DI	NEL, long-term	inhalation	systemic	0,6 mg/m³		
Consumer DI	NEL, long-term	dermal	systemic	0,07 mg/kg bw/day		
Worker DNE	L, long-term	inhalation	systemic	2,5 mg/m³		
85-44-9	phthalic anhydride					
Worker DNE	L, long-term	inhalation	systemic	32,2 mg/m³		
Worker DNEL, long-term		dermal	systemic	10 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	8,6 mg/m³		
Consumer DNEL, long-term		dermal	systemic	5 mg/kg bw/day		
Consumer DI	NEL, long-term	oral	systemic	5 mg/kg bw/day		

## **PNEC values**

CAS No	Substance				
Environmen	invironmental compartment				
110-86-1	pyridine	_			
Freshwater		0,3 mg/l			
Freshwater	(intermittent releases)	3 mg/l			
Marine wate	r	0,03 mg/l			
Freshwater	sediment	3,2 mg/kg			
Marine sedir	nent	0,32 mg/kg			
Micro-organisms in sewage treatment plants (STP)		2 mg/l			
Soil		0,46 mg/kg			
85-44-9	phthalic anhydride				
Freshwater		1 mg/l			
Freshwater	(intermittent releases)	5,6 mg/l			
Marine wate	r	0,1 mg/l			
Freshwater sediment		3,8 mg/kg			
Marine sediment		0,38 mg/kg			
Micro-organisms in sewage treatment plants (STP)		10 mg/l			
Soil		0,173 mg/kg			

## 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 7 of 13

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): >120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: pungent

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable No data available Lower explosion limits: Upper explosion limits: No data available Flash point: 17 °C No data available Auto-ignition temperature: No data available Decomposition temperature: pH-Value: No data available Viscosity / kinematic: No data available Water solubility: No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 8 of 13

Vapour pressure:No data availableDensity:1,0417 g/cm³Bulk density:No data availableRelative vapour density:not determined

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Danger of explosion: Nitrogen oxides (NOx), perchloric acid

Exothermic reaction with: Fluorine, sulphuric acid, silver perchlorate

Ignition hazard: Oxidising agent, Nitric acid

chromium trioxide, acid anhydride, perchromates, oleum

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

Plastic articles Rubber articles Metal articles

### 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

## **Further information**

No data available



according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 9 of 13

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

### **ATEmix calculated**

ATE (oral) 871,6 mg/kg; ATE (dermal) 1208 mg/kg; ATE (inhalation vapour) 13,29 mg/l; ATE (inhalation dust/mist) 1,812 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
110-86-1	pyridine	pyridine						
	oral	LD50 > 800 - < 1600 mg/kg	Rat	Study report (1978)	Precedes establishment of guideline and			
	dermal	LD50 > 1000 - < 2000 mg/kg	Rabbit	Study report (1973)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50 4900 mg/l	Rat	Other company data (1984)	EPA OPPTS 870.1300			
	inhalation dust/mist	ATE 1,5 mg/l						
85-44-9	phthalic anhydride	phthalic anhydride						
	oral	LD50 1530 mg/kg	Rat	Study report (1978)	10 male rats/dose			

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (phthalic anhydride)

May cause an allergic skin reaction. (phthalic anhydride)

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 10 of 13

## 11.2. Information on other hazards

### Other information

Liver and kidney damage

## **Further information**

Irritant

Dyspnoea

Cough

Anaesthetic state

Gastrointestinal complaints

Vomiting

Cardiac arrhythmias / Circulatory collapse

Headache

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
110-86-1	pyridine							
	Acute fish toxicity	LC50 1000 mg/l	> 560 - <	96 h	Danio rerio	Study report (1991)	OECD Guideline 203	
	Acute algae toxicity	ErC50	320 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1991)	OECD Guideline 201	
85-44-9	phthalic anhydride							
	Acute fish toxicity	LC50 mg/l	> 99	96 h	Oryzias latipes	Review article or handbook (2003)	OECD Guideline 203	
	Acute algae toxicity	ErC50	68 mg/l	72 h	Pseudokirchneriella subcapitata	Review article or handbook (2003)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 640	48 h	Daphnia magna	Publication (1986)	Method is following the procedures descr	
	Fish toxicity	NOEC	10 mg/l	60 d	Oncorhynchus mykiss	Ecotoxicology and Environmental Safety 2	Method: other: according to OECD Guideli	
_	Crustacea toxicity	NOEC	16 mg/l	21 d	Daphnia magna	Review article or handbook (2003)	OECD Guideline 211	
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	Activated sludge	Study report (1984)	ISO 8192	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-86-1	pyridine	0,64
85-44-9	phthalic anhydride	1,6

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
85-44-9	phthalic anhydride	3,4	calculated	Study report (2004)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 11 of 13

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not empty into drains.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3+8 Classification code: FC. Special Provisions: 274 Limited quantity: 1 L Excepted quantity: F2 Transport category: Hazard No: 338 Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Classification code:FCSpecial Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 12 of 13

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924

**14.2. UN proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (pyridine, phthalic anhydride)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:A3Limited quantity Passenger:0.5 LPassenger LQ:Y340Excepted quantity:E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:363IATA-max. quantity - Cargo:5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

## **SECTION 16: Other information**



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Phthalic anhydride in pyridine for OH number determination

Revision date: 11.03.2025 Product code: 12379 Page 13 of 13

### Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Gladollication for illixtared	and dood ovaldation motified doording to regulation (20) its initiation [22]	
Classification	Classification procedure	
Flam. Liq. 2; H225	On basis of test data	
Acute Tox. 4; H302	Calculation method	
Acute Tox. 4; H312	Calculation method	
Acute Tox. 4; H332	Calculation method	
Skin Irrit. 2; H315	Calculation method	
Eye Dam. 1; H318	Calculation method	
Resp. Sens. 1; H334	Calculation method	
Skin Sens. 1; H317	Calculation method	

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H312 Harmful in contact with skin.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)