Print date: 02.05.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagenz 130+R0605

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Laboratory chemicals

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

produktsicherheit@analytichem.de e-mail:

Internet: www.analytichem.de Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: number:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Hazard components for labelling

Ammonia

Signal word: Danger

Pictograms:





### **Hazard statements**

H315 Causes skin irritation. H318 Causes serious eye damage.



according to Regulation (EC) No 1907/2006

Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 2 of 11

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

# P310 **2.3. Other hazards**

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

#### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification (Regulation (EC) No	1272/2008)			
631-61-8	ammonium acetate			15 - < 20 %	
	211-162-9				
1336-21-6	Ammonia	Ammonia			
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits. M-factors and ATE

opering or			
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
631-61-8	211-162-9	ammonium acetate	15 - < 20 %
	dermal: LD50 =	: > 26556,42 mg/kg; oral: LD50 = >= 2333,28 mg/kg	
1336-21-6	215-647-6	Ammonia	1 - < 5 %
	inhalation: LC5 Aquatic Acute 1	0 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 · H400· M=10	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Print date: 02.05.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 3 of 11

In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

 $\label{lem:precautionary statements} \ \ \text{For emergency responders}: \ \ \text{Personal protection equipment: see section 8}$ 

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.



according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 4 of 11

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Further information on storage conditions

Keep container dry.

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	



according to Regulation (EC) No 1907/2006

# Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 5 of 11

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
631-61-8	ammonium acetate			
Worker DNEL,	long-term	inhalation	systemic	911,56 mg/m³
Worker DNEL,	acute	inhalation	systemic	5469,35 mg/m³
Worker DNEL,	long-term	dermal	systemic	10,34 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	62,04 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	449,56 mg/m³
Consumer DN	EL, acute	inhalation	systemic	2674,16 mg/m³
Consumer DN	EL, long-term	dermal	systemic	5,17 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	31,02 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	5,17 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	31,02 mg/kg bw/day
1336-21-6	Ammonia			
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m³
Worker DNEL,	long-term	inhalation	local	14 mg/m³
Worker DNEL,	acute	inhalation	local	36 mg/m³
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DNEL, acute		inhalation	systemic	23,8 mg/m³
Consumer DNEL, long-term		inhalation	local	2,8 mg/m³
Consumer DNEL, acute		inhalation	local	7,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	68 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	6,8 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 6 of 11

#### **PNEC values**

CAS No	Substance	
Environmenta	al compartment	Value
631-61-8	ammonium acetate	
Freshwater		3,08 mg/l
Marine water		0,308 mg/l
Freshwater s	ediment	2,51 mg/kg
Marine sedim	nent	0,251 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	677 mg/l
Soil		0,72 mg/kg
1336-21-6	Ammonia	
Freshwater		0,001 mg/l
Freshwater (intermittent releases) 0,00		0,007 mg/l
Marine water 0		0,001 mg/l

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

#### **Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 7 of 11

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available No data available Flash point: Auto-ignition temperature: No data available No data available Decomposition temperature: pH-Value: No data available Viscosity / kinematic: No data available Water solubility: completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Pensity:

1,017 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

## 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

## Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

0

Solid content: 0
Sublimation point: No data available
Softening point: No data available
Pour point: No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

# Further Information No data available

## **SECTION 10: Stability and reactivity**



according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 8 of 11

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name				
	Exposure route	Dose	Species	Source	Method	
631-61-8	ammonium acetate	ammonium acetate				
	oral	LD50 >= 2333,28 mg/kg		Read-across (2010)	Read-across approach from published expe	
	dermal	LD50 > 26556,42 mg/kg		Read-across (2010)	Read-across approach from published expe	
1336-21-6	Ammonia					
	oral	LD50 350 mg/kg	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401	
	inhalation (1 h) vapour	LC50 4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity	

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 9 of 11

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the preparation/mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
631-61-8	ammonium acetate						
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 360,89	48 h		Read-across (2010)	Read-across approach from Letter of Acce
	Fish toxicity	NOEC	154 mg/l	60 d	Cyprinus carpio	Publication (1999)	OECD Guideline 204
1336-21-6	Ammonia						
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210

## 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
631-61-8	ammonium acetate	-2,79
1336-21-6	Ammonia	-1,38

Print date: 02.05.2023



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

	Reagenz 130+R0605	
Revision date: 02.05.2023	Product code: 130+R0605	Page 10 of 11

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
631-61-8	ammonium acetate	3,162		Calculation (2010)

#### 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the preparation/mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

# **SECTION 14: Transport information**

Land	transport	(ADR/RID)
------	-----------	-----------

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

,	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

r transport (ICAO-11/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments



according to Regulation (EC) No 1907/2006

Reagenz 130+R0605

Revision date: 02.05.2023 Product code: 130+R0605 Page 11 of 11

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

E1 Hazardous to the Aquatic Environment

(SEVESO III):

**National regulatory information** 

Water hazard class (D): 2 - obviously hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 15.

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Skin Irrit. 2; H315	Calculation method	
Eye Dam. 1; H318	Calculation method	
Aquatic Acute 1; H400	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

#### Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
------	--

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)