

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagenz 130+R1193

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

sodium hydroxide sodium phenolate

Signal word: Danger

Pictograms:



#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 2 of 11

## **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

# P310 **2.3. Other hazards**

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)		
1310-73-2	sodium hydroxide			5 - < 10 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
139-02-6	sodium phenolate			1 - < 5 %
	205-347-3			
	Acute Tox. 4, Skin Corr. 1B; H302 H314			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

Specific Col	specific conc. Limits, in-factors and ATE				
CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Specific Conc. Limits, M-factors and ATE			
1310-73-2	215-185-5	185-5 sodium hydroxide			
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2				
139-02-6	205-347-3	sodium phenolate	1 - < 5 %		
	oral: ATE = 500 mg/kg				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

First aider: Pay attention to self-protection!

# After inhalation

Provide fresh air.

Call a physician immediately.

# After contact with skin

Wash immediately with: Water



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 3 of 11

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

Dyspnoea

Couah

Circulatory collapse

Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

## Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 4 of 11

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Do not breathe vapour/aerosol.

Read label before use.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme. Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Provide adequate ventilation as well as local exhaustion at critical locations.

Unsuitable container/equipment material:

Metal

Aluminium

Tin

Zinc

# Further information on storage conditions

Keep container tightly closed. storage temperature <= +8°C Protect against: exposure to light

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



Revision date: 17.05.2022

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Reagenz 130+R1193

Product code: 130+R1193 Page 5 of 11

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m³
Consumer DNE	EL, long-term	inhalation	local	1 mg/m³

## 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

# Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 730 Camatril® Velours
Recommended material: NBR (Nitrile rubber) 0,4 mm
Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 6 of 11

No data available

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Phenol
Odour threshold: No data available

## Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Sublimation point:

Softening point:

No data available

Flash point: Flammability

Solid/liquid: not applicable
Gas: not applicable

## **Explosive properties**

not applicable

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Auto-ignition temperature:

No data available

Self-ignition temperature

Solid: not applicable Gas: not applicable No data available Decomposition temperature: alkaline pH-Value: No data available Viscosity / dynamic: No data available Viscosity / kinematic: Flow time: No data available Water solubility: very soluble

# Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

1,175 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

## 9.2. Other information

Information with regard to physical hazard classes



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 7 of 11

Sustaining combustion:

No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Solvent separation test:

Solvent content:

No data available

Solid content:

No data available

Evaporation rate:

No data available

Further Information
Corrosive to metals.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

storage temperature <= +8°C Protect against: exposure to light

## 10.3. Possibility of hazardous reactions

Metal, Light metal Alkaline earth metal (Metal powder) Acids

# 10.4. Conditions to avoid

Heat exposure to light

# 10.5. Incompatible materials

Aluminium, Brass, Glass Tin, Zinc, Aluminium plastic

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# Further information

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

# Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
139-02-6	sodium phenolate				
	I - · - · ·	ATE 500 mg/kg			

# Irritation and corrosivity



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 8 of 11

Causes severe skin burns and eye damage.

Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

## Other information

There are no data available on the preparation/mixture itself.

# **Further information**

Skin corrosion/irritation

Dyspnoea

Cough

Circulatory collapse

Risk of serious damage to eyes.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the preparation/mixture itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
1310-73-2	sodium hydroxide				
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h Ceriodaphnia sp.	Environmental	other: acute 48-h immobilization test ac

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

not applicable

# 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 9 of 11

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Handle contaminated packages in the same way as the substance itself.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14 1 IIN	number or ID number	: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 8 Classification code: C5 **Special Provisions:** 274 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 80 Tunnel restriction code: Ε

# Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1719

**14.2. UN proper shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C5Special Provisions:274Limited quantity:1 LExcepted quantity:E2

# Marine transport (IMDG)

14.1. UN number or ID number: UN 1719

**14.2. UN proper shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-BSegregation group:alkalis



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 12.

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Reagenz 130+R1193

Revision date: 17.05.2022 Product code: 130+R1193 Page 11 of 11

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

## Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)