

# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagent 130+R3626

UFI: D4DF-MR3J-F30K-4QQ3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation**

Signal word: Warning

Pictograms:



# **Hazard statements**

H290 May be corrosive to metals.

### **Precautionary statements**

P234 Keep only in original packaging.

P390 Absorb spillage to prevent material damage.



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 2 of 9

P406

Store in a corrosion-resistant container with a resistant inner liner.

### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

none (according to UK REACH Regulation)

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water

In case of skin irritation, consult a physician.

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of eye irritation consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 3 of 9

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

### Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 4 of 9

## Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature <= 8 °C Protect against: Light

### Hints on joint storage

No data available

# Further information on storage conditions

Store in a dry place.

### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1310-73-2	sodium hydroxide					
Worker DNEL, long-term inhalation local 1 mg/m³		1 mg/m³				
Consumer DNEL, long-term		inhalation	local	1 mg/m³		

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 5 of 9

Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless Odour: odourless Odour threshold: No data available

Melting point/freezing point: No data available No data available

Boiling point or initial boiling point and

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available

Flash point: No data available Auto-ignition temperature:

No data available Decomposition temperature: pH-Value: 117 No data available

Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents No data available

Partition coefficient n-octanol/water:

No data available No data available Vapour pressure: Vapour pressure: No data available 1,0000 g/cm<sup>3</sup> Density: Bulk density: No data available Relative vapour density: No data available

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties No data available

No data available Sustaining combustion:

Self-ignition temperature

Solid: No data available No data available Gas:



# **Safety Data Sheet**

## according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 6 of 9

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

Solvent content:

Solid content:

Sublimation point:

Softening point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

Protect against: Light

## 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

Light

# 10.5. Incompatible materials

Metal

# 10.6. Hazardous decomposition products

No data available

# **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

# Toxicocinetics, metabolism and distribution

No data available

## **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 7 of 9

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

No data available

## 11.2. Information on other hazards

#### Other information

No data available

#### **Further information**

No data available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No data available

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

### **Further information**

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)



# **Safety Data Sheet**

according to UK REACH Regulation

	Reagent 130+R3626	
Revision date: 07.03.2024	Product code: 130+R3626	Page 8 of 9

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80

Inland waterways transport (ADN)

Tunnel restriction code:

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

Ε

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**



# **Safety Data Sheet**

according to UK REACH Regulation

# Reagent 130+R3626

Revision date: 07.03.2024 Product code: 130+R3626 Page 9 of 9

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

## National regulatory information

Water hazard class (D):

- - non-hazardous to water

Additional information

No data available

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals Skin Corr: Skin corrosion

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)