

according to UK REACH Regulation

## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Reagent 130+R3694

UFI:

RYJF-1R1J-9307-4XAG

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Laboratory chemicals

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

**GB CLP Regulation** Hazard components for labelling sodium hydroxide Danger

Signal word:

**Pictograms:** 





## Reagent 130+R3694

Revision date: 1	4.03.2024
------------------	-----------

Product code: 130+R3694

Page 2 of 10

#### **Hazard statements**

H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
ecautionarv sta	atements	

#### Precautionary statements P260

F200	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## Chemical characterization

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
1310-73-2	sodium hydroxide	sodium hydroxide			
	215-185-5	011-002-00-6	01-2119457892-27		
	Met. Corr. 1, Skin Corr. 1A; H290 H314				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	10 - < 15 %
	· · ·	l314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w). No data available

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical



## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 3 of 10

advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6:** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

## Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 4 of 10

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material:

## Metal.

Hints on joint storage

#### national regulations

#### Further information on storage conditions

Store in a dry place.

#### 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL



according to UK REACH Regulation

## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 5 of 10

### **DNEL/DMEL** values

CAS No	Substance	-	-		
DNEL type		Exposure route	Effect	Value	
1310-73-2	sodium hydroxide				
Worker DNEL,	Worker DNEL, long-term inhalation local 1 mg/m <sup>3</sup>				
Consumer DNE	EL, long-term	inhalation	local	1 mg/m³	

#### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:

Liquid



Revision date: 14.03.2024	Reagent 130+R3694 Product code: 130+R3694	Page 6 of 10
Calaura		ç
Colour:	colourless	
Odour: Odour threshold:	characteristic	
-	not determined	
Melting point/freezing point: Boiling point or initial boiling point and	not determined No data available	
boiling range:		
Flammability:	not applicable	
Fiammability.	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	X	
Auto-ignition temperature:	No data available	
Decomposition temperature:	not determined	
pH-Value:	14	
I		
Viscosity / kinematic:	No data available	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	No data available	
Vapour pressure:	No data available 1,15600 g/cm³	
Density: Bulk density:	No data available	
Relative vapour density:	not determined	
· ·	not determined	
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature	u da u u la chia	
Solid:	not applicable	
Gas: Ovidizing proportion	not applicable	
Oxidizing properties Not oxidising.		
-		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	0 	
Solid content:	not determined No data available	
Sublimation point: Softening point:	No data available No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	

### **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability



## according to UK REACH Regulation

## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 7 of 10

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

Keep away from: Metal.

#### 10.6. Hazardous decomposition products

#### No known hazardous decomposition products.

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system. Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.



according to UK REACH Regulation

## Reagent 130+R3694

Revision date: 14.03.2024

Product code: 130+R3694

Page 8 of 10

### **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the preparation/mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1310-73-2	sodium hydroxide						
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h		Environmental	other: acute 48-h immobilization test ac

#### 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

## 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the preparation/mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not empty into drains. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

#### Further information

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C5



## according to UK REACH Regulation

	Reagent 130+R3694	
Revision date: 14.03.2024	Product code: 130+R3694	Page 9 of 10
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
<u>14.1. UN number or ID number:</u>	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C5	
Limited quantity:	1L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1L	
Excepted quantity: EmS:	E2 F-A, S-B	
	г- <del>А</del> , <b>3-</b> Б	
Air transport (ICAO-TI/IATA-DGR)	1014004	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION 8	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	о II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
<ul> <li><u>14.6. Special precautions for user</u></li> <li>Warning: strongly corrosive.</li> <li>14.7. Maritime transport in bulk according to the second s</li></ul>		
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	Ilations/legislation specific for the substance or mixture	
Ell regulatory information		

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

## National regulatory information



## according to UK REACH Regulation

Reagent 130+R3694		
Revision date: 14.03.2024	Product code: 130+R3694	Page 10 of 10
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	
Water hazard class (D):	1 - slightly hazardous to water	

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

#### H314 Causes severe skin burns and eye da H318 Causes serious eye damage.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)