

## Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Reagent 130+R6991

UFI:

S1QR-RRQD-330V-1FK6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Laboratory chemicals

#### Uses advised against

Do not use for private purposes (household). No data available

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP Regulation Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Pictograms:

GB CLP Regulation Signal word:

Warning



#### Hazard statements

H290	
H315	
H319	

May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.



## Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 2 of 10

#### **Precautionary statements**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P406	Store in a corrosion-resistant container with a resistant inner liner.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Re	egulation)		
1310-73-2	sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1/	A; H290 H314		

#### Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-f	actors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	1 - < 5 %
		A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2; H319: >= 0,5 - < 2	

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

No data available

## After inhalation

Provide fresh air.

## After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Wash immediately with: Water

If skin irritation occurs: Get medical advice/attention.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.



#### Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 3 of 10

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

No special environmental measures are necessary.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7



## Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 4 of 10

Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal Aluminium Tin Zinc

## Hints on joint storage

national regulations

## Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### **DNEL/DMEL** values

CAS No	Substance	-	_	
DNEL type		Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL,	long-term	inhalation	local	1 mg/m³
Consumer DNE	EL, long-term	inhalation	local	1 mg/m³

#### 8.2. Exposure controls



## Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 5 of 10

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Melting point/freezing point:	
Boiling point or initial boiling point and	
boiling range:	
Flammability:	

not determined not determined

not applicable not applicable



an analyti**chem** company

## Safety Data Sheet

## according to UK REACH Regulation

Rea	gent 130+R6991	
	luct code: 130+R6991	Page 6 of 10
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	Х	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	alkaline	
Viscosity / kinematic:	not determined	
Water solubility:	very soluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Vapour pressure:	not determined	
Density:	1,02030 g/cm <sup>3</sup>	
Bulk density:	not determined	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
not determined		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	not determined	
Sublimation point:	not determined	
Coffee in a second		

not determined

not determined

not determined

not determined

not determined: Viscosity / dynamic:

Softening point:

## Flow time:

Pour point:

## **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Light metal Ammonia (NH3) Metal Acid



#### Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 7 of 10

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **Further information**

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.



# according to UK REACH Regulation Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 8 of 10

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method	
1310-73-2	sodium hydroxide			_		-	
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h		Environmental	other: acute 48-h immobilization test ac	

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Harmful effect due to pH shift.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8	14.1. UN number or ID number:	UN 1824
14.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
Hazard label:8Hazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	14.3. Transport hazard class(es):	8
Classification code:C5Limited quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:14.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	14.4. Packing group:	III
Limited quantity:5 LExcepted quantity:5 LExcepted quantity:E1Transport category:3Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)E14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	Hazard label:	8
Excepted quantity:       E1         Transport category:       3         Hazard No:       80         Tunnel restriction code:       E         Inland waterways transport (ADN)       14.1. UN number or ID number:         14.2. UN proper shipping name:       SODIUM HYDROXIDE SOLUTION         14.3. Transport hazard class(es):       8         14.4. Packing group:       III	Classification code:	C5
Transport category:       3         Hazard No:       80         Tunnel restriction code:       E         Inland waterways transport (ADN)       14.1. UN number or ID number:         14.2. UN proper shipping name:       SODIUM HYDROXIDE SOLUTION         14.3. Transport hazard class(es):       8         14.4. Packing group:       III	Limited quantity:	5 L
Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	Excepted quantity:	E1
Tunnel restriction code:       E         Inland waterways transport (ADN)       Inland waterways transport (ADN)         14.1. UN number or ID number:       UN 1824         14.2. UN proper shipping name:       SODIUM HYDROXIDE SOLUTION         14.3. Transport hazard class(es):       8         14.4. Packing group:       III	Transport category:	3
Inland waterways transport (ADN)         14.1. UN number or ID number:       UN 1824         14.2. UN proper shipping name:       SODIUM HYDROXIDE SOLUTION         14.3. Transport hazard class(es):       8         14.4. Packing group:       III	Hazard No:	80
14.1. UN number or ID number:UN 182414.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	Tunnel restriction code:	E
14.2. UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:III	Inland waterways transport (ADN)	
14.3. Transport hazard class(es):814.4. Packing group:III	<u>14.1. UN number or ID number:</u>	UN 1824
14.4. Packing group:	14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
· · · · · · · · · · · · · · · · · · ·	14.3. Transport hazard class(es):	8
Hazard label: 8	14.4. Packing group:	III
	Hazard label:	8



## Safety Data Sheet

## according to UK REACH Regulation

	Reagent 130+R6991	
Revision date: 26.01.2023	Product code: 130+R6991	Page 9 of 10
Classification code:	C5	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852 5 L	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	856	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards	00 L	
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
Warning: strongly corrosive.		
14.7. Maritime transport in bulk according to	MO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 75		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC).	ile
Water hazard class (D):	non-hazardous to water	

### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,9,12.



# according to UK REACH Regulation Reagent 130+R6991

Revision date: 26.01.2023

Product code: 130+R6991

Page 10 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

- H290May be corrosive to metals.H314Causes severe skin burns and eye damage.H315Causes skin irritation.
- H319 Causes serious eye irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)