

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word:

Pictograms:



Hazard statements

H225 H315 Highly flammable liquid and vapour. Causes skin irritation.



according to Regulation (EC) No 1907/2006

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

muore	methane scholic actu solution 0.1 molin - 0.1 m solution in z-propanor	
Revision date: 21.07.2023	Product code: 13205	Page 2 of 13
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
Precautionary statemer	nts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P233	Keep container tightly closed.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P403+P235	Store in a well-ventilated place. Keep cool.	
2.3. Other hazards		
No data available		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336				
1493-13-6	trifluoromethanesulphonic acid			1 - < 5 %		
	216-087-5		01-2119969955-14			
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H290 H302 H314 H335					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name			
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
1493-13-6	216-087-5 trifluoromethanesulphonic acid		1 - < 5 %		
	dermal: LD50 = > 500 - 50 mg/kg; oral: LD50 = ca. 1605,3 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 3 of 13

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Cough, Dyspnoea Respiratory complaints Headache Dizziness Dizziness Inebriation Anaesthetic state Unconsciousness Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Nitrogen oxides (NOx) Iodine Hydrogen fluoride Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting. Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 4 of 13

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 5 of 13

Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Protect from sunlight.

Store in a cool dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-63-0	Propan-2-ol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-63-0	2-Propanol	Acetone	40 mg/L	-	End of shift at end of workweek

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³		
Worker DNEL,	long-term	dermal	systemic	888 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	89 mg/m³		
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	26 mg/kg bw/day		



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 6 of 13

PNEC values

CAS No	Substance					
Environment	al compartment	Value				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Freshwater		140,9 mg/l				
Freshwater (intermittent releases)	140,9 mg/l				
Marine water	ſ	140,9 mg/l				
Freshwater s	sediment	552 mg/kg				
Marine sedin	nent	552 mg/kg				
Secondary p	oisoning	160 mg/kg				
Micro-organia	sms in sewage treatment plants (STP)	2251 mg/l				
Soil		28 mg/kg				
1493-13-6	trifluoromethanesulphonic acid					
Freshwater		0,58 mg/l				
Freshwater (intermittent releases)	0,48 mg/l				
Marine water	ſ	0,058 mg/l				
Freshwater s	sediment	2,9 mg/kg				
Marine sedin	nent	0,29 mg/kg				
Micro-organi	sms in sewage treatment plants (STP)	100 mg/l				
Soil		0,25 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm Wearing time with occasional contact (splashes): > 120 min



according to Regulation (EC) No 1907/2006

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 7 of 13

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear fire resistant or flame retardant clothing.

Take off immediately all contaminated clothing and wash it before reuse.

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid clear	
Odour:	like: Alcohol	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		~13 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		very soluble
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,7957 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
2 Other information		

9.2. Other information

Information with regard to physical hazard classes Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Sustaining combustion: Self-ignition temperature Solid: Gas: No data available



sulfonic acid solution 0.1 mol/L_0.1 M solution in 2 Trifluoromotho

i rinuorometnane sui	rome acid solution 0.1 mol/l - 0.1 M solution in 2-proj	panoi
Revision date: 21.07.2023	Product code: 13205	Page 8 of 13
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
	No data available	
Viscosity / dynamic:	No data available	
Flow time:	No data available	

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkaline earth metal Alkali metals Oxidising agent, strong

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Rubber articles Plastic articles

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Nitrogen oxides (NOx) lodine Hydrogen fluoride

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 9 of 13

CAS No	Chemical name	Chemical name								
	Exposure route	Exposure route Dose Species Source Method								
1493-13-6	trifluoromethanesulpho	trifluoromethanesulphonic acid								
	oral	LD50 1605,3 mg/k	ca. (g	Rat	Study report (1988)	OECD Guideline 401				
	dermal	LD50 50 mg/kg	> 500 -	Rat	REACh Registration Dossier	OECD Guideline 423				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Observe risk of aspiration if vomiting occurs. Pulmonary oedema Pneumonia Repeated exposure may cause skin dryness or cracking.

Further information

Irritant Cough, Dyspnoea Respiratory complaints Headache Dizziness Dizziness Inebriation Anaesthetic state Unconsciousness Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	Acute fish toxicity	LC50 mg/l	10000	96 h	Pimephales promelas	Publication (1983)	OECD Guideline 203
1493-13-6	trifluoromethanesulphonic acid						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	48 mg/l	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	>= 100	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05
1493-13-6	trifluoromethanesulphonic acid	< 0,3

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 11 of 13

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number or ID number:</u>	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol; isopropyl
	alcohol; isopropanol, trifluoromethanesulphonic acid)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	338
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol, trifluoromethanesulphonic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	ll
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol,
	trifluoromethanesulphonic acid)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3+8
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-C
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol, trifluoromethanesulphonic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Special Provisions:	A3
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y340
Excepted quantity:	E2
IATA-packing instructions - Passenger:	352
IATA-max. quantity - Passenger:	1 L



Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol					
Revision date: 21.07.2023	Product code: 13205	Page 12 of 13			
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	363 5 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
SECTION 15: Regulatory information	SECTION 15: Regulatory information				
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 Information according to 2012/18/EU (SEVESO III):	ations/legislation specific for the substance or mixture				
National regulatory information Employment restrictions: Water hazard class (D):	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). 1 - slightly hazardous to water	enile			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 11,12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

	· · · · · · · · · · · · · · · · · · ·
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

Trifluoromethane sulfonic acid solution 0.1 mol/l - 0.1 M solution in 2-propanol

Revision date: 21.07.2023

Product code: 13205

Page 13 of 13

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)