

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH208 Contains formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 2 of 10

## **Hazardous components**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
50-00-0	formaldehyde			< 0.1 %
	200-001-8	605-001-00-5	01-2119488953-20	
	Carc. 1B, Muta. 2, Acute Tox. 3, Ac H341 H331 H311 H301 H314 H317	tute Tox. 3, Acute Tox. 3, Skin Corr.	1B, Skin Sens. 1; H350	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
50-00-0	200-001-8	formaldehyde	< 0.1 %
	ATE = 300 mg/l	0 = < 463 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: kg; oral: LD50 = 460 mg/kg	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No data available

## After inhalation

Provide fresh air.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 3 of 10

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 4 of 10

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

## Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: +4°C - +8°C

# Hints on joint storage

No data available

# Further information on storage conditions

Store in a dry place.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
50-00-0	Formaldehyde	0.3	0.37		TWA (8 h)	
		0.6	0.738		STEL (15 min)	

## **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
50-00-0	formaldehyde				
Worker DNEL,	long-term	inhalation	systemic	9 mg/m³	
Worker DNEL,	Worker DNEL, long-term		local	0,375 mg/m³	
Worker DNEL,	Worker DNEL, long-term		systemic	240 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	3,2 mg/m³	
Consumer DNI	Consumer DNEL, long-term		local	0,1 mg/m³	
Consumer DNEL, long-term		dermal	systemic	102 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	4,1 mg/kg bw/day	
Worker DNEL,	acute	inhalation	local	0,75 mg/m³	



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 5 of 10

#### **PNEC values**

CAS No	Substance	
Environmenta	al compartment	Value
50-00-0	formaldehyde	
Freshwater		0,44 mg/l
Freshwater (i	intermittent releases)	4,44 mg/l
Marine water		0,44 mg/l
Freshwater s	ediment	2,3 mg/kg
Marine sedim	nent	2,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,19 mg/l
Soil		0,2 mg/kg

## 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 6 of 10

Colour: clear
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: 11.9 No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Relative vapour density:

No data available

#### 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

## Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

No data available

No data available

No data available

Solid content:

Sublimation point:No data availableSoftening point:No data availablePour point:No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 7 of 10

## 10.2. Chemical stability

storage temperature: +4°C - +8°C

## 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

No data available

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
50-00-0	formaldehyde							
	oral	LD50 mg/kg	460	Rat	Kefo J Med 24: 19-3 (1975)	OECD Guideline 401		
	dermal	ATE mg/kg	300					
	inhalation (4 h) vapour	LC50 mg/l	< 463	Rat	Study report (2015)	OECD Guideline 403		
	inhalation dust/mist	ATE	0,5 mg/l					

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Contains formaldehyde. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 8 of 10

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

## Other information

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
50-00-0	formaldehyde							
	Acute fish toxicity	LC50 mg/l	27,57	96 h	Ictalurus punctatus	Prog.Fish-Cult. 20(1):8-15 (1958)	acute toxicity test; "static bioassay"	
	Acute algae toxicity	ErC50 mg/l	3,48	72 h	Desmodesmus subspicatus	Ecotoxicol Environ Safety 54: 346-354 (2	OECD Guideline 201	
	Acute crustacea toxicity	EC50	5,8 mg/l	48 h	Daphnia pulex	Water, Air and Soil Pollution 97, 315-32	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	>= 48	28 d	Oryzias latipes	NTIS (ed.) Compendium of the FY1988 and	OECD Guideline 215	
	Crustacea toxicity	NOEC mg/l	>= 6,4	21 d	Daphnia magna	Study report (2008)	OECD Guideline 211	
	Acute bacteria toxicity	(EC50	19 mg/l)	3 h	Activated sludge	Chemosphere 14, 1239-1251 (1985)	OECD Guideline 209	

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
50-00-0	formaldehyde	0,35

## **BCF**

CAS No	Chemical name	BCF	Species	Source
50-00-0	formaldehyde		Paralichthys olivaceus and Sebastes schlegeli	Aquaculture 194, 253

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 9 of 10

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

## Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ionenchromatographie-Standard 1,000g Sulfit/I als Na2SO3 in Wasser - mit Formaldehyd und NaOH stab.

Revision date: 12.07.2023 Product code: 13565 Page 10 of 10

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information
No data available

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

## Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity

## Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

EUH208 Contains formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)