

according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Barium chloride solution 20 % pure in water

UFI:

1EM6-J15C-J00H-T3EQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dange	rous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling Barium chloride dihydrate

Signal word: Warning

Pictograms:



Hazard statements

H302 H319 Harmful if swallowed. Causes serious eye irritation.



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 2 of 11

ntitr

5%

Precautionary statements

P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P330	Rinse mouth.
P337+P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (GB CLP Regulation)						
10326-27-9	Barium chloride dihydrate	Barium chloride dihydrate					
	233-788-1	056-002-00-7	01-2119502547-42				
	Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2; H301 H332 H319						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE						
CAS No	EC No	Chemical name	Quant			
	Specific Conc.	Limits, M-factors and ATE				
10326-27-9	233-788-1	Barium chloride dihydrate	20 - < 25			
	inhalation: ATE	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 3 of 11

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Gastrointestinal complaints Circulatory collapse Spasms Cardiac arrhythmias Respiratory complaints Dyspnoea Vomiting Abdominal pain Conjunctival oedema (chemosis). Cough

4.3. Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 4 of 11

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. Do not breathe vapour. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 5 of 11

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
10326-27-9	Barium chloride dihydrate				
Worker DNEL,	long-term	inhalation	systemic	8,8 mg/m³	
Worker DNEL,	long-term	dermal	systemic	43,2 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	2,6 mg/m ³	
Consumer DN	EL, long-term	dermal	systemic	25,9 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	3,7 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental compartment Value			
10326-27-9 Barium chloride dihydrate			
Freshwater 0,174 m		0,174 mg/l	
Freshwater sediment 908 mg/k		908 mg/kg	
Micro-organisms in sewage treatment plants (STP) 94,3 mg/l		94,3 mg/l	
Soil 314,9 mg/kg		314,9 mg/kg	

Additional advice on limit values

based on anhydrous form

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 6 of 11

sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
(at 20 °C)		
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,1684 g/cm ³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available



according to UK REACH Regulation

Barium chloride solution 20 % pure in water						
Revision date: 08.08.2023	Product code: 13586	Page 7 of 1				
Sublimation point:	No data available					
Softening point:	No data available					
Pour point:	No data available					
No data available:						
Viscosity / dynamic:	No data available					
Flow time:	No data available					
Further Information						
No data available						

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Keep away from: Furan-2-percarboxylic acid (Danger of explosion) Violent reaction with: Oxidising agent, strong Reducing agent, strong Acids

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 425,5 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 46,81 mg/l; ATE (inhalation dust/mist) 6,383 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
10326-27-9	Barium chloride dihydrate	1				-
	oral	LD50 mg/kg	619	Rat	Study report (1983)	OECD Guideline 401
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 8 of 11

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Irritant Gastrointestinal complaints Circulatory collapse Spasms Cardiac arrhythmias Respiratory complaints Dyspnoea Vomiting Abdominal pain Conjunctival oedema (chemosis). Cough

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
10326-27-9	Barium chloride dihydrate						
	Acute fish toxicity	LC50 mg/l	> 3,5	96 h	Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1,15	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h	Daphnia magna	Publication (1972)	Not a guideline study but meets generall
	Fish toxicity	NOEC mg/l	>= 100	33 d	Danio rerio	Study report (2014)	OECD Guideline 210
	Crustacea toxicity	NOEC	10 mg/l	7 d	other aquatic arthropod: Cancer anthonyi	Publication (1988)	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
10326-27-9	Barium chloride dihydrate	68,4	Lepomis macrochirus	Arch.Environ.Contam.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 10 of 11

SECTION 14: Transport information

Land transport (ADR/RID)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Inland waterways transport (ADN)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
No dangerous good in sense of this tra	ansport regulation.				
14.7. Maritime transport in bulk according to	o IMO instruments				
No dangerous good in sense of this tra	ansport regulation.				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile				
Water hazard class (D):	work protection guideline' (94/33/EC). 1 - slightly hazardous to water				
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,11.

Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation



according to UK REACH Regulation

Barium chloride solution 20 % pure in water

Revision date: 08.08.2023

Product code: 13586

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)