

## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ICP concentrate scandium 10.000 g Sc/l Sc2O3 in nitric acid 2 mol/l traceable to NIST

UFI:

## 9CT6-F1SR-P00N-FNN5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: canada: +1 703-741-5970 (collect calls

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation** Hazard components for labelling

nitric acid Signal word:

Danger

## **Pictograms:**





## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/I traceable to NIST

Revision date: 29.01.2024	Product code: 13655 P			
Hazard statements				
H290	May be corrosive to metals.			
H314	Causes severe skin burns and eye damage.			
H332	Harmful if inhaled.			

#### **Precautionary statements**

scautionaly statement	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

## Special labelling of certain mixtures

Corrosive to the respiratory tract.

## 2.3. Other hazards

EUH071

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution

## **Relevant ingredients**

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification (GB CLP Regulation)				
7697-37-2	nitric acid			10 - < 15 %	
	231-714-2				
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				

Full text of H and EUH statements: see section 16.

Specific Cond	Specific Conc. Limits, M-factors and ATE				
CAS No	EC No	EC No Chemical name Quantity			
	Specific Conc. L	imits, M-factors and ATE			
7697-37-2	231-714-2 nitric acid 10 - < 15		10 - < 15 %		
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

## After inhalation

## Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.



## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 3 of 12

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage Causes burns. Cough Dyspnoea Risk of serious damage to eyes. Vomiting Methaemoglobinaemia

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6:** Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.



## ICP concentrate scandium 10.000 g Sc/l Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 4 of 12

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Material, oxygen-rich, Oxidising

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

## Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool place.



## ICP concentrate scandium 10.000 g Sc/l Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 5 of 12

## Hints on joint storage

national regulations

## Further information on storage conditions

Unsuitable container/equipment material: Metal, Light metal

#### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Face protection shield goggles.

#### Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

## Environmental exposure controls

Do not allow to enter into surface water or drains.



# ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/I traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 6 of 12

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

<u>J.</u>	1. Information on basic physical and the		
	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	stinging	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		Х
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		acidic
	Viscosity / kinematic:		No data available
	Water solubility:		No data available
	Solubility in other solvents		
	not determined		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		No data available
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density:		1,1032 g/cm <sup>3</sup>
	Relative density:		No data available
	Bulk density:		No data available
	Relative vapour density:		No data available
	Particle characteristics:		No data available
9.2	2. Other information		
	Information with regard to physical haz	ard classes	
	Explosive properties		
	No data available		
	Sustaining combustion:		No data available
	Self-ignition temperature		
	Solid:		No data available
	Gas:		No data available
	Oxidizing properties		
	Oxidising.		
	Other safety characteristics		
	Evaporation rate:		No data available
	Solvent separation test:		No data available
	Solvent content:		No data available
	Solid content:		No data available
	Sublimation point:		No data available
	Softening point:		No data available
	Pour point:		No data available
	No data available:		
	Viscosity / dynamic:		No data available
	Flow time:		No data available



## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 7 of 12

## **Further Information**

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals. Oxidising agent, strong

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

#### Danger of explosion:

Acetone, Alcohol, Aniline, Substance, organic, Benzene, Aniline, Amines, Hydrocarbons, halogenated, Diethyl ether, Hydrazine, Dioxane, Acetic acid, Acetic anhydride, Ethanol, Fluorine, Formaldehyde, Rubber articles, Hydrocarbons, Copper, Powdered metals, Methanol, Phosphorus trichloride, Hydrogen phosphides, Gasoline, Reducing agent, titanium, Toluene, Hydrogen peroxide, tin, Xylene, Dichloromethane, carbon black, Potassium chlorate, permanganates, e.g. potassium permanganate

Ignition hazard:

Amines, Ammonia (NH3), Combustible substance, aldehydes, Hydrogen iodide (HI), White/yellow phosphor, Hydrogen sulphide (H2S), Alkali metals, Alkaline earth metal

Violent reaction with:

Nitriles, antimony, arsenic, boron, Alkali (lye), sodium hypochlorite, Formic acid, sulphuric acid, sulphuric acid, sulphuric acid, sulphuric acid, selenium

## 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

Cellulose, Metal Keep away from: Metal. Keep away from combustible material. The product develops hydrogen in an aqueous solution in contact with metals. / Nitrogen oxides (NOx)

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Harmful if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 4,227 mg/l



## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/I traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 8 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			

## Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory tract. Risk of serious damage to eyes.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant — skin irritation and eye damage Causes burns. Cough Dyspnoea Risk of serious damage to eyes. Vomiting Methaemoglobinaemia

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.



## ICP concentrate scandium 10.000 g Sc/l Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 9 of 12

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

## **Further information**

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains. Do not mix with other wastes.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:

UN 2031



# ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/I traceable to NIST

ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/l traceable to NIST				
Revision date: 29.01.2024	Product co	ode: 13655	Page 10 of 12	
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	U U			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Transport category:	2			
Hazard No:	80			
Tunnel restriction code:	E			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
<u>14.1. UN number or ID number:</u>	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
Special Provisions:	A212			
Limited quantity Passenger:	Forbidden			
Passenger LQ:	Forbidden E0			
Excepted quantity: IATA-packing instructions - Passenger:	EU	Forbidden		
IATA-max. quantity - Passenger:		Forbidden		
IATA-max. quantity - r assenger. IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		
14.5. Environmental hazards				
	No			
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user	h, correcive			
Warning: Oxidising substances. strong	-			
14.7. Maritime transport in bulk according to				
not applicable				
SECTION 15: Regulatory information				

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/I traceable to NIST					
Revision date: 29.01.2024	Product code: 13655	Page 11 of 12			
EU regulatory information					
Restrictions on use (REACH, annex XVII): Entry 3					
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)				
	(Regulation (EU) 2019/1148): use of this product by the general public is restricted by Regulation ions, and significant disappearances and thefts should be reported to	)			
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC). Observe employment restrict under the Maternity Protection Directive (92/85/EEC) for expectant of nursing mothers.	ions			
Water hazard class (D):	1 - slightly hazardous to water				

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

## Abbreviations and acronyms

Ox. Liq: Oxidising liquids Met. Corr: Corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our



## ICP concentrate scandium 10.000 g Sc/I Sc2O3 in nitric acid 2 mol/l traceable to NIST

Revision date: 29.01.2024

Product code: 13655

Page 12 of 12

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)