



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/I - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone: e-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290
Contact person: e-mail: Internet:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de	Telephone: 0203/5194-107/117
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMT	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components	for	labelling
methanol		

Signal word: Pictograms:

Danger



Hazard statements

H225

Highly flammable liquid and vapour.



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023	Product code: 13828	Page 2 of 13
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.	
H370	Causes damage to organs.	
Precautionary statemen	ts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.	
P403+P235	Store in a well-ventilated place. Keep cool.	
2.3. Other hazards		

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
67-56-1	methanol	methanol				
	200-659-6 603-001-00-X 01-2119433307-44					
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
67-56-1	200-659-6	methanol	95 - < 100 %
		0 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ‹g; oral: LD50 = 6000 mg/kg_STOT SE 1; H370: >= 10 - 100_STOT SE 2; I0	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation


Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.





according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 3 of 13

Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Provide fresh air. Call a physician immediately. Notes for the doctor : Methanol Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

corrosive, Cough, Dyspnoea Irritant, Dizziness Dizziness, Anaesthetic state Agitation, Spasms Inebriation, Vomiting Headache, Impairment of vision Risk of serious damage to eyes. Has degreasing effect on the skin.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder Sand Cement

Unsuitable extinguishing media

Water Foam

5.2. Special hazards arising from the substance or mixture

Combustible liquids Hazardous combustion products Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting. Do not allow contact with water. Reacts violently with water. (Formation of: Heat)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 4 of 13

and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Do not allow to enter into surface water or drains. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not allow contact with water. If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.





according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 5 of 13

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not allow contact with water.

Further information on storage conditions

Keep cool. Protect from sunlight.

storage temperature: +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-56-1	Methyl alcohol	200	260		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-56-1	Methanol	Methanol	15 mg/L	Urine	End of shift



Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 6 of 13

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
67-56-1	methanol					
Consumer D	NEL, acute	inhalation	systemic	50 mg/m³		
Worker DNE	L, long-term	inhalation	systemic	260 mg/m ³		
Worker DNE	L, acute	inhalation	systemic	260 mg/m ³		
Worker DNE	L, long-term	inhalation	local	260 mg/m ³		
Worker DNE	L, acute	inhalation	local	260 mg/m ³		
Worker DNEL, long-term		dermal	systemic	40 mg/kg bw/day		
Worker DNE	L, acute	dermal	systemic	40 mg/kg bw/day		
Consumer D	NEL, long-term	inhalation	systemic	50 mg/m ³		
Consumer D	NEL, long-term	inhalation	local	50 mg/m³		
Consumer D	NEL, acute	inhalation	local	50 mg/m³		
Consumer D	NEL, long-term	dermal	systemic	8 mg/kg bw/day		
Consumer DNEL, acute		dermal	systemic	8 mg/kg bw/day		
Consumer D	Consumer DNEL, long-term		systemic	8 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	8 mg/kg bw/day		

PNEC values

CAS No	Substance				
Environmental compartment Value					
67-56-1	methanol				
Freshwater 20,8 mg/l					
Freshwater (intermittent releases) 1540 mg/l					
Marine wate	2,08 mg/l				
Freshwater sediment 77					
Marine sedi	7,7 mg/kg				
Micro-organ	100 mg/l				
Soil	100 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 7 of 13

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

Trade name/designation: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Take off immediately all contaminated clothing and wash it before reuse. Wear fire resistant or flame retardant clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid colourless like: Methanol No data available	
	No data available ~64 °C
	not applicable not applicable
	No data available
	No data available
	~11 °C
	No data available
	Reacts violently with water.
	No data available
	No data available
	colourless



Sodium methylate solu	ution 0,1 mol/I - 0,1 M solution in methanol	
Revision date: 03.04.2023	Product code: 13828	Page 8 of 13
Vapour pressure:	No data available	
Density:	0,7966 g/cm³	
Bulk density:	not applicable	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard class	es	
Explosive properties		
Vapours can form explosive mixtures with air.		
Sustaining combustion:	Sustaining combustion	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
not determined		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours can form explosive mixtures with air. Reacts violently with water.

10.2. Chemical stability

Protect against: Humidity, Heat

10.3. Possibility of hazardous reactions

Oxidising agent, Acid, Water Hydrogen peroxide, Nitric acid, sulphuric acid Alkaline earth metal, Reducing agent, Bromine Chlorine, Chloroform, Fluorine Alkali metals,

10.4. Conditions to avoid

Humidity Heat

10.5. Incompatible materials

Rubber articles Plastic articles Zinc

10.6. Hazardous decomposition products

No data available



Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 9 of 13

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) 100,7 mg/kg; ATE (dermal) 302,2 mg/kg; ATE (inhalation vapour) 3,02 mg/l; ATE (inhalation dust/mist) 0,504 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
67-56-1	methanol						
	oral	LD50 mg/kg	6000	Monkey	Amer J Ophthalmol 40: 76-83 (cited in D0	Determination of the acute toxicity of t	
	dermal	ATE mg/kg	300				
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	Study report (1980)	Study performed according to internal co	
	inhalation dust/mist	ATE	0,5 mg/l				

Irritation and corrosivity

Based on available data, the classification criteria are not met. Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol) (eyes)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

Liver and kidney damage

Further information

corrosive, Cough, Dyspnoea Irritant, Dizziness Dizziness, Anaesthetic state Agitation, Spasms Inebriation, Vomiting



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 10 of 13

Headache, Impairment of vision Risk of serious damage to eyes. Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
67-56-1	methanol							
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975	
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11	
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	Calculation performed with ECOSAR	
	Crustacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	Toxicity of the target chemical is predi	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77
BCF		

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains. Avoid release to the environment.



Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 11 of 13

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not mix with other wastes.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

Hazard label:3+6.1Classification code:FT1Special Provisions:274Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:336Tunnel restriction code:D/E	
Inland waterways transport (ADN)	
14.1. UN number or ID number:UN 199214.2. UN proper shipping name:FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol)14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Classification code:FT1Special Provisions:274 802Limited quantity:1 LExcepted quantity:E2	
Marine transport (IMDG)UN 199214.1. UN number or ID number:UN 199214.2. UN proper shipping name:FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol)14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-DAir transport (ICAO-TI/IATA-DGR)UN 1992	
14.1. UN number of ID number:ON 199214.2. UN proper shipping name:FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol)14.3. Transport hazard class(es):3	



Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol					
Revision date: 03.04.2023	Product code: 13828	Page 12 of 13			
14.4. Packing group:	II				
Hazard label:	3+6.1				
Special Provisions:	A3				
Limited quantity Passenger:	1 L				
Passenger LQ:	Y341				
Excepted quantity:	E2				
IATA-packing instructions - Passenger:	352				
IATA-max. quantity - Passenger:	1 L				
IATA-packing instructions - Cargo:	364				
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
Warning: Combustible liquid. Toxic.					
14.7. Maritime transport in bulk according to IMO instruments					
not applicable					
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 40, Entry 69, Entry 75					
Information according to 2012/18/EU	H2 ACUTE TOXIC				
(SEVESO III):					
Additional information:	P5c				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.				
Water hazard class (D):	2 - obviously hazardous to water				
Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.					

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

Sodium methylate solution 0,1 mol/l - 0,1 M solution in methanol

Revision date: 03.04.2023

Product code: 13828

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
STOT SE 1; H370	Calculation method

Relevant H and EUH statements (number and full text)

	,
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)