

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

EUH208 Contains sulphanilic acid. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 2 of 10

### **Hazardous components**

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulatio	n (EC) No 1272/2008)			
64-19-7	acetic acid				
	200-580-7	607-002-00-6	01-2119475328-30		
	Flam. Liq. 3, Skin Corr. 1A; H226 H314				
121-57-3	sulphanilic acid			< 1 %	
	204-482-5	612-014-00-X			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	5 - < 10 %
		50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg	
121-57-3	204-482-5	sulphanilic acid	< 1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

No data available

## After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 3 of 10

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

## **Additional information**

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Do not breathe vapour/aerosol.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 4 of 10

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off contaminated clothing.

Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a dry place.

## Hints on joint storage

No data available

## Further information on storage conditions

Store in a dry place.

## 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
64-19-7	acetic acid			
Worker DNEL,	long-term	inhalation	local	25 mg/m³
Worker DNEL,	acute	inhalation	local	25 mg/m³
Consumer DNE	EL, long-term	inhalation	local	25 mg/m³
Consumer DNE	EL, acute	inhalation	local	25 mg/m³
121-57-3	sulphanilic acid			
Worker DNEL,	long-term	inhalation	systemic	13,33 mg/m³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	6,67 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,67 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	1,67 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 5 of 10

#### **PNEC values**

CAS No	Substance		
Environmental	compartment	Value	
64-19-7	acetic acid		
Freshwater		3,058 mg/l	
Freshwater (in	termittent releases)	30,58 mg/l	
Marine water		0,306 mg/l	
Freshwater se	diment	11,36 mg/kg	
Marine sedime	nt	1,136 mg/kg	
Micro-organism	ns in sewage treatment plants (STP)	85 mg/l	
Soil		0,47 mg/kg	
121-57-3	sulphanilic acid		
Freshwater		0,023 mg/l	
Freshwater (in	termittent releases)	0,23 mg/l	
Marine water	0,002 mg/l		
Micro-organisms in sewage treatment plants (STP)			

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 6 of 10

### Skin protection

Wear suitable protective clothing.

## Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined

not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

Density:

Density:

Bulk density:

Relative vapour density:

not determined

not determined

1,0057 g/cm³

not determined

not determined

not determined

# 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties not applicable

Sustaining combustion: No data available

Self-ignition temperature

Solid: not determined
Gas: not applicable

Oxidizing properties Not oxidising.

## Other safety characteristics

Evaporation rate:

Solvent separation test:

not determined
Solvent content:

not determined
Solid content:

not determined
Solid content:

not determined
Sublimation point:

not determined
Softening point:

not determined
not determined
not determined
not determined
not determined



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 7 of 10

not determined:

Viscosity / dynamic: not determined
Flow time: not determined

**Further Information** 

not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

No data available

## **Further information**

No data available

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-19-7	acetic acid					
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin
	inhalation (4 h) vapour	LC50	11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403
121-57-3	sulphanilic acid					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 402

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Contains sulphanilic acid. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 8 of 10

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
121-57-3	sulphanilic acid						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50	32 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50	23 mg/l	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17
121-57-3	sulphanilic acid	-2,298

## **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 9 of 10

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

i didioport (iono ilinain bott)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Saltzmann's solution for determination of N2O3 in gaseous fuels according to DIN 51864

Revision date: 28.03.2023 Product code: 14201 Page 10 of 10

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

11000

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
EUH208	Contains sulphanilic acid. May produce an allergic reaction.

Clauses has lieurial and com-

EUH210 Safety data sheet available on request.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)