



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/I - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Potassium thiocyanate solution 1 mol/l - 1 N solution

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

### Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

EUH031	Contact with acids liberates toxic gas.
EUH210	Safety data sheet available on request.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/I - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 2 of 10

#### Hazardous components

CAS No	Chemical name					
	EC No					
	Classification (Regulation (EC) No 1272/2008)					
333-20-0	potassium thiocyanate					
	206-370-1	615-004-00-3	01-2119543697-26			
	Acute Tox. 4, Acute Tox. H412 EUH032	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H332 H312 H302 H319 H412 EUH032				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	. Limits, M-factors and ATE	
333-20-0	206-370-1	potassium thiocyanate	5 - < 10 %
		= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = 508 mg/kg	

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## **General information**

No data available

## After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a doctor if you feel unwell.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Water, to which activated charcoal may be added Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant Agitation Spasms Cardiac arrhythmias Circulatory collapse

#### **4.3. Indication of any immediate medical attention and special treatment needed** Release of: Hydrogen cyanide (hydrocyanic acid)

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 3 of 10

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Sulphur oxides Hydrogen cyanide (hydrocyanic acid)

# 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 4 of 10

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

# Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

#### Hints on joint storage

No data available

#### Further information on storage conditions

Store in a dry place.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
333-20-0	potassium thiocyanate			
Worker DNEL,	long-term	inhalation	systemic	3,6 mg/m³
Worker DNEL,	long-term	dermal	systemic	5,1 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	0,9 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,6 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,3 mg/kg bw/day



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 5 of 10

#### **PNEC** values

CAS No	Substance			
Environment	Environmental compartment Value			
333-20-0	potassium thiocyanate			
Freshwater		0,095 mg/l		
Freshwater (intermittent releases) 0,027 mg/l				
Marine water 0,009 mg/l				
Freshwater sediment 0,543 mg/kg				
Marine sediment 0,054 mg/kg				
Secondary poisoning 1,667 mg/k				
Micro-organisms in sewage treatment plants (STP) 30 mg/l				
Soil 6,336 mg				

# 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

# Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 6 of 10

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che		
Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,047 g/cm <sup>3</sup>
Relative density:		No data available No data available
Bulk density:		
Relative vapour density: Particle characteristics:		No data available No data available
		no dala avaliable
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas: Oxidizing properties		No data available
No data available		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		0 No data available
Sublimation point: Softening point:		No data available
Pour point:		No data available
No data available:		
Viscosity / dynamic:		No data available
Flow time:		No data available



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 7 of 10

evision date. 17:00.2020

# **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Oxidising agent Acid Formation of: Hydrogen cyanide (hydrocyanic acid)

#### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

SECTION 5. Firelight

# Further information

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
333-20-0	potassium thiocyanate	potassium thiocyanate						
	oral	LD50 mg/kg	508	Japanese quail	Study report (1999)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402		
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023 Product code: 14650 Page 8 of 10 STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Information on likely routes of exposure There are no data available on the preparation/mixture itself. Specific effects in experiment on an animal There are no data available on the preparation/mixture itself. Additional information on tests There are no data available on the preparation/mixture itself. **Practical experience** There are no data available on the preparation/mixture itself. 11.2. Information on other hazards Endocrine disrupting properties There are no data available on the preparation/mixture itself. Other information There are no data available on the preparation/mixture itself. **Further information** Irritant Agitation Spasms Cardiac arrhythmias Circulatory collapse **SECTION 12: Ecological information** 12.1. Toxicity There are no data available on the mixture itself. CAS No Chemical name [h] | [d] Species Aquatic toxicity Dose Source Method

333-20-0	potassium thiocyanate							
	Acute fish toxicity	LC50	65 mg/l	96 h	Oncorhynchus mykiss	Study report (1999)	EU Method C.1	
	Acute algae toxicity	ErC50	116 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1999)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	3,56	48 h	Daphnia magna	Study report (1999)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	1,84	124 d	Pimephales promelas	Study report (1994)	Test was based on exposing juvenile fath	
	Crustacea toxicity	NOEC mg/l	1,25	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211	

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# Potassium thiocyanate solution 1 mol/l - 1 N solution

Revision date: 17.08.2023

Product code: 14650

Page 9 of 10

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
333-20-0	potassium thiocyanate	-2,52

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

### 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a hazardous waste incinerator facility under observation of official regulations. Do not allow to enter into surface water or drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No danget14.2. UN proper shipping name:No danget14.3. Transport hazard class(es):No danget14.4. Packing group:No danget14.1. UN number or ID number:No danget14.2. UN proper shipping name:No danget14.3. Transport hazard class(es):No danget14.4. Packing group:No danget14.5. Transport hazard class(es):No danget14.4. Packing group:No danget14.4. Packing group:No danget14.1. UN number or ID number:No danget14.2. UN proper shipping name:No danget14.3. Transport (IMDG)No danget14.3. Transport hazard class(es):No danget14.4. Packing group:No danget14.3. Transport hazard class(es):No danget14.4. Packing group:No danget14.4. Packing group:No danget14.4. Packing group:No danget14.4. Packing group:No dangetAir transport (ICAO-TI/IATA-DGR)No danget

<u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>

# No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

an analyti <b>chem</b> brand		according to Regulation (EC) No 1907/2006	
	Potassi	um thiocyanate solution 1 mol/l - 1 N solution	
Revision date: 17.08.20		Product code: 14650	Page 10 of 10
14.4. Packing grou	0:	No dangerous good in sense of this transport regulation.	
14.5. Environmental h			
ENVIRONMENTAL		Νο	
14.6. Special precaution			
	ood in sense of this t	ransport regulation.	
14.7. Maritime transpo	rt in bulk according	to IMO instruments	
No dangerous g	ood in sense of this	ransport regulation.	
SECTION 15: Regula	atory information		
15.1. Safety, health an	d environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory info	mation		
Information according	ng to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):			
National regulatory	information		
Water hazard class	(D):	1 - slightly hazardous to water	
SECTION 16: Other	information		
Abbreviations and	acronyms		
Acute Tox: Acut	e toxicity		
Eye Irrit: Eye irri			
	: Chronic aquatic haz		
Relevant H and EU H302	H statements (numb Harmful if swa		
H302 H312		ntact with skin.	
H319		us eye irritation.	
H332	Harmful if inh	-	
H412	Harmful to aq	uatic life with long lasting effects.	
EUH031		acids liberates toxic gas.	
EUH032	Contact with a	acids liberates very toxic gas.	
EUH210	Safety data sl	neet available on request.	
Further Information	ı		
The above info	mation describes ex	clusively the safety requirements of the product and is based on our	
		tion is intended to give you advice about the safe handling of the product	
	•	storage, processing, transport and disposal. The information cannot be	
	-	case of mixing the product with other products or in the case of	
		afety data sheet is not necessarily valid for the new made-up material.	
		ent level of our knowledge. It does not, however, give assurance of	
nroduct properti	es and establishes h	o contract legal rights	

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)