

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cadmium acetate dihydrate pure

Substance name: Cadmium acetate dihydrate

CAS No: 5743-04-4 Index No: 048-001-00-5 EC No: 208-853-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 1B; H350 Muta. 1B; H340 Acute Tox. 2; H330 Acute Tox. 3; H301 Acute Tox. 4; H312 STOT RE 1; H372

Aquatic Acute 1; H400 (M-Factor (self-classification) = 10) Aquatic Chronic 1; H410 (M-Factor (self-classification) = 10)

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008
Signal word: Danger



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 2 of 11

Pictograms:







Hazard statements

H330 Fatal if inhaled. H301 Toxic if swallowed.

H312 Harmful in contact with skin. H340 May cause genetic defects. H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: (CH3COO)2Cd * 2H2O

Molecular weight: 266,52 g/mol

Hazardous components

Chemical name				
EC No	Index No	REACH No		
Classification (Regulation (EC) No 1272/2008)				
Cadmium acetate dihydrate			100 %	
208-853-2	048-001-00-5			
Carc. 1B, Muta. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, STOT RE 1, Aquatic Acute 1,				
	EC No Classification (Regulation (EC) No Cadmium acetate dihydrate 208-853-2 Carc. 1B, Muta. 1B, Acute Tox. 2, A	EC No Index No Classification (Regulation (EC) No 1272/2008) Cadmium acetate dihydrate 208-853-2 048-001-00-5	EC No Index No REACH No Classification (Regulation (EC) No 1272/2008) Cadmium acetate dihydrate 208-853-2 048-001-00-5 Carc. 1B, Muta. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, STOT RE 1, Aquatic Acute 1,	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
5743-04-4	208-853-2	Cadmium acetate dihydrate	100 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 3 of 11

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. (Water, to which activated charcoal may be added)

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Cyanosis (blue coloured blood)

Fever

Gastrointestinal complaints

Vomiting

Circulatory collapse

Headache

Spasms

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids

Hazardous combustion products

In case of fire may be liberated:

Metal oxide smoke, toxic

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 4 of 11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

Avoid dust formation. Do not breathe dust.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 5 of 11

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Further information on storage conditions

Store in a dry place.

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Cadmiumacetat-Dihydrat (5743-04-4)

TRGS 910

Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten

überschritten werden kann.

Art der Exposition: Einatembare fraktion.

Toleranzkonzentration (4 x 10-3):

1ug/m3

Art der Exposition: Einatembare fraktion. Akzeptanzkonzentration (4 x 10-4):

0,16ug/m3

Art der Exposition: Alveolengängige Fraktion. Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten

überschritten werden kann.

Art der Exposition: Alveolengängige Fraktion.

TRGS 905

Krebserzeugend: Kategorie 2

Abweichung von der Legaleinstufung (Gesundheitsschädlich) gemäß Anhang 1 der RL 67/548/EWG

(Kennbuchstaben der Gefahrenbezeichnungen aus der Legaleinstufung).

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 6 of 11

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: P3

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid Colour: white

Odour: like: Acetic acid
Odour threshold: No data available

Melting point/freezing point: 256 °C
Boiling point or initial boiling point and No data available

. ...

boiling range:
Flammability:

No data available

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Flash point:

No data available

Auto-ignition temperature:

No data available

Decomposition temperature:

PH-Value (at 20 °C):

Viscosity / kinematic:

No data available

Water solubility: Soluble in: Water Solubility in other solvents

No data available

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

2,01 g/cm³

Relative density:

No data available

Bulk density:

~950 kg/m³

Bulk density: ~950 kg/m³
Relative vapour density: No data available
Particle characteristics: No data available
No data available

9.2. Other information



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 7 of 11

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

Solvent content:

O
Solid content:

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, strong Strong acid

Strong alkali

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 8 of 11

Fatal if inhaled.

Toxic if swallowed.

Harmful in contact with skin.

Avoid exposure - obtain special instructions before use.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
5743-04-4	Cadmium acetate dihydrate							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	1100					
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (Cadmium acetate dihydrate)

May cause cancer. (Cadmium acetate dihydrate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Cadmium acetate dihydrate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

Pulmonary oedema

Further information

Cyanosis (blue coloured blood)

Fever

Gastrointestinal complaints

Vomiting

Circulatory collapse

Headache

Spasms



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 9 of 11

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

log Pow: -0,88

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Send to a hazardous waste incinerator facility under observation of official regulations. Special monitoring requiring wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2570

14.2. UN proper shipping name: CADMIUM COMPOUND (Cadmium acetate dihydrate)

14.3. Transport hazard class(es): 6 1 14.4. Packing group: Ш Hazard label: 6.1 Classification code: T5 **Special Provisions:** 274 596 Limited quantity: 500 g Excepted quantity: E4 Transport category: 2 Hazard No: 60 Tunnel restriction code: D/F

Inland waterways transport (ADN)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 10 of 11

14.1. UN number or ID number: UN 2570

14.2. UN proper shipping name: CADMIUM COMPOUND (Cadmium acetate dihydrate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1Classification code:T5

Special Provisions: 274 596 802
Limited quantity: 500 g
Excepted quantity: E4

Marine transport (IMDG)

14.1. UN number or ID number: UN 2570

14.2. UN proper shipping name: CADMIUM COMPOUND (Cadmium acetate dihydrate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1Special Provisions:274Limited quantity:500 gExcepted quantity:E4EmS:F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2570

14.2. UN proper shipping name: CADMIUM COMPOUND (Cadmium acetate dihydrate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1Special Provisions:A3 A5Limited quantity Passenger:1 kgPassenger LQ:Y644Excepted quantity:E4

IATA-packing instructions - Passenger:669IATA-max. quantity - Passenger:25 kgIATA-packing instructions - Cargo:676IATA-max. quantity - Cargo:100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: Cadmium acetate dihydrate

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 23

Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

Additional information: E1

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Cadmium acetate dihydrate pure

Revision date: 13.07.2023 Product code: 15205 Page 11 of 11

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 11,12.

Abbreviations and acronyms

Acute Tox: Acute toxicity
Muta: Germ cell mutagenicity
Carc: Carcinogenicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H330 Fatal if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.