

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Cadmium acetate dihydrate for analysis

Substance name: Cadmium acetate dihydrate  
CAS No: 5743-04-4  
Index No: 048-001-00-5  
EC No: 208-853-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: Abteilung Produktsicherheit  
E-mail: produktsicherheit@analytichem.de  
Internet: www.analytichem.de  
Responsible Department: Abteilung Produktsicherheit  
Telefax: 0203/5194-290  
Telephone: 0203/5194-107/117

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Carc. 1B; H350  
Muta. 1B; H340  
Acute Tox. 2; H330  
Acute Tox. 3; H301  
Acute Tox. 4; H312  
STOT RE 1; H372  
Aquatic Acute 1; H400 (M-Factor (self-classification) = 10)  
Aquatic Chronic 1; H410 (M-Factor (self-classification) = 10)

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 2 of 11

#### Pictograms:



#### Hazard statements

H330	Fatal if inhaled.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula:	(CH <sub>3</sub> COO) <sub>2</sub> Cd * 2H <sub>2</sub> O
Molecular weight:	266,52 g/mol

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
5743-04-4	Cadmium acetate dihydrate	100 %
	208-853-2	048-001-00-5
	Carc. 1B, Muta. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H330 H301 H312 H372 H400 H410	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
5743-04-4	208-853-2	Cadmium acetate dihydrate	100 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### SECTION 4: First aid measures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 3 of 11

#### **4.1. Description of first aid measures**

##### **General information**

Self-protection of the first aider

##### **After inhalation**

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

##### **After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

##### **After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

##### **After ingestion**

Rinse mouth immediately and drink plenty of water. (Water, to which activated charcoal may be added )

Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Cyanosis (blue coloured blood)

Fever

Gastrointestinal complaints

Vomiting

Circulatory collapse

Headache

Spasms

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

##### **Unsuitable extinguishing media**

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Non-combustible solids

Hazardous combustion products

In case of fire may be liberated:

Metal oxide smoke, toxic

#### **5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

##### **Additional information**

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 4 of 11

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Take up carefully when dry. Take up dust-free and set down dust-free.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

- Read label before use. Handle and open container with care.
- Avoid dust formation. Do not breathe dust.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities
- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.
- If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 5 of 11

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.  
Store in a place accessible by authorized persons only.

##### Further information on storage conditions

Store in a dry place.  
storage temperature +5°C - +30°C

#### 7.3. Specific end use(s)

Laboratory chemicals

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

Cadmiumacetat-Dihydrat (5743-04-4)

TRGS 910

Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten überschritten werden kann.

Art der Exposition: Einatembare fraktion.

Toleranzkonzentration (4 x 10<sup>-3</sup>):

1 µg/m<sup>3</sup>

Art der Exposition: Einatembare fraktion.

Akzeptanzkonzentration (4 x 10<sup>-4</sup>):

0,16 µg/m<sup>3</sup>

Art der Exposition: Alveolengängige Fraktion.

Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten überschritten werden kann.

Art der Exposition: Alveolengängige Fraktion.

TRGS 905

Krebserzeugend: Kategorie 2

Abweichung von der Legaleinstufung (Gesundheitsschädlich) gemäß Anhang 1 der RL 67/548/EWG (Kennbuchstaben der Gefahrenbezeichnungen aus der Legaleinstufung).

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Wear eye/face protection.

##### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 6 of 11

By short-term hand contact  
Trade name/designation KCL 741 Dermatril® L  
Suitable material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing.  
Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
Filtering device with filter or ventilator filtering device of type: P3

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	like: Acetic acid
Odour threshold:	No data available
Melting point/freezing point:	256 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	>130 °C
pH-Value (at 20 °C):	~7 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility:	Soluble in: Water
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Density:	2,01 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	~950 kg/m <sup>3</sup>
Relative vapour density:	No data available
Particle characteristics:	No data available

### 9.2. Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 7 of 11

#### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

#### Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

100%

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

#### Further Information

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent, strong

Strong acid

Strong alkali

#### 10.4. Conditions to avoid

Keep away from heat.

#### 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No data available

##### Acute toxicity

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Cadmium acetate dihydrate for analysis**

Revision date: 13.07.2023

Product code: 15207

Page 8 of 11

Fatal if inhaled.  
Toxic if swallowed.  
Harmful in contact with skin.  
Avoid exposure - obtain special instructions before use.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5743-04-4	Cadmium acetate dihydrate				
	oral	ATE 100 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause genetic defects. (Cadmium acetate dihydrate)

May cause cancer. (Cadmium acetate dihydrate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure. (Cadmium acetate dihydrate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards**

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information**

Pulmonary oedema

**Further information**

Cyanosis (blue coloured blood)

Fever

Gastrointestinal complaints

Vomiting

Circulatory collapse

Headache

Spasms



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 9 of 11

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

##### 12.2. Persistence and degradability

No data available

##### 12.3. Bioaccumulative potential

log Pow: -0,88

No indication of bioaccumulation potential.

##### 12.4. Mobility in soil

No data available

##### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

##### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

##### 12.7. Other adverse effects

No data available

##### Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Send to a hazardous waste incinerator facility under observation of official regulations. Special monitoring requiring wastes.

###### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 2570
<u>14.2. UN proper shipping name:</u>	CADMIUM COMPOUND (Cadmium acetate dihydrate)
<u>14.3. Transport hazard class(es):</u>	6.1
<u>14.4. Packing group:</u>	II
Hazard label:	6.1
Classification code:	T5
Special Provisions:	274 596
Limited quantity:	500 g
Excepted quantity:	E4
Transport category:	2
Hazard No:	60
Tunnel restriction code:	D/E

##### Inland waterways transport (ADN)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 10 of 11

<b>14.1. UN number or ID number:</b>	UN 2570
<b>14.2. UN proper shipping name:</b>	CADMIUM COMPOUND (Cadmium acetate dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Classification code:	T5
Special Provisions:	274 596 802
Limited quantity:	500 g
Excepted quantity:	E4

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 2570
<b>14.2. UN proper shipping name:</b>	CADMIUM COMPOUND (Cadmium acetate dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Special Provisions:	274
Limited quantity:	500 g
Excepted quantity:	E4
EmS:	F-A, S-A

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 2570
<b>14.2. UN proper shipping name:</b>	CADMIUM COMPOUND (Cadmium acetate dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Special Provisions:	A3 A5
Limited quantity Passenger:	1 kg
Passenger LQ:	Y644
Excepted quantity:	E4
IATA-packing instructions - Passenger:	669
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	676
IATA-max. quantity - Cargo:	100 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	Cadmium acetate dihydrate

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 23

Information according to 2012/18/EU (SEVESO III): H2 ACUTE TOXIC

Additional information: E1

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Cadmium acetate dihydrate for analysis

Revision date: 13.07.2023

Product code: 15207

Page 11 of 11

Water hazard class (D): 3 - highly hazardous to water

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 11,12.

##### Abbreviations and acronyms

Acute Tox: Acute toxicity

Muta: Germ cell mutagenicity

Carc: Carcinogenicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

##### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

##### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.