

AnalytiChem GmbH

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium metaperiodate for analysis, ACS

| CAS No: | 7790-21-8 |
|---------|-----------|
| EC No: | 232-196-0 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|---|--|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone:0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Dange | rous Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) | |

Further Information

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Sol. 2; H272 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Pictograms:





according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 2 of 10

Hazard statements

| H272 | May intensify fire; oxidiser. |
|------|-----------------------------------|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

Precautionary statements

| ecautionary statemen | ts |
|----------------------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312 | Call a doctor if you feel unwell. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

| Sum formula: | KIO4 |
|-------------------|-----------|
| Molecular weight: | 230 g/mol |

Hazardous components

| CAS No | Chemical name | | Quantity | |
|-----------|---|----------|----------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7790-21-8 | potassium periodate | | 100 % | |
| | 232-196-0 | | | |
| | Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H272 H315 H319 H335 | | | |

Full text of H and EUH statements: see section 16.

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.



an analyti**chem** brand

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 3 of 10

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Oxidizing Hazardous combustion products In case of fire may be liberated: Hydrogen iodide (HI)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 4 of 10

Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Further information on storage conditions

Keep in a cool place.

storage temperature: +15 - +25 °C.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 5 of 10

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | solid | |
|--|-------------------|--|
| Colour: | white | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | 582 °C |
| Boiling point or initial boiling point and | | No data available |
| boiling range: | | |
| Flammability: | | not determined |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | not applicable |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | >560 °C |
| pH-Value (at 25 °C): | | 4,5 - 5,5 (2,3 g/l) |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | 2,3 g/L |
| (at 20 °C) | | |
| Solubility in other solvents | | |
| not determined | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | not determined |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: Relative density: | | 3,618 g/cm ³ No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | not determined |
| Particle characteristics: | | No data available |
| | | |
| | | |



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 6 of 10

| 9.2. Other information | |
|--|-------------------|
| Information with regard to physical hazard classes | |
| Explosive properties | |
| No data available | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | not determined |
| Gas: | not applicable |
| Oxidizing properties | |
| The product is: oxidising, Oxidising. | |
| Other safety characteristics | |
| Evaporation rate: | not determined |
| Solvent separation test: | No data available |
| Solid content: | 100% |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| | No data available |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reducing agent Combustible substance

10.4. Conditions to avoid

Humidity Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 7 of 10

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met. May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (potassium periodate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No data available

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 8 of 10

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains. Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

| Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: | UN 1479 OXIDIZING SOLID, N.O.S. (potassium periodate) 5.1 II 5.1 O2 274 1 kg E2 2 50 |
|--|---|
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Classification code: Special Provisions: Limited quantity: Excepted quantity: | UN 1479 OXIDIZING SOLID, N.O.S. (potassium periodate) 5.1 II 5.1 O2 274 1 kg E2 |
| Marine transport (IMDG) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: | UN 1479 OXIDIZING SOLID, N.O.S. (potassium periodate) 5.1 II 5.1 274, 900 1 kg E2 F-A, S-Q UN 1479 OXIDIZING SOLID, N.O.S. (potassium periodate) 5.1 II |



according to Regulation (EC) No 1907/2006

| Potassium metaperiodate for analysis, ACS | | |
|--|---|-----------------|
| Revision date: 14.08.2023 | Product code: 15266 | Page 9 of 10 |
| Hazard label: | 5.1 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 2.5 kg | |
| Passenger LQ: | Y544 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | 558 | |
| IATA-max. quantity - Passenger: | 5 kg | |
| IATA-packing instructions - Cargo: | 562 | |
| IATA-max. quantity - Cargo: | 25 kg | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| Warning: Oxidising substances. 14.7. Maritime transport in bulk according not applicable | to IMO instruments | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | | |
| EU regulatory information | | |
| Information according to 2012/18/EU (SEVESO III): | P8 OXIDISING LIQUIDS AND SOLIDS | |
| National regulatory information | | |
| | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or pursing methods. | |
| Employment restrictions: | work protection guideline' (94/33/EC). Observe employme | nt restrictions |

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Ox. Sol: Oxidising solid Skin Irrit: Skin irritation Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Relevant H and EUH statements (number and full text) H272 May intensify fire; oxidiser.

- H2/2 May intensity fire; oxidiser. H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.



according to Regulation (EC) No 1907/2006

Potassium metaperiodate for analysis, ACS

Revision date: 14.08.2023

Product code: 15266

Page 10 of 10

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.