

according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium peroxodisulfate pure

REACH Registration Number:	01-2119495676-19-XXXX
CAS No:	7727-21-1
Index No:	016-061-00-1
EC No:	231-781-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

.3. Details of the supplier of the safety data sheet
--

1.3. Details of the supplier of the safety o	fety data sheet	
Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Canad accepted)	Day or Night Within USA and Canada:

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Danger



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 2 of 12





Hazard statements

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	K2O8S2
Molecular weight:	270,32 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7727-21-1	potassium persulphate			100 %
	231-781-8 016-061-00-1 01-2119495676-19-XXXX			
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7727-21-1	231-781-8	potassium persulphate	100 %
	inhalation: LC5 742 mg/kg	0 = >= 2,95 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 =	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 3 of 12

General information

Self-protection of the first aider

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Allergic reactions Cough Dyspnoea

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible solids Oxidizing Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation.

Use personal protection equipment.



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 4 of 12

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Avoid dust formation. Do not breathe dust. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from combustible material.



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 5 of 12

Further information on storage conditions

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7727-21-1	Persulphate salts, inorganic; Potassium persulphate	-	0.1		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance				
DNEL type Exposure route Effect Value			Value		
7727-21-1	potassium persulphate				
Worker DNEL	, long-term	inhalation	systemic	2,06 mg/m ³	
Worker DNEL	, acute	inhalation	systemic	590 mg/m³	
Worker DNEL	, long-term	inhalation	local	2,06 mg/m ³	
Worker DNEL	long-term	dermal	systemic	18,2 mg/kg bw/day	
Worker DNEL	, acute	dermal	systemic	400 mg/kg bw/day	
Worker DNEL	, long-term	dermal	local	0,102 mg/cm ²	
Worker DNEL	, acute	dermal	local	2,248 mg/cm ²	
Consumer DN	EL, long-term	inhalation	systemic	1,03 mg/m ³	
Consumer DN	EL, acute	inhalation	systemic	295 mg/m³	
Consumer DN	EL, long-term	inhalation	local	1,03 mg/m ³	
Consumer DN	EL, acute	inhalation	local	295 mg/m³	
Consumer DN	EL, long-term	dermal	systemic	9,1 mg/kg bw/day	
Consumer DN	EL, acute	dermal	systemic	200 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	local	0,051 mg/cm ²	
Consumer DN	EL, acute	dermal	local	1,124 mg/cm ²	
Consumer DN	EL, long-term	oral	systemic	9,1 mg/kg bw/day	
Consumer DN	EL, acute	oral	systemic	30 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 6 of 12

PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
7727-21-1	potassium persulphate		
Freshwater		0,076 mg/l	
Freshwater (intermittent releases) 0,763 mg/l		0,763 mg/l	
Marine water 0,011 mg/l		0,011 mg/l	
Freshwater sediment 0,275 mg/k		0,275 mg/kg	
Marine sediment		0,04 mg/kg	
Micro-organisms in sewage treatment plants (STP)		3,6 mg/l	
Soil		0,015 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 7 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	emical properties	
Physical state:	solid	
Colour:	white	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		100 °C
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not determined
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		~100 °C
pH-Value (at 20 °C):		~3,2 (50 g/l)
Viscosity / kinematic:		No data available
Water solubility:		50 g/L
(at 20 °C)		
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		2,48 g/cm ³
Relative density:		No data available
Bulk density:		~1150 kg/m³
Relative vapour density:		not determined
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical ha	zard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		not determined
Gas:		not applicable
Oxidizing properties		
The product is: oxidising, Oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		100%
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
		No data available



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure			
Revision date: 17.08.2023	Product code: 15270	Page 8 of 12	
Viscosity / dynamic:	No data available		
Flow time:	No data available		
Further Information			
No data available			
SECTION 10: Stability and reactivity			

10.1. Reactivity

Possibility of hazardous reactions. oxidising, Oxidising.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Metal, Heavy metals silver, Reducing agent Combustible substance, Alkali (lye) Acid, Water

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Harmful if swallowed. Pulmonary oedema

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7727-21-1	potassium persulphate					
	oral	LD50 mg/kg	742	Rat	Study report (2001)	EPA OPPTS 870.1100
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1991)	EPA OPP 81-2
	inhalation (4 h) dust/mist	LC50 mg/l	>= 2,95	Rat	Study report (1989)	EPA OPP 81-3

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium persulphate) May cause an allergic skin reaction. (potassium persulphate)



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 9 of 12

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (potassium persulphate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information

No data available

Further information

Irritant Allergic reactions Cough Dyspnoea

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7727-21-1	potassium persulphate						
	Acute fish toxicity	LC50 mg/l	76,3	96 h	Oncorhynchus mykiss	Study report (1993)	other: FIFRA Guideline 72-1 of the Pesti
	Acute algae toxicity	ErC50	136 mg/l		Phaeodactylum tricornutum	Study report	OECD Guideline 201
	Acute crustacea toxicity	EC50	120 mg/l	48 h	Daphnia magna	Study report (1993)	other: FIFRA Guideline 72-2 of the Pesti

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. No data available



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 10 of 12

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms. No data available

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains. Dispose of waste according to applicable legislation. Do not mix with other wastes.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific

to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1492
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	111
Hazard label:	5.1
Classification code:	O2
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	50
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1492
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
Classification code:	O2
Limited quantity:	5 kg
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1492
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	111
Hazard label:	5.1
Special Provisions:	-
Limited quantity:	5 kg
• •	=



according to Regulation (EC) No 1907/2006

	Potassium peroxodisulfate pure	
Revision date: 17.08.2023	Product code: 15270	Page 11 of 12
Excepted quantity:	E1	
EmS:	F-A, S-Q	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1492	
14.2. UN proper shipping name:	POTASSIUM PERSULPHATE	
14.3. Transport hazard class(es):	5.1	
<u>14.4. Packing group:</u> Hazard label:	III 5.1	
Special Provisions:	A803	
Limited quantity Passenger:	10 kg	
Passenger LQ:	Y546	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	559	
IATA-max. quantity - Passenger:	25 kg	
IATA-packing instructions - Cargo:	563	
IATA-max. quantity - Cargo:	100 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Warning: Oxidising substances.		
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 75		
Information according to 2012/18/EU (SEVESO III):	P8 OXIDISING LIQUIDS AND SOLIDS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
For this substance a chemical safety as	ssessment has not been carried out.	

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

Potassium peroxodisulfate pure

Revision date: 17.08.2023

Product code: 15270

Page 12 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Ox. Sol: Oxidising solid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation STOT SE: Specific target organ toxicity - single exposure

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.