

Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

REACH Registration Number:	01-2119489461-32-XXXX
CAS No:	151-21-3
EC No:	205-788-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Sol. 2; H228 Acute Tox. 4; H332 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Pictograms:

Product code: 15293

Page 2 of 12



Hazard statements

H228	Flammable solid.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

oodallonaly olalonion	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C12H25OSO2ONa
Molecular weight:	288,37 g/mol

Hazardous components

CAS No	No Chemical name		Quantity	
	EC No			
	Classification (Regulation (EC) No	1272/2008)		
151-21-3	21-3 sodium dodecyl sulphate			100 %
	205-788-1 01-2119489461-32-XXXX			
Flam. Sol. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H228 H332 H302 H315 H318 H335 H412				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
151-21-3	205-788-1)5-788-1 sodium dodecyl sulphate		
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1200 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 3 of 12

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water and soap Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant corrosive Cough Dyspnoea Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible solids

Hazardous combustion products In case of fire may be liberated: Sulphur oxides

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety.



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 4 of 12

Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation. Do not breathe dust. Read label before use.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place. Keep cool. Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep container tightly closed. storage temperature: +5°C - +30°C

7.3. Specific end use(s)



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 5 of 12

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
151-21-3	sodium dodecyl sulphate				
Worker DNEL,	long-term	inhalation	systemic	285 mg/m³	
Worker DNEL,	long-term	dermal	systemic	4060 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	85 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	2440 mg/kg bw/day	
Consumer DNE	EL, long-term	oral	systemic	24 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmen	tal compartment	Value	
151-21-3	sodium dodecyl sulphate		
Freshwater		0,176 mg/l	
Freshwater	(intermittent releases)	0,055 mg/l	
Marine wate	r	0,018 mg/l	
Freshwater	sediment	6,97 mg/kg	
Marine sedir	nent	0,697 mg/kg	
Micro-organisms in sewage treatment plants (STP)		1,35 mg/l	
Soil		1,29 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 6 of 12

Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: P2

Environmental exposure controls

Do not allow to enter into surface water or drains. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	white	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:	not determined	204-207 °C
		~216 °C
Boiling point or initial boiling point and boiling range:		~210 C
Flammability:		No data available
Lower explosion limits:		not determined
•		
Upper explosion limits:		not determined
Flash point:		No data available
Auto-ignition temperature:		not determined
Decomposition temperature:		380 °C
pH-Value (at 20 °C):		6 - 9 (10 g/l)
Viscosity / kinematic:		not determined
Water solubility:		130 g/L
(at 20 °C)		
Solubility in other solvents		
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		log Pow: 0
Dispersion stability:		not determined
Vapour pressure: (at 20 °C)		< 0 hPa
Vapour pressure:		not determined
Density:		No data available
Relative density:		not determined
Bulk density:		~400 kg/m³



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure				
Revision date: 11.09.2023	Product code: 15293	Page 7 of 12		
Relative vapour density:	not determined			
Particle characteristics:	not determined			
9.2. Other information				
Information with regard to physical hazard	classes			
Explosive properties				
Danger of dust explosion.				
Sustaining combustion:	No data available			
Self-ignition temperature				
Solid:	not determined			
Gas:	not applicable			
Oxidizing properties				
No data available				
Other safety characteristics				
Evaporation rate:	not determined			
Solvent separation test:	not determined			
Solvent content:	not determined			
Solid content:	100%			
Sublimation point:	not determined			
Softening point:	not determined			
Pour point:	not determined			
not determined:				
Viscosity / dynamic:	not determined			
Flow time:	not determined			
Further Information				
not determined				

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Danger of dust explosion.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 8 of 12

Acute toxicity

Harmful if swallowed.

Harmful if inhaled.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
151-21-3	i1-21-3 sodium dodecyl sulphate					
	oral	LD50 mg/kg	1200	Rat	Other company data (1983)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2012)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Possible risk of irreversible effects. (eyes)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (sodium dodecyl sulphate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available Other information

No data available

Further information

Irritant corrosive Cough Dyspnoea Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 9 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
151-21-3	sodium dodecyl sulphate							
	Acute fish toxicity	LC50	29 mg/l	96 h	Pimephales promelas	Study report (2004)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 120	72 h	Desmodesmus subspicatus	Study report (1994)	other: DIN 38412, part 9	
	Acute crustacea toxicity	EC50 mg/l	3,15	48 h	Artemia salina	Journal of the Water Pollution Control F	Static mortality test on Artemia nauplii	
	Fish toxicity	NOEC mg/l	>= 1,357	42 d	Pimephales promelas	Bulletin of Environmental Contamination	42 day exposure of fish in aquaria provi	
	Crustacea toxicity	NOEC mg/l	0,88	7 d	Ceriodaphnia dubia	Environmental Toxicology and Water Quali	other: EPA-600/489/001 : Short term metho	
	Acute bacteria toxicity	(EC50 mg/l)	135	3 h	activated sludge of a predominantly domestic sewag	Water Research 17(10): 1363-1368 (1983)	other: OECD Environment directorate prop	

12.2. Persistence and degradability

95 %; 28 d; aerob

OECD 301 B

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
151-21-3	sodium dodecyl sulphate	0

BCF

CAS No	Chemical name	BCF	Species	Source
151-21-3	sodium dodecyl sulphate	ca. 4	Cyprinus carpio	Chemosphere 11, 917-

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.



Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 10 of 12

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1325
14.2. UN proper shipping name:	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Classification code:	F1
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	40
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1325
14.2. UN proper shipping name:	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	
Hazard label:	4.1
Classification code:	+., F1
-	
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1325
14.2. UN proper shipping name:	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
<u>14.3. Transport hazard class(es):</u>	4.1
14.4. Packing group:	III
Hazard label:	4.1
Special Provisions:	223, 274
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-G
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 1325
14.2. UN proper shipping name:	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Special Provisions:	A3 A803
Limited quantity Passenger:	10 kg
Passenger LQ:	Y443
Excepted quantity:	E1
IATA-packing instructions - Passenger:	446
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	449
IATA-max. quantity - Cargo:	100 kg



Safety Data Sheet

Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 11 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information	
Restrictions on use (REACH, annex XVII): Entry 40	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	2 - obviously hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Flam. Sol: Flammable solid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard Relevant H and EUH statements (number and full text) 11000

H228	Flammable solid.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium dodecyl sulfate (SDS, Lauryl sulfate sodium salt) pure

Revision date: 11.09.2023

Product code: 15293

Page 12 of 12

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.