

# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Substance name:	zinc chloride
REACH Registration Number:	01-2119472431-44-XXXX
CAS No:	7646-85-7
Index No:	030-003-00-2
EC No:	231-592-0

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: Street:	Fa. Bernd Kraft GmbH Stempelstraße 6	
Place: Telephone:	D-47167 Duisburg 0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person: e-mail: Internet:	Abteilung Produktsicherheit produktsicherheit@berndkraft.de www.berndkraft.de	Telephone: 0203/5194-107/117
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMT	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

#### **Further Information**

No data available

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Acute Tox. 4; H302 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

Signal word:

### Regulation (EC) No 1272/2008

## Hazard components for labelling

zinc chloride

Danger



according to Regulation (EC) No 1907/2006

	Zinc chloride for analysis, ACS, Reag. Ph. Eur.	
Revision date: 07.11.2022	Product code: 15314	Page 2 of 11
Pictograms:		
Hazard statements		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H335	May cause respiratory irritation.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
2.3. Other hazards		

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7646-85-7	zinc chloride		100 %			
	231-592-0 030-003-00-2 01-2119472431-44-XXXX					
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H400 H410					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7646-85-7	231-592-0	zinc chloride	100 %	
	dermal: LD50 =	: > 2000 mg/kg; oral: LD50 = 1100 mg/kg		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

### After inhalation

Provide fresh air.

Call a physician immediately.



according to Regulation (EC) No 1907/2006

# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 3 of 11

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Risk of serious damage to eyes. Gastrointestinal complaints Circulatory collapse Cardiac arrhythmias

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.



# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 4 of 11

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid dust formation. Do not breathe dust.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container dry.

#### Further information on storage conditions

Keep container tightly closed.



# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 5 of 11

storage temperature: +2°C - +30°C

# 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7646-85-7	Zinc chloride, fume	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

### **DNEL/DMEL** values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
7646-85-7	zinc chloride							
Worker DNEL,	long-term	inhalation	systemic	1 mg/m³				
Worker DNEL,	long-term	dermal	systemic	8,3 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	1,25 mg/m³				
Consumer DN	EL, long-term	dermal	systemic	8,3 mg/kg bw/day				
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day				

### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
7646-85-7	zinc chloride				
Freshwater 0,0206 mg/l					
Marine water 0,0061 mg/l					
Freshwater sediment 117,8 mg/kg					
Marine sediment 56,5 mg/kg					
Micro-organisms in sewage treatment plants (STP) 0,1 mg/l					
Soil	Soil				

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

Wear eye/face protection.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact



according to Regulation (EC) No 1907/2006

# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 6 of 11

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

# **Respiratory protection**

Respiratory protection necessary at: dust formation Filtering device with filter or ventilator filtering device of type: P2

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: Melting point/freezing point:	solid white odourless No data available	287-304 °C
Boiling point or initial boiling point and		732 °C
boiling range: Flammability		
Solid/liquid:		No data available
Gas:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature: Decomposition temperature:		No data available 360 °C
pH-Value (at 20 °C):		5 (100 g/l)
Viscosity / kinematic:		No data available
Water solubility: (at 25 °C)		851 g/L
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure: (at 428 °C)		1,33 hPa
Vapour pressure:		No data available
Density (at 22 °C):		2,93 g/cm <sup>3</sup>
Bulk density:		1400-1800 kg/m³



Zinc chloride for analysis, ACS, Reag. Ph. Eur.							
Revision date: 07.11.2022	Product code: 15314	Page 7 of 11					
Relative vapour density:	No data available						
9.2. Other information							
Information with regard to physical hazard classe	S						
Explosive properties							
No data available							
Sustaining combustion:	No data available						
Self-ignition temperature							
Solid:	No data available						
Gas:	No data available						
Oxidizing properties							
Oxidizing							
Other safety characteristics							
Evaporation rate:	No data available						
Solvent separation test:	No data available						
Solvent content:	0						
Solid content:	100,00 %						
Sublimation point:	No data available						
Softening point:	No data available						
Pour point:	No data available						
No data available:							
Viscosity / dynamic:	No data available						
Flow time:	No data available						
Further Information							
Corrosive to metals.							

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent, strong Sodium

#### 10.4. Conditions to avoid No data available

# 10.5. Incompatible materials

Metal

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

# Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Harmful if swallowed.



# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 8 of 11

CAS No	Chemical name	Chemical name									
	Exposure route	Exposure route Dose Species Source Method									
7646-85-7	zinc chloride	zinc chloride									
	oral	LD50 mg/kg	1100	Rat	Vet Hum Toxicol. 30(3): 224-228 (1988	OECD Guideline 401 3)					
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1999)	OECD Guideline 402					

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (zinc chloride)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

Practical experience

No data available

### 11.2. Information on other hazards

Other information

No data available

# Further information

Causes burns. Irritant Cough Dyspnoea Vomiting Risk of serious damage to eyes. Gastrointestinal complaints Circulatory collapse Cardiac arrhythmias

#### **SECTION 12: Ecological information**

# 12.1. Toxicity



Revision date: 07.11.2022

according to Regulation (EC) No 1907/2006 Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Product code: 15314

Page 9 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7646-85-7	zinc chloride							
	Acute fish toxicity	LC50 mg/l	0,439	96 h	Cottus bairdii	Environm; Toxic; & Chemistry, vol 24, nr	lab-designed dose-response test	
	Acute crustacea toxicity	EC50 mg/l	1,22	48 h	Daphnia magna	Publication (1995)	other: US EPA/600/4-85/01 3: methods for	
	Fish toxicity	NOEC mg/l	0,172	30 d	Cottus bairdi	Environm. Tox & Chem. Vol 24, Nr 6, 1515	lab-designed dose-response test	
	Algae toxicity	NOEC mg/l	1,071	16 d	Macrocystis pyrifera	Mar Environ Res 26(2):113-134 (1988)	16-d and 2-d toxicity test to early life	
	Crustacea toxicity	NOEC mg/l	0,031	50 d	Daphnia magna	Aquatic Toxicologhy 12,273-290 (1988)	chronic tests were performed for an exte	
	Acute bacteria toxicity	(EC50	5,2 mg/l)	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209	

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

# No data available

# BCF

CAS No	Chemical name	BCF	Species	Source
7646-85-7	zinc chloride	96,05	Danio rerio	Chemosphere 128:125-

# 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. No data available

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 10 of 11

# **SECTION 14: Transport information**

Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 2331	
14.2. UN proper shipping name:	ZINC CHLORIDE, ANHYDROUS	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C2	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2331	
14.2. UN proper shipping name:	ZINC CHLORIDE, ANHYDROUS	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C2	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2331	
14.2. UN proper shipping name:	ZINC CHLORIDE, ANHYDROUS	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Marine pollutant:	Р	
Special Provisions:	-	
Limited quantity:	5 kg	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 2331	
14.2. UN proper shipping name:	ZINC CHLORIDE, ANHYDROUS	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A803	
Limited quantity Passenger:	5 kg	
Passenger LQ:	Y845	
Excepted quantity: IATA-packing instructions - Passenger:	E1 860	
IATA-max. quantity - Passenger:	25 kg	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	23 Kg 864	
IATA-max. quantity - Cargo:	100 kg	
	100 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	zinc chloride	



t

according to Regulation (EC) No 1907/2006

# Zinc chloride for analysis, ACS, Reag. Ph. Eur.

Revision date: 07.11.2022

Product code: 15314

Page 11 of 11

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	EU regulatory information			
Restrictions on use (REACH, annex XVII):				
	Entry 75			
	Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment		
National regulatory information				
	Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		
_	Water hazard class (D):	3 - highly hazardous to water		

# **SECTION 16: Other information**

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.