

Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for						
Revision date: 07.11.2022	macro e		Dama 1 of 12			
Revision date. 07.11.2022	Product code: 15500	1	Page 1 of 13			
SECTION 1: Identification of th	e substance/mixture and of the comp	any/undertaking				
<u>1.1. Product identifier</u> Salpetre ethanol consisting	of absolute ethanol denatured with MEK ar	nd nitric acid 65 % for macro e				
1.2. Relevant identified uses of th	e substance or mixture and uses advised	against				
	stances as such or in preparations at indus main (administration, education, entertainn					
Uses advised against						
Do not use for private purpo	ses (household).					
1.3. Details of the supplier of the	safety data sheet					
Company name:	Fa. Bernd Kraft GmbH					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
e-mail: Contact person: e-mail: Internet: Responsible Department:	info@berndkraft.de Abteilung Produktsicherheit produktsicherheit@berndkraft.de www.berndkraft.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117				
1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,   number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:   1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)						
Further Information						
This product is a mixture. RI	EACH Registration Number see section 3.					

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Flam. Liq. 2; H225 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid

Signal word:

Danger

#### Pictograms:





Re

### according to Regulation (EC) No 1907/2006

#### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

	macro e	
Revision date: 07.11.2022	Product code: 15500	Page 2 of 13
Hazard statements		
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
Precautionary statemen	Its	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	ain mixtures	

Corrosive to the respiratory tract.

#### 2.3. Other hazards

EUH071

No information available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity					
	EC No	Index No	ndex No REACH No				
	Classification (Regulation (EC) No 1272/2008)						
64-17-5	ethanol						
	200-578-6	603-002-00-5	01-2119457610-43				
	Flam. Liq. 2, Eye Irrit. 2; H225 H319						
7697-37-2	nitric acid						
	231-714-2	007-030-00-3	01-2119487297-23				
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071						

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Limits, M-factors and ATE						
64-17-5	200-578-6	200-578-6 ethanol					
	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100						
7697-37-2	231-714-2	nitric acid	5 - < 10 %				
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20					

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for macro e Revision date: 07.11.2022 Product code: 15500 Page 3 of 13 4.1. Description of first aid measures **General information** First aider: Pay attention to self-protection! After inhalation Provide fresh air. Call a physician immediately. After contact with skin Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately. After contact with eyes After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye. After ingestion Rinse mouth immediately and drink plenty of water. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Causes burns. Irritant Couah Dyspnoea Dizziness The product causes narcotic-like effects. Inebriation Vomiting Methaemoglobinaemia Risk of serious damage to eyes. 4.3. Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquid. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Carbon dioxide (CO2), Carbon monoxide Beware of reignition.

### 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

macro e

Page 4 of 13

Revision date: 07.11.2022

Product code: 15500

Use water spray jet to protect personnel and to cool endangered containers.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

according to Regulation (EC) No 1907/2006

#### macro e

Revision date: 07.11.2022

Product code: 15500

Page 5 of 13

When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Vapours may form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Corrosive to metals.

Unsuitable container/equipment material: Metal

#### 7.3. Specific end use(s)

Laboratory use Laboratory chemical

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

#### **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol						
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³			
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	114 mg/m <sup>3</sup>			
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day			



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

Revision date: 07.11.2022

macro e Product code: 15500

Page 6 of 13

#### **PNEC** values

CAS No	Substance					
Environment	Environmental compartment Value					
64-17-5	ethanol					
Freshwater		0,96 mg/l				
Freshwater (intermittent releases) 2,						
Marine water	0,79 mg/l					
Freshwater s	ediment	3,6 mg/kg				
Marine sedin	2,9 mg/kg					
Secondary p	380 mg/kg					
Micro-organi	580 mg/l					
Soil		0,63 mg/kg				

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 30 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Material, acid-resistant

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

macro e

Revision date: 07.11.2022

Product code: 15500

Page 7 of 13

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		13 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		not determined
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,8329 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
Vapours can form explosive mixtures	with air.	
Sustaining combustion:		Sustaining combustion
Self-ignition temperature		5
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Viscosity / dynamic:		No data available
Flow time:		No data available



### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

#### macro e

Revision date: 07.11.2022

Product code: 15500

Page 8 of 13

### **Further Information**

Corrosive to metals.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable. Vapours can form explosive mixtures with air. Corrosive to metals.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent Alkali (lye)

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

Metal Plastic articles Rubber articles

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Irritating to respiratory system. Pulmonary oedema

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
64-17-5	ethanol	ethanol								
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401				
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403				
7697-37-2	nitric acid	nitric acid								
	inhalation vapour ATE 2,65 mg/l									

#### Irritation and corrosivity



Salpetre ethanol consisting of absol	ute ethanol denatured with MEK and nitric acid 65 macro e	% for
Revision date: 07.11.2022	Product code: 15500	Page 9 of 1
Causes severe skin burns and eye damage. Causes serious eye damage.		
Sensitising effects Based on available data, the classification crite	ria are not met.	
Carcinogenic/mutagenic/toxic effects for reproduce Based on available data, the classification criter		
STOT-single exposure Based on available data, the classification crite	ria are not met.	
STOT-repeated exposure Based on available data, the classification crite	ria are not met.	
Aspiration hazard Based on available data, the classification crite	ria are not met.	
Specific effects in experiment on an animal There are no data available on the preparation/	/mixture itself.	
Additional information on tests There are no data available on the preparation/	/mixture itself.	
<b>Practical experience</b> There are no data available on the preparation/	/mixture itself.	
11.2. Information on other hazards		
Other information		
Causes burns.		
Irritant		
Cough		
Dyspnoea Dizziness		
The product causes narcotic-like effects.		
Inebriation		
Vomiting		
Methaemoglobinaemia		
Risk of serious damage to eyes.		
Further information		
Prolonged or repeated skin contact may cause inflammation).	removal of natural fat from the skin resulting in dermatitis (skin	
SECTION 12: Ecological information		
12.1. Toxicity		
There are no data available on the preparation/	mixture itself.	

There are no data available on the preparation/mixture itself.



# Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for macro e

Revision date: 07.11.2022

Product code: 15500

Page 10 of 13

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
64-17-5	ethanol								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11		
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a		
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		

#### 12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77

#### BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

#### 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the preparation/mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



### Salpetre ethanol consisting of absolute ethanol denatured with MEK $\,$ and nitric acid 65 % for

#### macro e

Revision date: 07.11.2022

Product code: 15500

Page 11 of 13

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, nitric acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
Transport category:	2
Hazard No:	338
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, nitric acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, Nitric acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-C



Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for macro e				
Revision date: 07.11.2022	Product code: 15500	Page 12 of 13		
Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:	UN 2924			
14.1. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, Nitric acid)			
14.3. Transport hazard class(es):	3			
14.4. Packing group:	5 			
Hazard label:	3+8			
Special Provisions:	A3			
Limited quantity Passenger:	0.5 L			
Passenger LQ:	Y340			
Excepted quantity:	E2			
IATA-packing instructions - Passenger:	352			
IATA-max. quantity - Passenger:	1 L			
IATA-packing instructions - Cargo:	363			
IATA-max. quantity - Cargo:	5 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Warning: Combustible liquid.				
14.7. Maritime transport in bulk according to	o IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII): Entry 3, Entry 40				
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.			
Water hazard class (D):	1 - slightly hazardous to water			

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%



Revision date: 07.11.2022

## according to Regulation (EC) No 1907/2006

### Salpetre ethanol consisting of absolute ethanol denatured with MEK and nitric acid 65 % for

Product code: 15500

macro e

Page 13 of 13

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Flam. Liq. 2; H225	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)