

Revision date: 18.04.2024	Product code: 156	Ch Leitfähigkeit, Bereich: 20-400 ppm N646Page 1 of 12
SECTION 1: Identification of the	substance/mixture and of the co	mpany/undertaking
<u>1.1. Product identifier</u> Borsäurelsg., Lsg. C z. Ammo	oniumbestimmung durch Leitfähigkeit, E	Bereich: 20-400 ppm N
UFI:	A9AD-6114-G00Y-GAUM	
1.2. Relevant identified uses of the	substance or mixture and uses advis	ed against
	ances as such or in preparations at ind nain (administration, education, enterta	
<b>Uses advised against</b> Do not use for private purpos	es (household).	
1.3. Details of the supplier of the same		
Company name:	AnalytiChem GmbH ACD	
Street: Place:	Stempelstraße 6 D-47167 Duisburg	
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
<u>1.4. Emergency telephone</u> <u>number:</u> Further Information	Exposure, or Accident Call CHEM	erous Goods] Incidents Spill, Leak, Fire, IREC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

This product is a mixture. REACH Registration Number see section 3.

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008 Repr. 1B; H360FD

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Hazard components for labelling boric acid

Signal word:

Danger

Pictograms:



Hazard statements H360FD

May damage fertility. May damage the unborn child.



Page 2 of 12

### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Dorsaureisg.,	Log. 0 2. Animoniumbestimmung durch Lettiamgkeit, Dereich. 20-400 p	γPIII
Revision date: 18.04.2024	Product code: 15646	F
Precautionary statemer	its	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P405	Store locked up.	
P501	Dispose of contents/container to Dispose of contents/container in accordance with local/regional/national/international regulations	

### Special labelling of certain mixtures

Restricted to professional users.

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name					
	EC No					
	Classification (Regulation (EC) No 1272/2008)					
10043-35-3	boric acid					
	233-139-2	005-007-00-2	01-2119486683-25			
	Repr. 1B; H360FD					
1336-21-6	Ammonia			< 0.001 %		
	215-647-6	007-001-01-2	01-2119488876-14			
	Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
10043-35-3	233-139-2	boric acid	1 - < 5 %
	inhalation: LC50 = > 2,12 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg		
1336-21-6	215-647-6	Ammonia	< 0.001 %
		50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg   STOT SE 3; H335: >= 5 - 100 1; H400: M=10	

### Further Information

No data available

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available

### After inhalation

Provide fresh air. Call a doctor if you feel unwell.



# Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 3 of 12

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe vapour/aerosol.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 4 of 12

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Keep container tightly closed. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

### Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Store in a place accessible by authorized persons only.

#### Further information on storage conditions

Store in a dry place.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	



### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 5 of 12

### **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
10043-35-3	boric acid						
Worker DNEL	, long-term	inhalation	systemic	8,3 mg/m³			
Worker DNEL	, long-term	dermal	systemic	392 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	4,15 mg/m³			
Consumer DN	IEL, long-term	dermal	systemic	196 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	0,98 mg/kg bw/day			
Consumer DN	EL, acute	oral	systemic	0,98 mg/kg bw/day			
1336-21-6	Ammonia						
Worker DNEL	, long-term	inhalation	systemic	47,6 mg/m³			
Worker DNEL	, acute	inhalation	systemic	47,6 mg/m <sup>3</sup>			
Worker DNEL	, long-term	inhalation	local	14 mg/m <sup>3</sup>			
Worker DNEL	, acute	inhalation	local	36 mg/m³			
Worker DNEL	, long-term	dermal	systemic	6,8 mg/kg bw/day			
Worker DNEL	, acute	dermal	systemic	6,8 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	23,8 mg/m <sup>3</sup>			
Consumer DN	IEL, acute	inhalation	systemic	23,8 mg/m <sup>3</sup>			
Consumer DN	IEL, long-term	inhalation	local	2,8 mg/m <sup>3</sup>			
Consumer DN	IEL, acute	inhalation	local	7,2 mg/m³			
Consumer DNEL, long-term		dermal	systemic	68 mg/kg bw/day			
Consumer DNEL, acute		dermal	systemic	68 mg/kg bw/day			
Consumer DN			avetamia	6,8 mg/kg bw/day			
Consumer DN Consumer DN	IEL, long-term	oral	systemic	0,0 mg/kg bw/uay			

CAS No	Substance			
Environmental compartment Value				
10043-35-3	boric acid			
Freshwater		2,9 mg/l		
Freshwater (in	Freshwater (intermittent releases)			
Marine water	2,9 mg/l			
Micro-organisms in sewage treatment plants (STP) 10 mg/l				
Soil		5,7 mg/kg		
1336-21-6	Ammonia			
Freshwater		0,001 mg/l		
Freshwater (in	Freshwater (intermittent releases) 0,007 mg/l			
Marine water		0,001 mg/l		

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 6 of 12

#### Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Thermal hazards

No data available

### Environmental exposure controls

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless odourless No data available	
Melting point/freezing point:	No dala avaliable	No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available



# Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

	nbestimmung durch Leitranigkeit, Bereich: 20	-400 ppm N
Revision date: 18.04.2024	Product code: 15646	Page 7 of 12
pH-Value:	3,8-6,8	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	No data available	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard class Explosive properties No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties No data available	sses No data available No data available No data available	
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0 No data available	
Sublimation point:	No data available	
Softening point:	No data available No data available	
Pour point: No data available:		
	No data available	
Viscosity / dynamic:		
Flow time:	No data available	
Further Information		
Na data availabla		

No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid No data available

10.5. Incompatible materials

No data available



### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 8 of 12

### 10.6. Hazardous decomposition products

### No data available

### Further information

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
10043-35-3	boric acid							
	oral	oral LD50 3450 mg/kg			Toxicology and Applied Pharmacology 23:	other: No data		
	dermal LD50 > 2000 mg/kg		Rabbit	Study report (1982)	other: FIFRA			
	inhalation (4 h) dust/mist	LC50 mg/l	> 2,12	Rat	Study report (1997)	OECD Guideline 403		
1336-21-6	Ammonia							
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401		
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. May damage the unborn child. (boric acid)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the mixture itself.



### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date:	18 04 2024
Revision date:	18.04.2024

Product code: 15646

Page 9 of 12

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### Practical experience

There are no data available on the mixture itself.

### 11.2. Information on other hazards

### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
10043-35-3	boric acid								
	Acute fish toxicity	LC50 mg/l	79,7	96 h	Pimephales promelas	Study report (2010)	other: ASTM E729-95 Standard Guide for C		
	Acute algae toxicity	ErC50	66 mg/l	72 h	Phaeodactylum tricornutum	Study report (2011)	ISO 10253		
	Acute crustacea toxicity	EC50	109 mg/l	48 h	Ceriodaphnia dubia	Study report (2010)	other: ASTM E729-95 Standard Guide for C		
	Fish toxicity	NOEC mg/l	11,2	32 d	Pimephales promelas	Study report (2010)	other: ASTM E1241-05 Standard Guide for		
	Algae toxicity	NOEC mg/l	17,5	3 d	Pseudokirchneriella subcapitata	Study report (2000)	OECD Guideline 201		
	Crustacea toxicity	NOEC mg/l	25,9	42 d	other aquatic crustacea: Hyalella azteca	Study report (2010)	other: US EPA 2000 Methods for assessing		
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (2001)	OECD Guideline 209		
1336-21-6	Ammonia								
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80		
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210		

### 12.2. Persistence and degradability

There are no data available on the mixture itself.



### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 10 of 12

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
10043-35-3	boric acid	-1,09
1336-21-6	Ammonia	-1,38

#### BCF

CAS No	Chemical name	BCF	Species	Source
10043-35-3	boric acid	0,558	Oncorhynchus nerka	Water Research Vol.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

There are no data available on the mixture itself.

### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

Borsäurelsg., Lsg. C z. Amm	oniumbestimmung durch Leitfähigkeit, Bereich: 20-400	ppm N			
Revision date: 18.04.2024	Product code: 15646	Page 11 of 12			
<u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for userNo dangerous good in sense of this tra14.7. Maritime transport in bulk according toNo dangerous good in sense of this tra	DIMO instruments				
SECTION 15: Regulatory information					
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture				
<b>EU regulatory information</b> Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59): boric acid					
Restrictions on use (REACH, annex XVII): Entry 3, Entry 30					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC). Observe employment restrict under the Maternity Protection Directive (92/85/EEC) for expectant nursing mothers. Observe employment restrictions for women of child-bearing age.	tions			
Water hazard class (D): <b>Additional information</b> No data available	non-hazardous to water				
SECTION 16: Other information					
Changes					

This data sheet contains changes from the previous version in section(s): 1,9,12.

### Abbreviations and acronyms

Skin Corr: Skin corrosion Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Repr. 1B; H360FD	Calculation method

### Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

Provide appropriate information, instructions and training to users The above information describes exclusively the safety requirements of the product and is based on our



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Borsäurelsg., Lsg. C z. Ammoniumbestimmung durch Leitfähigkeit, Bereich: 20-400 ppm N

Revision date: 18.04.2024

Product code: 15646

Page 12 of 12

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)