

according to Regulation (EC) No 1907/2006

# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Ammonia solution 17 % NH3 for analysis

UFI:

S6GD-11CR-Y005-6T29

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	•	EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Hazard components for labelling Ammonia

Signal word:

**Pictograms:** 

Danger





according to Regulation (EC) No 1907/2006

Ammonia solution 17 % NH3 for analysis						
Revision date: 05.01.2022	Product code: 15703	Page 2 of 12				
Hazard statements						
H290	May be corrosive to metals.					
H314	Causes severe skin burns and eye damage.					
H335	May cause respiratory irritation.					
H400	Very toxic to aquatic life.					
H412	Harmful to aquatic life with long lasting effects.					
Precautionary statemer	nts					
P260	Do not breathe dust/fume/gas/mist/vapours/spray.					
P280	Wear protective gloves and eye/face protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P310	Immediately call a POISON CENTER/doctor.					
2.3. Other hazards						

No data available

#### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)					
1336-21-6	Ammonia					
	215-647-6	007-001-01-2	01-2119488876-14			
	Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411					

Full text of H and EUH statements: see section 16.

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
1336-21-6	215-647-6	Ammonia	15 - < 20 %
	inhalation: LC5 M acute; H400:	0 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg   STOT SE 3; H335: >= 5 - 100 M=10	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider Avoid contact with skin, eyes and clothes. Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. Call a physician immediately.



according to Regulation (EC) No 1907/2006

# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 3 of 12

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant Corrosion Cough Dyspnoea Gastrointestinal complaints gastric perforation Unconsciousness Vomiting Circulatory collapse Spasms Pulmonary oedema Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Formation of explosive mixtures with: Air Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**



# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 4 of 12

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

Formation of explosive mixtures with: Air

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.



according to Regulation (EC) No 1907/2006

# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 5 of 12

Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Corrosive to metals. Unsuitable container/equipment material: Metal

# Further information on storage conditions

storage temperature +5°C - +25°C Keep away from heat. Protect from sunlight.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1336-21-6	Ammonia		•	
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m³
Worker DNEL,	long-term	inhalation	local	14 mg/m³
Worker DNEL,	acute	inhalation	local	36 mg/m³
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DNE	EL, acute	inhalation	systemic	23,8 mg/m³
Consumer DNE	EL, long-term	inhalation	local	2,8 mg/m³
Consumer DNE	EL, acute	inhalation	local	7,2 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DNE	EL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DNE	EL, acute	oral	systemic	6,8 mg/kg bw/day



# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 6 of 12

#### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
1336-21-6	Ammonia				
Freshwater 0,001 mg/l					
Freshwater (inter	Freshwater (intermittent releases) 0,007 mg/l				
Marine water	Marine water				

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device with filter or ventilator filtering device of type: K

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

No data available

No data available No data available

15,4 vol. %

33,6 vol. %

No data available

No data available No data available

No data available

No data available

No data available

No data available

No data available

No data available

No data available

No data available

No data available

0,966 g/cm<sup>3</sup> No data available

completely miscible

alkaline

Page 7 of 12

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties Physical state: Liquid Colour: colourless Odour: stinging Changes in the physical state Melting point/freezing point: Boiling point or initial boiling point and boiling range: Sublimation point: Softening point: Pour point: No data available: Flash point: Flammability Solid/liquid:

Gas:

#### Explosive properties No data available

Lower explosion limits: Upper explosion limits: Auto-ignition temperature:

# Self-ignition temperature Solid: Gas:

Decomposition temperature:

pH-Value (at 20 °C):

Viscosity / dynamic:

Viscosity / kinematic:

Flow time:

Water solubility:

#### Solubility in other solvents No data available

Partition coefficient n-octanol/water:

Vapour pressure: (at 20 °C) Vapour pressure: Density: Bulk density:

Relative vapour density:

# 9.2. Other information

Information with regard to physical hazard classes Sustaining combustion: Oxidizing properties No data available



Ammonia solution 17 % NH3 for analysis						
Revision date: 05.01.2022	Product code: 15703	Page 8 of 12				
Other safety characteristics						
Solvent separation test:	No data available					
Solid content:	0					
Evaporation rate:	No data available					

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

Further Information

Formation of explosive mixtures with: Air

#### 10.3. Possibility of hazardous reactions

Oxidising agent, mercury (Hg)., Oxygen, Hydrogen peroxide, Acid, Chlorine, Heavy metals, Nitric acid, Bromine, Hydrogen bromide (HBr), Hydrochloric gas, Nitrogen oxides (NOx), Hydrogen fluoride, Carbon dioxide,

#### 10.4. Conditions to avoid

Heat

# 10.5. Incompatible materials

Metal

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

# SECTION 5: Firefighting measures

# Further information

No data available

# **SECTION 11:** Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	hemical name								
	Exposure route	Dose		Species	Source	Method				
1336-21-6	Ammonia	Ammonia								
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401				
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity				

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction



an analyti**chem** company

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

		Ammo	nia solut	tion 17	% NH3 for analys	ie	
Revision dat	te: 05.01.2022	Ammo			ode: 15703	13	Page 9
Base	d on available data, the cl	assification	criteria are	e not me	t.		
	ngle exposure				-		
May	cause respiratory irritation	. (Ammonia	)				
	peated exposure	:fiti	anitania ana		1		
	d on available data, the cl on hazard	assification	criteria are	e not me			
	d on available data, the cl	assification	criteria are	e not me	t.		
	<b>ion on likely routes of ex</b> e are no data available on		ition/mixtu	re itself.			
	effects in experiment on						
-	e are no data available on		ition/mixtu	re itself.			
	al information on tests						
There	e are no data available on	the prepara	ition/mixtu	re itself.			
	I experience	41	4: <i>(</i> : - 4				
	e are no data available on I <b>ation on other hazards</b>	the prepara	ition/mixtui	re itseit.			
	ne disrupting properties						
	e are no data available on	the prepara	ition/mixtu	re itself.			
	formation						
Irritar							
Corro							
Coug Dysp							
	rointestinal complaints						
-	ic perforation						
Unco Vomi	onsciousness						
	ilatory collapse						
Spas							
	onary oedema	_					
RISK	of serious damage to eyes	S					
SECTION 1	12: Ecological informat	tion					
12.1. Toxici	ty						
There	e are no data available on	the mixture	itself.				
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1336-21-6	Ammonia						
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80
		1		<u> </u>			

# 12.2. Persistence and degradability

Fish toxicity

Not readily biodegradable (according to OECD criteria)

NOEC

1,2 mg/l

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

61 d Oncorhynchus

gorbuscha

OECD Guideline

210

Fish. Bull. 78(3):

641-648 (1980)



# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 10 of 12

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1336-21-6	Ammonia	-1,38

### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. There are no data available on the mixture itself.

### Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2672
14.2. UN proper shipping name:	Ammonia solution
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Special Provisions:	543
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2672
14.2. UN proper shipping name:	Ammonia solution
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Classification code:	C5
Special Provisions:	543
•	



Ammonia solution 17 % NH3 for analysis				
Revision date: 05.01.2022	Product code: 1	5703	Page 11 of 12	
Limited quantity:	5 L			
Excepted quantity:	E1			
Marine transport (IMDG)				
<u>14.1. UN number or ID number:</u>	UN 2672			
14.2. UN proper shipping name:	Ammonia solution			
<u>14.3. Transport hazard class(es):</u>	8			
14.4. Packing group:	III			
Hazard label:	8			
Marine pollutant:	Р			
Special Provisions:	-			
Limited quantity:	5 L			
Excepted quantity: EmS:	E1			
	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2672			
14.2. UN proper shipping name:	Ammonia solution			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
Special Provisions:	A64 A803 1 L			
Limited quantity Passenger: Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes			
Danger releasing substance:	Ammonia			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	ations/legislation specific	for the substance or mixture		
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3				
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aqua	atic Environment		
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).			
Water hazard class (D):	2 - obviously hazardous to			
SECTION 16: Other information				

# Changes

This data sheet contains changes from the previous version in section(s): 1,2,7,8,9,10,11,12,14,15.



according to Regulation (EC) No 1907/2006

# Ammonia solution 17 % NH3 for analysis

Revision date: 05.01.2022

Product code: 15703

Page 12 of 12

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)