

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains

Revision date: 20.04.2022

Product code: 15787

Page 1 of 16

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains

UFI: KDQD-J1C3-P00R-RG0Q

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1B; H314

Eye Dam. 1; H318

Carc. 1B; H350i

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

beryllium nitrate

nitric acid

Signal word: Danger

###### Pictograms:



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 2 of 16

**Hazard statements**

- H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H350i May cause cancer by inhalation.

**Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**Special labelling of certain mixtures**

- EUH071 Corrosive to the respiratory tract.  
EUH208 Contains beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex, nickel dinitrate. May produce an allergic reaction.  
Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
-	beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex			< 1 %
	-	004-002-00-2		
	Carc. 1B, Acute Tox. 2, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2; H350i H330 H301 H315 H319 H317 H335 H372 H411			
13138-45-9	nickel dinitrate			< 0.1 %
	236-068-5	028-012-00-1		
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			
7761-88-8	silver nitrate			< 0.1 %
	231-853-9	047-001-00-2	01-2119513705-43	
	Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 3 of 16

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		inhalation: ATE = 2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
-	-	beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex	< 1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg	
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1	
7761-88-8	231-853-9	silver nitrate	< 0.1 %
		dermal: LD50 = > 348 mg/kg; oral: LD50 = > 2000 mg/kg M acute; H400: M=1000 M chron.; H410: M=100	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant — skin irritation and eye damage  
Causes burns.  
Cough  
Dyspnoea  
Risk of serious damage to eyes.  
Vomiting  
Methaemoglobinaemia

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 4 of 16

Allergic reactions

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 5 of 16

Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Provide adequate ventilation.  
Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Material, oxygen-rich, Oxidising

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.  
Provide adequate ventilation as well as local exhaustion at critical locations.  
Keep in a cool place.

**Further information on storage conditions**

Unsuitable container/equipment material: Metal, Light metal  
Store in a place accessible by authorized persons only.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 6 of 16

**DNEL/DMEL values**

CAS No	Substance	DNEL type	Exposure route	Effect	Value
13138-45-9	nickel dinitrate	Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
		Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
		Worker DNEL, acute	inhalation	systemic	104 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	1,6 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>
7761-88-8	silver nitrate	Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
		Worker DNEL, long-term	inhalation	systemic	0,016 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	systemic	0,006 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Environmental compartment	Value
13138-45-9	nickel dinitrate	Freshwater	0,0071 mg/l
		Freshwater (intermittent releases)	0 mg/l
		Marine water	0,0086 mg/l
		Freshwater sediment	109 mg/kg
		Marine sediment	109 mg/kg
		Secondary poisoning	0,12 mg/kg
		Micro-organisms in sewage treatment plants (STP)	0,33 mg/l
		Soil	29,9 mg/kg
7761-88-8	silver nitrate	Freshwater	0,00004 mg/l
		Marine water	0,00086 mg/l
		Freshwater sediment	438,13 mg/kg
		Marine sediment	438,13 mg/kg
		Micro-organisms in sewage treatment plants (STP)	0,025 mg/l
		Soil	1,41 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 7 of 16

**Eye/face protection**

Face protection shield  
goggles.

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	stinging
Odour threshold:	No data available

**Changes in the physical state**

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Flash point:	X

**Flammability**

Solid/liquid:	No data available
Gas:	No data available

**Explosive properties**

No data available

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 8 of 16

Lower explosion limits:	No data available
Upper explosion limits:	No data available
Auto-ignition temperature:	No data available
<b>Self-ignition temperature</b>	
Solid:	No data available
Gas:	No data available
Decomposition temperature:	No data available
pH-Value:	acidic
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Water solubility:	No data available
<b>Solubility in other solvents</b>	
not determined	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	No data available
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:	No data available
Oxidizing properties	
Oxidising.	

**Other safety characteristics**

Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Evaporation rate:	No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.  
Oxidising agent, strong

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 9 of 16

#### Danger of explosion:

Acetone, Alcohol, Aniline, Substance, organic, Benzene, Aniline, Amines, Hydrocarbons, halogenated, Diethyl ether, Hydrazine, Dioxane, Acetic acid, Acetic anhydride, Ethanol, Fluorine, Formaldehyde, Rubber articles, Hydrocarbons, Copper, Powdered metals, Methanol, Phosphorus trichloride, Hydrogen phosphides, Gasoline, Reducing agent, titanium, Toluene, Hydrogen peroxide, tin, Xylene, Dichloromethane, carbon black, Potassium chlorate, permanganates, e.g. potassium permanganate

#### Ignition hazard:

Amines, Ammonia (NH<sub>3</sub>), Combustible substance, aldehydes, Hydrogen iodide (HI), White/yellow phosphor, Hydrogen sulphide (H<sub>2</sub>S), Alkali metals, Alkaline earth metal

#### Violent reaction with:

Nitriles, antimony, arsenic, boron, Alkali (lye), , Formic acid, sulphuric acid, sulphuric acid, sulphuric acid, selenium

#### **10.4. Conditions to avoid**

Heat

#### **10.5. Incompatible materials**

Cellulose, Metal

Keep away from: Metal.

Keep away from combustible material.

The product develops hydrogen in an aqueous solution in contact with metals. / Nitrogen oxides (NO<sub>x</sub>)

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 10 of 16

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/kg			
-	beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
13138-45-9	nickel dinitrate				
	oral	LD50 361,9 mg/kg	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
7761-88-8	silver nitrate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 > 348 mg/kg	Guinea pig	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434

**Irritation and corrosivity**

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Risk of serious damage to eyes.

**Sensitising effects**

Contains beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex, nickel dinitrate. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex; nickel dinitrate)  
Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 11 of 16

#### **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### **Other information**

There are no data available on the mixture itself.

#### **Further information**

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Vomiting

Methaemoglobinaemia

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 12 of 16

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004) other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2 other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332 ISO 8192
7761-88-8	silver nitrate					
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry. A guideline was not specified. The test
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44 eline: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry. The protective effect of reactive sulphi
	Fish toxicity	NOEC	> 0,00125 mg/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2 other: ASTM 1241-98
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E The toxicity tests lasted 11 days for th

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 13 of 16

	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati
--	--------------------	--------------	---------	------	--------------------	---	--

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not empty into drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Do not mix with other wastes.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 14 of 16

Hazard No: 80  
Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Classification code: C1  
Limited quantity: 1 L  
Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Special Provisions: A212  
Limited quantity Passenger: Forbidden  
Passenger LQ: Forbidden  
Excepted quantity: E0  
IATA-packing instructions - Passenger: Forbidden  
IATA-max. quantity - Passenger: Forbidden  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Oxidising substances. strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 15 of 16

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,9,11,12.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Carc. 1B; H350i	Calculation method

**Relevant H and EUH statements (number and full text)**

H272 May intensify fire; oxidiser.  
 H290 May be corrosive to metals.  
 H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H330 Fatal if inhaled.  
 H331 Toxic if inhaled.  
 H332 Harmful if inhaled.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H335 May cause respiratory irritation.  
 H341 Suspected of causing genetic defects.  
 H350i May cause cancer by inhalation.  
 H360D May damage the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **Multielement standard solution ICP-MS A 29 elements in nitric acid approx. 1 mol/l 1 Liter contains**

Revision date: 20.04.2022

Product code: 15787

Page 16 of 16

EUH208

Contains beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex, nickel dinitrate. May produce an allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*