

according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

UFI:

NWVD-X1HH-900E-2A9U

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerou	us Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Can accepted)	C Day or Night Within USA and Canada: nada: +1 703-741-5970 (collect calls

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

**Pictograms:** 

## Regulation (EC) No 1272/2008

Signal word:





## Hazard statements

H290

May be corrosive to metals.

#### **Precautionary statements**

P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.



## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 2 of 10

P406

Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name	Chemical name				
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7664-38-2	phosphoric acid	phosphoric acid				
	231-633-2 015-011-00-6 01-2119485924-24					
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7664-38-2	231-633-2	phosphoric acid	1 - < 5 %
	oral: ATE = 500 Irrit. 2; H319: >=	) mg/kg   Skin Corr. 1B; H314: >= 25 - 100   Skin Irrit. 2; H315: >= 10 - < 25   Eye = 10 - < 25	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General information** 

#### No data available

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant



## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 3 of 10

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Phosphorus oxides

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7



according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 4 of 10

Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal, Light metal

## Further information on storage conditions

Keep container tightly closed. storage temperature: +15°C - +25 °C

### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	



## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 5 of 10

## **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
7664-38-2	phosphoric acid						
Worker DNEL,	acute	inhalation	local	2 mg/m³			
Worker DNEL,	long-term	inhalation	local	2,92 mg/m³			
Consumer DN	EL, long-term	inhalation	systemic	4,57 mg/m³			
Consumer DN	EL, long-term	inhalation	local	0,36 mg/m³			
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day			
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m³			

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation



according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 6 of 10

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		1,03934 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical has	zard classes	
Explosive properties		
The product develops hydrogen in ar	n aqueous solution in contact with	metals.
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content:		No data available
Solid content:		No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point:		No data available
No data available:		
Viscosity / dynamic:		No data available
Flow time:		No data available
Further Information		



according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 7 of 10

Corrosive to metals.

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

metals

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Metal, Aluminium, iron and steel The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
7664-38-2	phosphoric acid							
		ATE 500 mg/kg						

#### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 8 of 10

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	> 1000		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

## Phosphorsäure ca. 0,5 M zur TOC-Bestimmung

Revision date: 01.03.2024

Product code: 15851

Page 9 of 10

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Classification code:	C1
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	
Hazard label:	8
Special Provisions:	223 5 L
Limited quantity:	5L E1
Excepted quantity: EmS:	
	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L
14.5. Environmental hazards	



	Ph	osphorsäure ca. 0,5 M zur TOC-Bestimmung	
Revision date: 01.03.2024		Product code: 15851	Page 10 of 10
ENVIRONMENTALLY HA	ZARDOUS	No	
SECTION 15: Regulatory	nformatio	n	
15.1. Safety, health and envi	ronmental	regulations/legislation specific for the substance or mixture	
EU regulatory information Information according to D 2012/18/EU (SEVESO III)	irective	Not subject to 2012/18/EU (SEVESO III)	
National regulatory inform	nation		
Water hazard class (D):		1 - slightly hazardous to water	
SECTION 16: Other inform	nation		
Abbreviations and acron Met. Corr: Substance Acute Tox: Acute toxic Skin Corr: Skin corrosi Eye Dam: Eye damage	y <b>ms</b> or mixture c ity on e	from the previous version in section(s): 1,12. orrosive to metals valuation method according to Regulation (EC) No 1272/2008 [CLP]	
Classification		ssification procedure	
Met. Corr. 1; H290		basis of test data	
present-day knowledge	May be co Harmful if Causes se Causes se describes e. The infor	rrosive to metals.	

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)