

according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Zinc chloride solution 35 % pure

UFI: MY7G-N1WA-X00J-0U6R

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

e-mail: info@berndkraft.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

e-mail: produktsicherheit@berndkraft.de

Internet: www.berndkraft.de

Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

### **GB CLP Regulation**

## Hazard components for labelling

zinc chloride

Signal word: Danger

Pictograms:







Print date: 01.12.2022



# **Safety Data Sheet**

according to UK REACH Regulation

# Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 2 of 12

#### **Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

#### **Hazardous components**

CAS No	Chemical name			
	EC No Index No REACH No			
	Classification (GB CLP Regulation)			
7646-85-7	zinc chloride			25 - < 30 %
	231-592-0 030-003-00-2 01-2119472431-44			
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H400 H410			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7646-85-7	231-592-0	zinc chloride	25 - < 30 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1100 mg/kg STOT SE 3; H335: >= 5 - 100		

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 3 of 12

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Circulatory collapse

Cardiac arrhythmias

Gastrointestinal complaints

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrochloric gas

Metal oxide smoke, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 



according to UK REACH Regulation

# Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 4 of 12

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

Provide adequate ventilation as well as local exhaustion at critical locations.

Keep in a cool place.

### Hints on joint storage

national regulations



according to UK REACH Regulation

# Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 5 of 12

### Further information on storage conditions

Unsuitable container/equipment material: Metal

Keep container dry.

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7646-85-7	Zinc chloride, fume	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7646-85-7	zinc chloride					
Worker DNEI	L, long-term	inhalation	systemic	1 mg/m³		
Worker DNEI	Worker DNEL, long-term		systemic	8,3 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	1,25 mg/m³		
Consumer Di	NEL, long-term	dermal	systemic	8,3 mg/kg bw/day		
Consumer Di	NEL, long-term	oral	systemic	0,83 mg/kg bw/day		

## PNEC values

CAS No	Substance		
Environmental	compartment	Value	
7646-85-7	zinc chloride		
Freshwater		0,0206 mg/l	
Marine water		0,0061 mg/l	
Freshwater sediment		117,8 mg/kg	
Marine sedime	nt	56,5 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l	
Soil 35,6 m			

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection:

Face protection shield

goggles.



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 6 of 12

### **Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: No data available
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range: Flammability

Solid/liquid: not applicable Gas: not applicable Lower explosion limits: No data available Upper explosion limits: No data available Flash point: X Auto-ignition temperature: No data available Decomposition temperature: No data available

pH-Value: 4,1
Viscosity / kinematic: No data available
Water solubility: easily soluble

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

No data available

No data available



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 7 of 12

Vapour pressure:
Vapour pressure:
No data available
Vapour pressure:
No data available
Density:
1,3522 g/cm³
Relative density:
No data available
Bulk density:
No data available
Relative vapour density:
No data available
Particle characteristics:
No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

# Further Information

# Corrosive to metals

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent, strong

Sodium (Na)

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

metals

# 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### **Further information**

No data available



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 8 of 12

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Harmful if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

### **ATEmix calculated**

ATE (oral) 2000,0 mg/kg

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
7646-85-7	zinc chloride						
	oral	LD50 mg/kg	1100	Rat	Vet Hum Toxicol. 30(3): 224-228 (1988	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1999)	OECD Guideline 402	

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

May cause respiratory irritation. (zinc chloride)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

There are no data available on the mixture itself.

### Other information

There are no data available on the mixture itself.

### **Further information**

Irritant — skin irritation and eye damage



according to UK REACH Regulation

# Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 9 of 12

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Circulatory collapse

Cardiac arrhythmias

Gastrointestinal complaints

Risk of serious damage to eyes.

Circulatory collapse

Cardiac arrhythmias

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7646-85-7	zinc chloride						
	Acute fish toxicity	LC50 mg/l	0,439	96 h	Cottus bairdii	Environm; Toxic; & Chemistry, vol 24, nr	lab-designed dose-response test
	Acute crustacea toxicity	EC50 mg/l	1,22	48 h	Daphnia magna	Publication (1995)	other: US EPA/600/4-85/01 3: methods for
	Fish toxicity	NOEC mg/l	0,172	30 d	Cottus bairdi	Environm. Tox & Chem. Vol 24, Nr 6, 1515	lab-designed dose-response test
	Algae toxicity	NOEC mg/l	1,071	16 d	Macrocystis pyrifera	Mar Environ Res 26(2):113-134 (1988)	16-d and 2-d toxicity test to early life
	Crustacea toxicity	NOEC mg/l	0,031	50 d	Daphnia magna	Aquatic Toxicologhy 12,273-290 (1988)	chronic tests were performed for an exte
	Acute bacteria toxicity	(EC50	5,2 mg/l)	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### BCF

CAS No	Chemical name	BCF	Species	Source
7646-85-7	zinc chloride	96,05	Danio rerio	Chemosphere 128:125-

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 10 of 12

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

#### **Further information**

Do not empty into drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1.	UN number or ID number:	UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 Classification code: C1 Limited quantity: 5 I Excepted quantity: F1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Limited quantity:5 LExcepted quantity:E1

### Marine transport (IMDG)

14.1. UN number or ID number: UN 1840

**14.2. UN proper shipping name:** ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Marine pollutant:PSpecial Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B



according to UK REACH Regulation

### Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 11 of 12

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

Excepted quantity:

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: zinc chloride

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

E1

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

(SEVESO III):

E1 Hazardous to the Aquatic Environment

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 9.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to UK REACH Regulation

# Zinc chloride solution 35 % pure

Revision date: 01.12.2022 Product code: 16702 Page 12 of 12

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
	nammum swanowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)