



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMT | REC Day or Night Within USA and Canada: |
| | 1-800-424-9300 Outside USA and C | Canada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

| recautionaly statemen | 13 |
|-----------------------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing |
| | protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |



Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

according to Regulation (EC) No 1907/2006

Revision date: 18.08.2023

Product code: 17346

Page 2 of 11

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | | | |
|----------|---|--------------|------------------|-------------|--|--|
| | EC No | Index No | ndex No REACH No | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | | |
| 333-20-0 | potassium thiocyanate | | | 15 - < 20 % | | |
| | 206-370-1 | 615-004-00-3 | 01-2119543697-26 | | | |
| | Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H332 H312 H302 H319 H412 EUH032 | | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|------------------|--|-------------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 333-20-0 | 206-370-1 | potassium thiocyanate | 15 - < 20 % |
| | 1 | = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = 508 mg/kg | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.





according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 3 of 11

Water, to which activated charcoal may be added Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Agitation Spasms Cardiac arrhythmias Circulatory collapse

4.3. Indication of any immediate medical attention and special treatment needed

Release of: Hydrogen cyanide (hydrocyanic acid)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Sulphur oxides Hydrogen cyanide (hydrocyanic acid)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).



an analyti**chem** brand

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 4 of 11

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | - | |
|--------------|-----------------------|----------------|----------|------------------|
| DNEL type | | Exposure route | Effect | Value |
| 333-20-0 | potassium thiocyanate | | - | |
| Worker DNEL, | long-term | inhalation | systemic | 3,6 mg/m³ |
| Worker DNEL, | long-term | dermal | systemic | 5,1 mg/kg bw/day |
| Consumer DNE | EL, long-term | inhalation | systemic | 0,9 mg/m³ |
| Consumer DNE | EL, long-term | dermal | systemic | 2,6 mg/kg bw/day |
| Consumer DNE | EL, long-term | oral | systemic | 0,3 mg/kg bw/day |

PNEC values

| CAS No | Substance | | |
|--|---------------------------------------|-------------|--|
| Environmental compartment Value | | | |
| 333-20-0 | potassium thiocyanate | | |
| Freshwater | | 0,095 mg/l | |
| Freshwater (intermittent releases) 0,027 m | | | |
| Marine wate | r | 0,009 mg/l | |
| Freshwater | 0,543 mg/kg | | |
| Marine sedir | nent | 0,054 mg/kg | |
| Secondary p | 1,667 mg/kg | | |
| Micro-organi | isms in sewage treatment plants (STP) | 30 mg/l | |
| Soil | 6,336 mg/kg | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 741 Dermatril® L Suitable material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

according to Regulation (EC) No 1907/2006

Revision date: 18.08.2023

Product code: 17346

Page 6 of 11

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|-------------------|---------------------------|
| Colour: | brown | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | 1 | No data available |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | Х |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | 1,05404 g/cm ³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |
| 9.2. Other information | | |
| Information with regard to physical | hazard classes | |
| Explosive properties | | |
| No data available | | |
| Sustaining combustion: | | No data available |
| Self-ignition temperature | | |
| Solid: | | No data available |
| Gas: | | No data available |
| Oxidizing properties | | |
| No data available | | |
| Other safety characteristics | | |

Other safety characteristics Evaporation rate:

No data available



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

| Revision date: 18.08.2023 | Product code: 17346 | Page 7 of 11 |
|---------------------------|---------------------|--------------|
| Solvent separation test: | No data available | |
| Solvent content: | No data available | |
| Solid content: | 0 | |
| Sublimation point: | No data available | |
| Softening point: | No data available | |
| Pour point: | No data available | |
| No data available: | | |
| Viscosity / dynamic: | No data available | |
| Flow time: | No data available | |
| Further Information | | |

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent Acid Formation of: Hydrogen cyanide (hydrocyanic acid)

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 8 of 11

| CAS No | Chemical name | | | | | | |
|----------|-----------------------|---------------|----------|----------------|---------------------|--------------------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 333-20-0 | potassium thiocyanate | | | | | | |
| | oral | LD50 mg/kg | 508 | Japanese quail | Study report (1999) | OECD Guideline 401 | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (2003) | OECD Guideline 402 | |
| | inhalation vapour | ATE | 11 mg/l | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Irritant Agitation Spasms Cardiac arrhythmias Circulatory collapse

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 9 of 11

| CAS No | Chemical name | | | | | | | |
|----------|--------------------------|--------------|----------|-----------|------------------------------------|------------------------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 333-20-0 | potassium thiocyanate | | | | | | | |
| | Acute fish toxicity | LC50 | 65 mg/l | 96 h | Oncorhynchus mykiss | Study report (1999) | EU Method C.1 | |
| | Acute algae toxicity | ErC50 | 116 mg/l | | Pseudokirchneriella subcapitata | Study report (1999) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | 3,56 | 48 h | Daphnia magna | Study report (1999) | OECD Guideline 202 | |
| | Fish toxicity | NOEC mg/l | 1,84 | 124 d | Pimephales promelas | Study report (1994) | Test was based on exposing juvenile fath | |
| | Crustacea toxicity | NOEC mg/l | 1,25 | 21 d | Daphnia magna | Study report (2005) | OECD Guideline 211 | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------------|---------|
| 333-20-0 | potassium thiocyanate | -2,52 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a hazardous waste incinerator facility under observation of official regulations. Do not allow to enter into surface water or drains. Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

| Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l | | | | | | |
|---|---|---------------|--|--|--|--|
| Revision date: 18.08.2023 | Product code: 17346 | Page 10 of 11 | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | | |
| Inland waterways transport (ADN) | | | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | | |
| Marine transport (IMDG) | | | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | | | |
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | | |
| 14.5. Environmental hazards | | | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | | | |
| 14.6. Special precautions for user | | | | | | |
| No dangerous good in sense of this tr | | | | | | |
| 14.7. Maritime transport in bulk according t | | | | | | |
| No dangerous good in sense of this tr | ansport regulation. | | | | | |
| SECTION 15: Regulatory information | | | | | | |
| 15.1. Safety, health and environmental regu | lations/legislation specific for the substance or mixture | | | | | |
| EU regulatory information | | | | | | |
| Restrictions on use (REACH, annex XVII) | | | | | | |
| Entry 3 | • | | | | | |
| Information according to 2012/18/EU | Not subject to 2012/18/EU (SEVESO III) | | | | | |
| (SEVESO III): | | | | | | |
| National regulatory information | | | | | | |
| | | | | | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juv | | | | | |
| | work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant of | | | | | |
| | nursing mothers. | | | | | |
| Water hazard class (D): | 1 - slightly hazardous to water | | | | | |
| | | | | | | |
| SECTION 16: Other information | | | | | | |

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

Potassium thiocyanate solution 120 g/l for analysis max. 0.15 mg Fe/l

Revision date: 18.08.2023

Product code: 17346

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--|--------------------------|
| Eye Irrit. 2; H319 | Calculation method |
| Relevant H and EUH statements (number and full text) | |

| H302 | Harmful if swallowed. |
|--------|--|
| H312 | Harmful in contact with skin. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH032 | Contact with acids liberates very toxic gas. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)