

ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST

UFI:

85AM-P1HW-6001-DNTK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| e-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| e-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMTR | EC Day or Night Within USA and Canada: |
| | 1-800-424-9300 Outside USA and C | anada: +1 703-741-5970 (collect calls |
| | accepted) | |

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 2; H310 Acute Tox. 3; H301 Acute Tox. 3; H331 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.


2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

hydrofluoric acid 5 %

Signal word:







ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 2 of 12

Hazard statements

| H301+H331 | Toxic if swallowed or if inhaled. |
|------------------------|---|
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| Precautionary statemer | nts |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |

Additional advice on labelling

No information available.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | Quantity | |
|-----------|--|---------------------|----------|----------|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 7664-39-3 | hydrofluoric acid % | hydrofluoric acid % | | | |
| | 231-634-8 | 009-003-00-1 | | | |
| | Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314 | | | | |

Full text of H and EUH statements: see section 16.

| Specific Conc. Limits, M-factors and ATE | | | | | |
|--|--|--|------------|--|--|
| CAS No | EC No | Chemical name | Quantity | | |
| | Specific Conc. Limits, M-factors and ATE | | | | |
| 7664-39-3 | 231-634-8 | hydrofluoric acid % | 5 - < 10 % | | |
| | LC50 = 1610 | TE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1 | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Call a physician immediately.

After inhalation

Provide fresh air.



ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 3 of 12

If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately. (Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!)

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

Adverse human health effects and symptoms:

Gastric perforation

Remove casualty to fresh air and keep warm and at rest.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant Causes burns. Cough Dyspnoea Risk of serious damage to eyes. Gastric perforation Circulatory collapse Pulmonary oedema Vomiting seizures Pneumonia

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen fluoride

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 4 of 12

undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 5 of 12

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Further information on storage conditions

Store in a dry place.

Suitable container/equipment material: plastic Unsuitable container/equipment material: Metal, Glass

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|--------------------------|-----|-------|---------|---------------|--------|
| 7664-39-3 | Hydrogen fluoride (as F) | 1.8 | 1.5 | | TWA (8 h) | |
| | | 3 | 2.5 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|-----------|-------------------|-----------|--------|---------------|----------------|
| 7664-39-3 | Hydrogen fluoride | Fluoride | 2 mg/L | Urine | Prior to shift |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):



ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 6 of 12

By long-term hand contact Trade name/designation: KCL 720 Camapren® Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with permanent contact: > 480 min

 By short-term hand contact

 Trade name/designation:
 KCL 720 Camapren®

 Recommended material:
 CR (polychloroprene, chloroprene rubber) 0,65 mm

 Wearing time with occasional contact (splashes):
 > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|-------------------|-------------------|
| Colour: | colourless | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | | No data available |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | Х |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | acidic |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| not determined | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| | | |



| ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST | | | | |
|--|---------------------|--------------|--|--|
| Revision date: 03.02.2023 | Product code: 18172 | Page 7 of 12 | | |
| Relative density: | No data available | | | |
| Bulk density: | No data available | | | |
| Relative vapour density: | No data available | | | |
| Particle characteristics: | No data available | | | |
| 0.2. Other information | | | | |
| Information with regard to physical ha | zard classes | | | |
| Explosive properties | | | | |
| No data available | | | | |
| Sustaining combustion: | No data available | | | |
| Self-ignition temperature | | | | |
| Solid: | not applicable | | | |
| Gas: | not applicable | | | |
| Oxidizing properties | | | | |
| Not oxidising. | | | | |
| Other safety characteristics | | | | |
| Evaporation rate: | No data available | | | |
| Solvent separation test: | No data available | | | |
| Solvent content: | No data available | | | |
| Solid content: | No data available | | | |
| Sublimation point: | No data available | | | |
| Softening point: | No data available | | | |
| Pour point: | No data available | | | |
| No data available: | | | | |
| Viscosity / dynamic: | No data available | | | |
| Flow time: | No data available | | | |
| Further Information | | | | |
| Ne dete evelleble | | | | |

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali metals Fluorine permanganates, e.g. potassium permanganate Alkali (lye) Metal Nitric acid Acetic anhydride Ammonia (NH3) sulphuric acid Sodium and potassium hydroxide

10.4. Conditions to avoid

Radiant heat.

10.5. Incompatible materials

Metal

Glass

The product develops hydrogen in an aqueous solution in contact with metals.



ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 8 of 12

10.6. Hazardous decomposition products

In case of fire:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Fatal in contact with skin. Toxic if swallowed. Toxic if inhaled If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Causes poorly healing wounds. Irritant Causes burns. Cough Dyspnoea Risk of serious damage to eyes. Gastric perforation Circulatory collapse Pulmonary oedema Vomiting seizures Pneumonia

ATEmix calculated

ATE (oral) 99,4 mg/kg; ATE (dermal) 100,0 mg/kg; ATE (inhalation vapour) 10,00 mg/l; ATE (inhalation dust/mist) 1,000 mg/l

| CAS No | Chemical name | | | | | |
|-----------|----------------------|------|-----------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 7664-39-3 | hydrofluoric acid % | | | | | |
| | oral | ATE | 5 mg/kg | | | |
| | dermal | ATE | 5 mg/kg | | | |
| | inhalation vapour | ATE | 0,5 mg/l | | | |
| | inhalation dust/mist | ATE | 0,05 mg/l | | | |
| | inhalation (1 h) gas | LC50 | 1610 | Rat | | |
| | | ppm | | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

ICP concentrate niobium 10.000 g Nb/I in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 9 of 12

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Following ingestion gastric perforation Liver and kidney damage Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

Send to a hazardous waste incinerator facility under observation of official regulations.



ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 10 of 12

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| Land transport (ADR/RID) | | |
|--|--|------------|
| <u>14.1. UN number or ID number:</u> | UN 1790 | |
| 14.2. UN proper shipping name: | Hydrofluoric acid | |
| 14.3. Transport hazard class(es): | 8 | |
| 14.4. Packing group: | ll l | |
| Hazard label: | " 8+6.1 | |
| Classification code: | CT1 | |
| | - | |
| Limited quantity: | 1 L | |
| Excepted quantity: | E2 | |
| Transport category: | 2 | |
| Hazard No: | 86 | |
| Tunnel restriction code: | E | |
| Inland waterways transport (ADN) | | |
| 14.1. UN number or ID number: | UN 1790 | |
| 14.2. UN proper shipping name: | Hydrofluoric acid | |
| 14.3. Transport hazard class(es): | 8 | |
| 14.4. Packing group: | U U | |
| Hazard label: | 8+6.1 | |
| Classification code: | CT1 | |
| | | |
| Special Provisions: | 802 | |
| Limited quantity: | 1 L | |
| Excepted quantity: | E2 | |
| Marine transport (IMDG) | | |
| | | |
| <u>14.1. UN number or ID number:</u> | UN 1790 | |
| | UN 1790 Hydrofluoric acid | |
| 14.2. UN proper shipping name: | | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): | Hydrofluoric acid | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: | Hydrofluoric acid 8 II | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label: | Hydrofluoric acid 8 | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: | Hydrofluoric acid 8 II 8+6.1 | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: | Hydrofluoric acid 8 II 8+6.1 - 1 L | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS: | Hydrofluoric acid 8 II 8+6.1 - 1 L | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR) | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR) | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 | |
| 14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Limited quantity Passenger: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 0.5 L | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Limited quantity Passenger: Passenger LQ: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 0.5 L Y840 | 851 |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Limited quantity Passenger: Passenger LQ: Excepted quantity: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 0.5 L Y840 | 851 1 L |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 0.5 L Y840 | |
| 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: EmS: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: | Hydrofluoric acid 8 II 8+6.1 - 1 L E2 F-A, S-B UN 1790 Hydrofluoric acid 8 II 8+6.1 0.5 L Y840 | 1 L |



ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

Revision date: 03.02.2023

Product code: 18172

Page 11 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

Warning: Toxic. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU (SEVESO III): | H2 ACUTE TOXIC |
|--|---|
| National regulatory information | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. |
| Water hazard class (D): | 1 - slightly hazardous to water |
| Skin resorption/Sensitization: | Permeates easily through outer skin and causes poisoning. |

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,6,8,9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Acute Tox. 2; H310 | Calculation method |
| Acute Tox. 3; H301 | Calculation method |
| Acute Tox. 3; H331 | Calculation method |
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

Fatal if swallowed. H300 H301

Toxic if swallowed



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP concentrate niobium 10.000 g Nb/l in hydrofluoric acid 2-5 % traceable to NIST

| Revision date: 03.02.2023 | Product code: 18172 | Page 12 of 12 |
|---------------------------|--|---------------|
| H301+H331 | Toxic if swallowed or if inhaled. | |
| H310 | Fatal in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H318 | Causes serious eye damage. | |
| H330 | Fatal if inhaled. | |
| H331 | Toxic if inhaled. | |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)